

INDEX



S	ΕÆ	٩Τ	11	NG
_				

<u>SEATI</u>	<u>NG</u>				
11	Billa	FINIS	HES_		
12	Breeze	7	Metals	OUTDOO	OR ITEMS OVERVIEW 47
13	Camel *	5	Polycarbonate		SEATING - LOUNGE
16	Crossing	5	Polypropylene	12	Breeze
17	Derby	6	Polyurethane	19, 20	Dragonfly.
19	Dragonfly *	10	Table Tops	62	Longway
23	E-motion	9	Woods	28	Pacific
24	Gallery			29	Polo
25	Grace	LOUN	IGE SEATING	30	Poppy Star
26	Hammer S	48	Agora	40, 42	To-Be.
27	Lips	49	Alphabet DTA		TABLES - BASES - TOPS
28	Pacific	49	Alphabet Gamma	85	Easy Boy Tables
29	Polo	49	Alphabet Mi Longue	97	HPL & Gres Porcelain Tops
30	Poppy Star	49	Alphabet OMG	90	K Collection Bases.
31	Slide *	50	Be-On	92	Polo Tables
32	Stamp *	51	Billa	93	Samu Bases
39	To-Be *	52	Carell	94	Slim Tables
46	Trolley	53	Cross	95	Stay-On Bases
43	Trono	54	Flores	96	Top & Stop Bases
44	Uno	55	Hammer M-L	30	Top & Stop Bases
45	Zenith	56	Hotel	ACCESS	ODIES
47	Outdoor Products	59		101	Ellipse Coat Hangers/Trolleys
41 *	Collection includes Stools	59 59	Longway Longway A	101	Ellipse Wastepaper Baskets
	Collection includes Stools	61	Longway C	102	Hand Sanitizer Station
TADIE	6	60		103	Hariu Samilizer Station
TABLE 77		61	Longway B, D & E	LIDLIOLG	TEDV
77 78	Agora		Longway F	<u>UPHOLS</u>	
	Alphatable	60	Longway G	114	COM/COL Form
79	Artful	60	Longway H & I	115	Upholstery Information
82	Compasso	60	Longway L	117	Upholstery Grades
85	Easy Boy	60	Longway M	120	Camira Patterns
87	Hotel	62	Longway N & O	128	Gabriel Pattern
91	Longway	61	Longway Q & R	130	Kvadrat Patterns
92	Polo	62	Longway Outdoor	138	Momentum Patterns
94	Slim	65	Mygingol	147	Spradling Patterns
TADLE	PACEC	66	Noldor	155	Wollsdorf Leathers
	<u>BASES</u>	67	Oscar	OFNEDA	AL INFORMATION
80	Boom	68	Rey		AL INFORMATION
83	Coni	69	Skylan	112	Care & Maintenance
84	Cult	34	Stamp	112	Claims
86	Fold Up	71	Steak & Stilton	105	Company Certifications
88	Jo Tab	73	Taxido	112	Flammability
89	Juxt	74	Terminus	4	Freight & Shipping
90	K Collection			104	Power Options
92	Polo		E TOPS	112	Receiving Procedures
93	Samu	97	HPL Tops	3	Recycled Materials
95	Stay On	97	Gres Porcelain Tops	111	Terms & Conditions
96	Top & Stop	98	Laminate & Veneer Tops	113	Warranty

QUESTIONS: mcarter@segis-usa.com 423-317-0162

> aharris@segis-usa.com hms@hshore.com

ORDERING

VIA E-MAIL or FAX mcarter@segis-usa.com fax: 423-722-4922

Segis USA - 3431 W. Andrew Johnson Highway, Morristown, TN 37814 VIA FEDEX, UPS, etc.

Segis USA - P.O. Box 2157 - Morristown, TN 37816-2157 VIA MAIL

Raw materials used in our products are made with high percentages of post consumer recycled raw materials.





Material	%	recycled content
Steel	32%	
Aluminum	80%	
Polypropylene	70% to 80	% depending on color
Table core material	35%	
Liner board (packaging)	35%	

Product design and development is oriented to technologies and production processes that promote energy savings and the lowest environmental impact. Segis products are ecological even after a long and honored service. When they reach the end of their life cycle they can be fully recycled in simple and inexpensive ways. Table surface finishes, glues and other materials used in our manufacturing processes are non-toxic. All wooden elements of Segis furniture come from reforested plantation materials (no primary forest materials are used). Segis offers alternative packaging options for truckload orders that can reduce the amount of packaging waste at the installation site. Segis also bans the use of leathers obtained from endangered species

CAUTION

In order to better preserve the products purchased, it is advisable to pay attention to gels and sanitizing products that could alter their original appearance if used directly on materials such as plastics, metals, woods, fabrics, leathers, etc.

FREIGHT AND SHIPPING INFORMATION

The Segis Freight Program below is for normal delivery to the forty-eight continuous USA states, dock to dock. These shipments do not include expedited shipping, prior delivery calls, inside delivery, installation, unpacking, or removal of cartoning materials. A request for carrier "pre-delivery notification" is subject to a \$15 net charge; this must be noted on the original purchase order as a separate line item. Any additional costs related to shipment issues, e.g. reconsignment charges, storage charges, etc., will be the responsibility of the customer.

Segis reserves the right to ship via the most appropriate carrier and/or routing on all shipments. If a customer specifies a carrier other than a pre-approved carrier, freight will ship collect at the customer's expense via the designated carrier. Any additional costs related to shipment issues such as pre-delivery notification, reconsignment charges, storage charges, etc., will be the responsibility of the customer.

MINIMUM SHIPMENT UPCHARGES

Guaranteed prepaid freight is based on the COM List Price of a shipment traveling to its final destination. Segis has divided the contiguous USA states into four Zones. When the COM List Price is below the dollar amount listed per zone below, these costs will be listed as separate line items on the order's invoice.

The Net Upcharge listed below will be added to the invoice


Zone	Minimum COM List Price	Net Upcharge
1	\$7,500.00	\$150.00
2	\$7,500.00	\$175.00
3	\$7,500.00	\$225.00
4	\$7,500.00	\$250.00




/ POLYPROPYLENE / POLYPROPYLÈNE / POLYPROPYLEN



POLICARBONATO / POLYCARBONATE / POLYCARBONATE / POLYCARBONAT



POLIURETANO / POLYURETHANE / POLYURÉTHANE / POLYURETHAN





Warning:

The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities. Further to our own commercial names, when available we also indicate the closest possible NCS reference. Such references are provided to result the more universal and objective reference possible. Segis however declines any responsibility for slight color tone differences that may occur between the NCS colour reference and the real product colour, between different materials, different products and between different production batches.

FINITURE METALLO / METAL FINISHES / FINITION MÉTAL / GESTELL LACKFARBEN



Finiture per esterno / Outdoor finishes / Finitions pour extérieur / Lack für den Aussenbereich

Note: powder coat 24 bordeau is not suitable for outdoor use.

^{*} Finiture goffrate / Textured finishes / Finitions texturées / Rauhlackfarben



68 * RAL 9006 68 aluminum



03 Cromo satinato Satin chromed Chrome satinè



66 Inox spazzolato Brushed stainless steel Inox brossè Edelstahl



67 Alluminio spazzolato lucido / Polish and brushed aluminium / Aluminium brossè poli Aluminium gebürstet noliert



65 Inox lucido Polished steinless steel Inox poli Edelstahl poliert



02 Cromato / Chromed

- 2 chrome
- 3 satin chrome
- 65 polished stainless steel
- 66 brushed stainless steel
- 67 polished & brushed aluminum
- 68 aluminum

FINITURE ANODIZZATE / ANODIZED FINISHES / FINITIONS ANODISÉES / ELOXIERT



Opaco 61 / Satin 61 Mat 61 / Matt 61



Lucido 64 / Polish 64 Poli 64 / Poliert 64

FINITURA STRUTTURA / FRAME FINISH / FINITION STRUCTURE ALUMINIUM / GESTELL AUSFÜHRUNG



(CAPOFAMIGLIA)

80

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernissen geändert werden.

ESSENZE / WOOD FINISHINGS / FINITIONS DE BOIS / HOLZ AUSFÜHRUNGEN

Finiture per essenza faggio Finishes for beechwood Finitions pour essence hêtre Ausführungen Buche



FA/02 naturale natural naturel Natur



FG/07 noce scuro dark walnut noyer fonce Nussbaum-DKL



FA/03 anilina bianco white aniline aniline blanc Anilingebeizt Weiss

Finiture per essenza rovere Finishes for oak Finitions pour essence chêne Ausführungen Eiche



RO/02 naturale natural naturel Natur



RO/03 sbiancato bleached blanchi gebleicht



RO/05 anilina nero black aniline aniline noir Anilingebeizt Schwarz

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei cotalore indicativo accurate, le riproduzioni sono suscettibili a variazione secondo necessità dell'azienda.


Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernissen geändert werden.


HPL TOPS

art. PHP



FOLD-UP TOPS

art. PL9



GRES PORCELAIN TOPS

NOTE: Only for table bases with a die-cast aluminum fixing plate.

art. PGP

GRES PORCELLANATO

per basi con piatto pressofusione

GRES PORCELAIN

only for table's bases with die cast aluminium plate

GRÈS CÉRAME

seulement pour pied de table en fonte d'aluminium

KERAMIK PLATTEN

nur für Tischgestell mit Unterteller aus Aludruckguss







BC Basalt Cream

DM Dark Marquinia

BILLA	Favaret	to & Par	tners													
	black th Backres Seat: u Fire reta	Frame: elliptic metal tube available in Segis powder coat or chrome; colors on page 7 black thermoplastic glides Backrest: curved oak plywood in Natural RO-02 or Black Aniline RO-05 with inside upholstered panel Seat: upholstered beech plywood panel w/fr foam Fire retardant foam meets California Bulletin 117A Coordinating Billa Lounge Seating: see page 51														
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt		
CHAIR 20.5w, 21.25d, 30h, 17.75sh							02 chrom	ne	add 70							
1245	1.75	31.5	1,704	1,835	1,905	1,975	2,045	2,115	2,185	2,255	2,325	2,395	2,465	32		

BREEZE

Carlo Bartoli

Italy: Selected for the "Coffee Design" Collection by the Triennale di Milano 2004 Selected for Commemorativie Stamp Collection by the Italian Postal Service

Germany - Vitra Design Museum 1996

High Design Quality Award

Greece - Thessaloniki Design Museum 1996 USA - IIDA APEX Product Design Award IF Industrie Forum Design Award

Punto Rosso Design Award from Design-Zentrum Nordrhein Westfalen

Frame: high strength aluminum in anodized polished 64 or satin 61. Also available in powder coat finishes:

black 08, white 18, beige 32, mustard 06, sage green 36; colors on pages 7-8

Seat Frame: powder coated die-cast aluminum

Seat - Back: recyclable polypropylene in black 7F, white 7Y, beige 8H, mustard 8S, sage green 8T

colors on page 5

Spacers and Feet: high strength recyclable thermoplastic

Outdoor version: in anodized polished 64 or satin 61; powder coat seat frame; stainless steel hardware. Harsh environmental conditions, direct sunlight, and air polution may cause slight color variations and some surface oxidation that do not affect the strength of the materials.

Stacks: 13 on floor; +/- 20 on trolley.

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
STACKING ARMCHA 22.5w, 21d, 31h, 17.5sh, 26al													
S0466 Polypropylene Seat-Back		powde	er coat	489		61 or	64 alumi	num add	126				12
S0466-E OUTDOOR	FA			677									
Polypropylene Seat-Back & aluminum 61 or 64	1 1, 1												12

BREEZE INFO

FR: 7F fire retardant version, call for pricing and minimums. FR compounds may cause a slight color variance.

MGANBREEZE metal ganging device in powder coat aluminun

CAMEL

Bartoli Design

Belgrade Furniture Fair: Golden Key Award 2016

Wood Legs: Beech in Natural FA/02 or White Aniline FA/03; finishes on page 9.

Seat Frames for Wood Leg models: metal in powder coat finishes to match Polypropylene shell:

black 08, white 18, aluminum 68, brick 05, mustard 06, water blue 33; colors on page 7

Metal Legs: Steel in Segis powder coat finishes with matching seat frame; thermoplastic glides

Shell: recyclable expanded polypropylene with textured finish in black 7F, white 7Y, grey 7V, brick 8M,

mustard 8S, water blue 8L; colors on page 5

Upholstered Shell: with lightly padded lining

Outdoor version: available in powder coat finishes shown below; stainless steel screws

FR fire retardant shell version white 7Y; call for pricing and minimums. FR compounds may cause a slight color variance.

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
WOOD TRESTLE BA 18w, 20d, 32h, 17.75sh S0066 Polypropylene Shell	ASE CHAIR	pov	vder coat	905									21
S0067 Upholstered Shell	1.25	1,050	1,144	1,194	1,244	1,294	1,344	1,394	1,444	1,494	1,544	1,594	22
METAL TRESTLE B. 18w, 20.5d, 32h, 17.75sh	ASE CHAIR												
S0069 Polypropylene Shell		pov	vder coat	618									22
S0070 Upholstered Shell	1.25	762	856	906	956	1,006	1,056	1,106	1,156	1,206	1,256	1,306	23
METAL TRESTLE B	ASE COUNTE	ER STO	OOL										
19w, 19d, 40h, 25sh G0047 Polypropylene Shell	A	pov	vder coat	898									19
G0050 Upholstered Shell	1.25	1,042	1,136	1,186	1,236	1,286	1,336	1,386	1,436	1,486	1,536	1,586	20
METAL TRESTLE B.	ASE TALL ST	OOL											
19w, 19d, 44h, 29.5sh G0048 Polypropylene Shell	A	pov	vder coat	942									20
G0049 Upholstered Shell	1.25	1,020	1,086	961	1,011	1,061	1,111	1,161	1,211	1,261	1,311	1,361	21
CAMEL INFO	Submit a sample	e for appr	oval when	specifyin	g Camel	with an up	oholstere	d shell					

Four legged frame: high resistance 14 mm steel tube in powder coat or chrome finish; thermoplastic glides

Armrests: padded in light grey polyethylene foam; black shells have black armrests

Outdoor version: available in powder coat finishes shown below; stainless steel screws

Stacks: 4 leg chairs 12 on floor; 14 on trolley Polypropylene protective cover under the seat

STACKING CHAIRS 21w, 20d, 32h, 17.75sh S0072 02 chrome 18 Polypropylene Shell powder coat 528 add 30 S0073 672 766 866 916 966 1,016 1,216 19 Upholstered Shell 1 25 816 1,066 1,116 1,166

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
	•		'	2	3	7	3	O	'	U	3	10	WL
STACKING CHA		3											
22.5w, 20d, 32h, 17.75	sh												
S0072-B Polypropylene Shell		nov	vder coat	656		02 chrom	Α.	add 40					21
i diypiopyiene dheii		pov	vaci coat	000		02 01110111		auu +o					- '
S0073-B	1 , 1												
Upholstered Shell	1.25	800	894	944	994	1,044	1,094	1,144	1,194	1,244	1,294	1,344	22
	Sled Base Fran	ne: 12mm	steel rod (16mm for	stools) ii	n powder o	coat or ch	rome finis	sh: thermo	plastic gl	ides		
	Armrests: padd												
	Stacks: sled ba	se chairs	12 on floo	r; 20 on tr	olley	sled base	stools 8	on floor					
SLED BASE STA	CKING CHAIR												
20w, 20d, 32h, 17.75sh													
S0075													
Polypropylene Shell		pov	vder coat	553		02 chrom	е	44					21
	\square												
S0076	1.25	007	704	044	004	044	004	4.044	4.004	4 4 4 4	4 404	4.044	20
Upholstered Shell	1.25	697	791	841	891	941	991	1,041	1,091	1,141	1,191	1,241	22
SLED BASE STA	CKING CHAIR V	v/ARMF	RESTS										
22.5w, 20d, 32h, 17.75	sh												
S0075-B	\neg			005		00.1							0.5
Polypropylene Shell		pov	vder coat	685		02 chrom	e	add 60					25
S0076-B													
Upholstered Shell	1.25	829	923	973	1,023	1,073	1,123	1,173	1,223	1,273	1,323	1,373	26
	Clad Base From	ao: 12mm	ataal rad (16mm for	r ataola) ii	a nowdor	oost or ob	romo finic	h: thorma	nlastis al	idoo		
	Sled Base Fran Armrests: padd			•	,	•				ppiastic gi	iues		
	Stacks: sled ba	•		,									
SLED BASE STA	ACKING COUNTI	ERSIC	OL										
20w, 20d, 38.5h, 25sh G0038													
Polypropylene Shell		pov	vder coat	706		02 chrom	e	add 44					22
ciypiopyione ono		po.				02 0							
G0039													
Upholstered Shell	1.25	850	944	994	1,044	1,094	1,144	1,194	1,244	1,294	1,344	1,394	23
SLED BASE STA	CKING COUNTI	ER STO	OL w/A	RMRE	STS								
22.5w, 20d, 38.5h, 25s	h												
G0038-B	-/												
Polypropylene Shell		pov	vder coat	818		02 chrom	е	add 46					26
G0039-B	\												
Upholstered Shell	1.25	962	1,056	1,106	1,156	1,206	1,256	1,306	1,356	1,406	1,456	1,506	27
							·				·	·	
SLED BASE STA	CKING TALL ST	001											
20w, 20d, 43.5h, 29.5s		JUL											
G0036													
Polypropylene Shell		pov	vder coat	750		02 chrom	е	add 48					23
. 71 . 17	75												
A A													
G0037	4.05	904	000	1.000	4.000	4.400	1 100	1 220	1 200	1 220	1 200	1.400	24
A A	1.25	894	988	1,038	1,088	1,138	1,188	1,238	1,288	1,338	1,388	1,438	24
G0037	1.25	894	988	1,038	1,088	1,138	1,188	1,238	1,288	1,338	1,388	1,438	24
G0037 Upholstered Shell	ACKING TALL ST				1,088	1,138	1,188	1,238	1,288	1,338	1,388	1,438	24
G0037 Upholstered Shell SLED BASE STA 22.5w, 20d, 43.5h, 29.5	ACKING TALL ST				1,088	1,138	1,188	1,238	1,288	1,338	1,388	1,438	24
G0037 Upholstered Shell SLED BASE STA 22.5w, 20d, 43.5h, 29.5 G0036-B	ACKING TALL ST	OOL w	/ARMR	ESTS	1,088				1,288	1,338	1,388	1,438	
G0037 Upholstered Shell SLED BASE STA 22.5w, 20d, 43.5h, 29.5	ACKING TALL ST	OOL w			1,088	1,138 02 chrom		1,238 add 48	1,288	1,338	1,388	1,438	24
G0037 Upholstered Shell SLED BASE STA 22.5w, 20d, 43.5h, 29.5 G0036-B Polypropylene Shell	ACKING TALL ST	OOL w	/ARMR	ESTS	1,088				1,288	1,338	1,388	1,438	
G0037 Upholstered Shell SLED BASE STA 22.5w, 20d, 43.5h, 29.5 G0036-B	ACKING TALL ST	OOL w	/ARMR	ESTS	1,088				1,288	1,338	1,388	1,438	

	Four Star Swive	l Base Fra	ame: die o	ast alumi	num in p	owder coa	at or polis	ihed brus	hed finish	. Swivel v	with thern	noplastic t	feet.
SWIVEL CHAIR 19w, 20d, 32h, 17.75sh	yds	com	1	2	3	4	5	6	7	8	9	10	wt
R0076 Polypropylene Shell	不	pov	vder coat	902		polished	brushed (67 finish	902				24
R0077 Upholstered Shell	1.25	1,047	1,141	1,191	1,241	1,291	1,341	1,391	1,441	1,491	1,541	1,591	25
	Four Star Fixed	Base with	Self Brak	ing Caste	rs; die ca	ıst alumin	um in pov	vder coat	or polishe	ed brushe	d finish		
CHAIR w/CASTERS 19.75w, 21.75d, 32h, 18sh R0079 Polypropylene Shell	*	pov	vder coat	954		polished	brushed (67 finish	954				23
R0080 Upholstered Shell	1.25	1,099	1,193	1,243	1,293	1,343	1,393	1,443	1,493	1,543	1,593	1,643	24
CAMEL MODULAR B	BEAM SEATIN	١G											
C0076 Polypropylene Shell				498									
C0077 Upholstered Shell	1.25	643	737	787	837	887	937	987	1,037	1,087	1,137	1,187	14
C0082 Polypropylene Shell w/ 2 Armreste				618									15
C0083 Upholstered Shell w/ 2 Arms	1.25	763	857	907	957	1,007	1,057	1,107	1,157	1,207	1,257	1,307	17
PHPT050BI Table Top, white, 20" dia		558											
MODULAR BEAM	Beam: beech in					30mm Ø t add 102		in powde	er coat col	or to matc	ch shell		
C0072 48" BEAM for 47.5w, 20d, 32h, 18sh	r Two Seats	1,795											
C0073 73" BEAM for 72.5w, 20d, 32h, 18sh	r Three Seats	2,031											
C0074 97" BEAM for 97w, 20d, 32h, 18sh	r Four Seats	2,267											

CROSSING	Archiriv	olto Des	ign											
	Frame: inner steel frame with cold injected polyurethane foam Fire retardant foam meets California Bulletin 117A Legs: tapered steel in Segis powder coat finishes or chrome; colors on page 7 Thermoplastic glides Coordinating Cross Lounge Seating: see page 53													
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
ARMCHAIR 26w, 22.5d, 31h, 18.5sh, 26al							02 chrom		add 39					
1192	2	36	1109	1,259	1,339	1,419	1,499	1,579	1,659	1,739	1,819	1,899	1,979	32

DFRBY

Archirivolto Design

USA: Winner of 2016 ADEX Award for Design Excellence - Platinum Award

Shell: integral polyurethane fr foam; inner steel frame.

Surface finish lightly textured w/external back displaying a raised pattern

Monochromatic shell finishes: taupe TO, ivory AV

Bicolored shell finishes: (white inside): sand/white SA/B, anthracite/white AN/B, British green/white VE/B,

See pages 5-9 for shell, wood, and metal finishes

Fully Upholstered Shell: shell with inner steel frame and cold injected polurethane fr foam; available in

Camira Main Line Flax, Rivet, Remix and Blazer or Gabriel Step Melange: see pages 120+

BENT BEECH BASE ARMCHAIR

Beech wood in natural FA/02, dark walnut FG/07, or white aniline FA/03; felt glides

25w. 22.5d. 31h. 17.5sh. 27ah

S0098 Polyurethane Shell

Camira Main Line Flax or Rive

10038



1,416

1,978 2.223 33

SLED BASE ARMCHAIR

Segis powder coat finishes or optional chrome 02

25w, 22.5d, 31.5h, 17.5sh, 27ah

S0090

Polyurethane Shell 10030

powder coat 1,190 02 chrome add

36

33

35

wt

31

Camira Main Line Flax or Rivet Camira Blazer or Remix 3; Gabriel Step Melange

1.708 powder coat powder coat 1,951

SWIVEL TRUMPET BASE ARMCHAIR

Segis powder coat black 08, anthracite 11, dark grey 23, ivory 46, aluminum 68, or optional chrome 02

25w, 23d, 31.5h, 17.5sh, 27ah

S0092

Polyurethane Shell

powder coat 1,630 02 chrome add

47

35

36

10032

Camira Main Line Flax or Rivet Camira Blazer or Remix 3; Gabriel Step Melange powder coat 2,055 2.298 powder coat

SWIVEL SPIDER BASE ARMCHAIR

Segis powder coat finishes or optional finishes chrome 02

25w, 24d, 31.5h, 17.5sh, 27ah

S0093

Polyurethane Shell



1,416 powder coat

02 chrome add

33

10033

Camira Blazer or Remix 3; Gabriel Step Melange

Camira Main Line Flax or Rivet powder coat 1,926 35 2,169 powder coat

FOUR STAR SWIVEL BASE ARMCHAIR

Segis powder coat black 08, anthracite 11, dark grey 23, ivory 46, aluminum 68; option polished brushed aluminum 67

25w, 23.5d, 31h, 17.5sh, 27ah

S0094

Polyurethane Shell



powder coat

1,501 67 polished/brushed add 24

32

10034

Camira Main Line Flax or Rivet powder coat Camira Blazer or Remix 3: Gabriel Step Melange

1,928 34 2,112 powder coat

FOUR STAR SWIVEL BLADE BA					
Segis powder coat black 08, anthracite 11, d	ark grey 23, ivory 4	6, aluminum 68	, or optional chrome 02		
25w, 23.5d, 31h, 17.5sh, 27ah S0095					
Polyurethane Shell	powder coat	1,472	02 chrome add	129	30
	,	,			
10035					
Camira Main Line Flax or Rivet	powder coat	2,026			34
Camira Blazer or Remix 3; Gabriel Step Melange	powder coat	2,268			
FOUR STAR SWIVEL BLADE BA	ASE ARMCHA	IR			
w/ SELF RETURNING COLUMN					
Segis powder coat black 08, anthracite 11, d 25w. 23.5d, 31h, 17.5sh, 27ah	ark grey 23, ivory 4	6, aluminum 68	s, or optional chrome		
S0096					
Polyurethane Shell	powder coat	1,630	02 chrome add	129	32
10036					
Camira Main Line Flax or Rivet	powder coat	2,186			34
Camira Blazer or Remix 3; Gabriel Step Melange	powder coat	2,430			
FIVE STAR SWIVEL BASE ARM		TEDO			
Die-cast aluminum in Segis powder coat bla	• · · · · · · · · · · · · · · · · · · ·		von 16 aluminum 68 ar n	olished brushed 67	
Self braking casters	ck oo, anunacite 11	, daik grey 25, i	vory 40, aluminum 00. or po	olistica brasilea o <i>r</i>	
25w, 23.5d, 29.5-33h, 15.5-19.5sh, 25-28.5a	ıh				
RS0037					
Polyurethane Shell	powder coat	1,416	67 polished/brushed	d add 24	33
RI0037					
Camira Main Line Flax or Rivet	powder coat	1,948			35
Camira Blazer or Remix 3; Gabriel Step Melange	powder coat	2,191			

DRAGONFLY





Odo Fioravanti

2016 Honorable Mention - XXIV Compasso d'Oro Award from ADI

France: Born Awards 2016

Nominatd for "Designs of the Year 2015" London Designs Museum USA: Winner of 2014 IIDA/HD Product Award for the Dining Seating Category Nominated "Best of Year Awards" for the Seating category: contract / guests

 $Frame: \ oval \ steel \ tube \ 30x15 \ mm \ in \ powder \ coat \ black \ 08, white \ 18, \ aluminum \ 68, \ red \ 26, \ beige \ 32,$

military green 34; colors on page 7 Wood finishes on page 9

thermoplastic glides and spacers

Shell: recyclable polypropylene reinforced with fiberglass; back with vertical ribbing

Available in black 7F, white 7Y, grey 7V, red 8R, beige 8H, military green 8Q; colors on page 5 Upholstery options: polypropylene shell with full frontal upholstery or upholstered seat cushion only.

Outdoor versions: available in the powder coat finishes shown above; stainless steel screws

FR: fire retardant version: call for pricing and minimums. FR compounds may cause a slight variance in color.

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
CANTILEVER BASE	CHAIR												
19.5w. 21d. 31h, 17.5sh S0020 Polypropylene Shell		powder	oat	553		02 chrom	e	add 52					15
S0020-E Outdoor	1/1	powder	oat	613									
S0021 Poly w/frontal upholstery	.75	713	769	799	829	859	889	919	949	979	1,009	1,039	19
S0022 Poly w/upholstered seat cushion	.75-2	665	693	708	723	738	753	768	783	798	813	828	19
	Solid beech wo							glides. St	ools with	thermopla	estic footre	est protect	tion
WOOD BASE CHAIR 18w, 21.5d, 31h, 17.5sh S0037 Polypropylene Shell				783									16
S0038 Poly w/frontal upholstery	.75	943	999	1,029	1,059	1,089	1,119	1,149	1,179	1,209	1,239	1,269	20
S0039 Poly w/upholstered seat cushion	.75-2	895	923	938	953	968	983	998	1,013	1,028	1,043	1,058	20
WOOD BASE COUN 19w, 22d, 38h, 25sh G0030 Polypropylene Shell	TER STOOL			1,364									21
G0031 Poly w/frontal upholstery	.75	1,489	1,545	1,575	1,605	1,635	1,665	1,695	1,725	1,755	1,785	1,815	25
G0032 Poly w/upholstered seat cushion	.75-2	1,441	1,469	1,484	1,499	1,514	1,529	1,544	1,559	1,574	1,589	1,604	25
WOOD BASE TALL S 19w, 22d, 42.5h, 29.5sh G0040 Polypropylene Shell	STOOL			1,471									21
G0041 Poly w/frontal upholstery	.75	1,631	1,687	1,717	1,747	1,777	1,807	1,837	1,867	1,897	1,927	1,957	25
G0042 Poly w/upholstered seat cushion	.75-2	1,583	1,611	1,626	1,641	1,656	1,671	1,686	1,701	1,716	1,731	1,746	25

Frame: four leg steel 18 mm tube; polypropylene protective cover under seat Outdoor versions: available in the powder coat finishes shown on page 7; stainless steel screws Ganging device: black plastic and steel Glides-Spacers: thermoplastic material Anti-panic Writing Tablet: black ABS Stacks: chair & armchair w/tablet 8 on floor, +/- 20 on trolley . . . armchair 10 on floor, +/- 20 on trolley 2 3 5 9 10 wt 4 LEG STACKING CHAIR 22w, 22d, 31h, 17.75sh S0024 475 02 chrome add 43 12 Polypropylene Shell powder coat S0024-E Outdoor Polypropylene Shell powder coat 535 12 S0025 635 691 751 781 871 901 931 16 Poly w/frontal upholstery 75 721 811 841 961 S0026 587 615 630 645 660 675 705 720 735 16 Poly w/upholstered seat cushion 75-2 690 750 4 LEG STACKING CHAIR w/GANGING upcharge add 93 S0084 Poly Shell, S0085 Poly Shell w/frontal upholstery, S0086 Poly Shell w/upholsteed seat cushion 4 LEG STACKING ARMCHAIR 23.5w, 21.5d, 31h, 17.75sh, 26ah S0024-B Polypropylene Shell powder coat 561 02 chrome add 46 14 S0025-B Poly w/frontal upholstery .75 720 776 806 836 866 896 926 956 986 1,016 1,046 18 S0026-B 700 760 18 .75-2 672 715 730 745 775 790 805 820 835 Poly w/upholstered seat cushion 4 LEG STACKING ARMCHAIR w/TABLET 25.5w, 21.5d, 31h, 17.75sh, 26ah add 170 upcharge Use product numbers below: S0027-B Poly Shell, S0028-B Poly Shell w/frontal upholstery, S0029-B Poly Shell w/upholstered seat cushion 4 LEG STACKING ARMCHAIR w/GANGING upcharge add 93 Use product numbers below: S0084-B Poly Shell, S0085-B Poly Shell w/frontal upholstery, S0086-B Poly Shell w/upholstered seat cushion STACKING ARMCHAIR w/TABLET & GANGING upcharge add 263 Use product numbers below: S0017-B Poly Shell, S0018-B Poly Shell w/frontal upholstery, S0019-B Poly Shell w/upholstered seat cushion Sled Frame: steel 12 mm rod; polypropylene protective cover under seat; thermoplastic glides-spacers Outdoor: sled base armless chairs in polypropylene are suitable for outdoor use Armrests:padded w/black polyethylene foam Writing Tablet: black ABS Ganging device: black plastic and steel Stacks: 15 on floor; +/- 20 on trolley STACKING SLED CHAIR 21.5w, 21.5d, 31h, 17.5sh S0033 powder coat 450 15 02 chrome add 42 Polypropylene Shell S0034 .75 611 667 697 727 757 787 847 907 19 Poly w/frontal upholstery 817 877 937 S0035 Poly w/upholstered seat cushion .75 - 2562 590 605 620 635 650 665 680 695 710 725 19

STACKING SLED C	HAIR w/GAN Use produ		rs below	:		upcharge		add 93					
S	60080 Poly She				ontal up	holstery,	S008	32 Poly S	Shell w/u	ıpholster	ed seat	cushion	1
	yds	com	1	2	3	4	5	6	7	8	9	10	W
STACKING SLED C 23.5w, 21.5d, 31h, 17.5sh, S0033-B Polypropylene Shell		RESTS powder of	coat	525		02 chrom	ne	add 42					18
S0034-B Poly w/frontal upholstery	.75	685	741	771	801	831	861	891	921	951	981	1,011	21
S0035-B Poly w/upholstered seat cushion	n .75 -2	636	664	679	694	709	724	739	754	769	784	799	21
SLED CHAIR w/ARN S0080-B Poly Shell,	MRESTS & G S0081-B Poly			holstery,		upcharge 32-B Poly	/ Shell w	add 93 //upholst	tered se	at cushio	on		
	Footrest-Spac Outdoor: sled Stacks: sled ba	base armle	ess stools	in polypro					noplastic	spacers-g	llides		
STACKING SLED B. 21w, 22.5d, 39h, 25sh G0043	ASE COUNTI	ER STO	OL										
Polypropylene Shell		powder	coat	677		02 chrom	ie	add 42					17
Poly w/frontal upholste	.75	837	893	923	953	983	1,013	1,043	1,073	1,103	1,133	1,163	18
G0045 Poly w/upholstered seat cushion	n .75 -2	788	816	831	846	861	876	891	906	921	936	951	18
STACKING SLED B. 24w, 22.5d, 39h, 25sh G0043-B	ASE COUNT	ER STO	OL w/A	RMRES	STS								
Polypropylene Shell		powder	coat	746		02 chrom	ne	add 42					20
Poly w/frontal upholstery	.75	906	962	992	1,022	1,052	1,082	1,112	1,142	1,172	1,202	1,232	21
G0045-B Poly w/upholstered seat cushion	n .75 -2	858	886	901	916	931	946	961	976	991	1,006	1,021	21
STACKING SLED B. 21w, 22d, 42.5h, 29.5sh 30033	ASE TALL ST	OOL											
Polypropylene Shell	1	powder	coat	713		02 chrom	ie	add 46					18
G0034 Poly w/frontal upholstery	.75	873	929	959	989	1,019	1,049	1,079	1,109	1,139	1,169	1,199	22
G0035 Poly w/upholstered seat cushion	n .75 -2	824	852	867	882	897	912	927	942	957	972	987	22
STACKING SLED B. 23/5w, 22d, 42.5h, 29.5sh G0033-B	ASE TALL ST												
Polypropylene Shell		powder	coat	785		02 chrom	ie	add 46					19
G0034-B Poly w/frontal upholstery	.75	945	1,001	1,031	1,061	1,091	1,121	1,151	1,181	1,211	1,241	1,271	23
G0035-B Poly w/upholstered seat cushior	n .75 -2	897	925	940	955	970	985	1,000	1,015	1,030	1,045	1,060	23

ADJUSTABLE HEIGH	Γ SWIVEL S	TOOL											
	Steel base in Di Gas operated a	0 , 1							otection.				
	yds	com	1	2	3	4	5	6	7	8	9	10	wt
17.5w, 20.5d, 30-44h, 21-31sh G0020 Polypropylene Shell		powder c	oat	1185		02 chrom	ne	add 237					42
G0021 Poly w/frontal upholstery	.75	1,330	1,386	1,416	1,446	1,476	1,506	1,536	1,566	1,596	1,626	1,656	50
G0022 Poly w/upholstered seat cushion	.75 -2	1,282	1,310	1,325	1,340	1,355	1,370	1,385	1,400	1,415	1,430	1,445	50
	Swivel Bases: o								shed 67;	see page	7 for colo	rs	
4 STAR SWIVEL BASE Die-cast aluminum base with the 19w, 21d, 31h, 18sh	=	t											
R0040 Polypropylene Shell		powder c	oat	1024		polished	brushed	67 finish		add 24			18
R0041 Poly w/frontal upholstery	.75	1,169	1,225	1,255	1,285	1,315	1,345	1,375	1,405	1,435	1,465	1,495	22
R0042 Poly w/upholstered seat cushion	.75 -2	1,120	1,148	1,163	1,178	1,193	1,208	1,223	1,238	1,253	1,268	1,283	22
4 STAR SWIVEL BASE Die-cast aluminum base with the 19w, 21d, 31h, 18sh													
R0047 Polypropylene Shell		powder c	oat	1080		polished	brushed	67 finish		add 24			20
R0048 Poly w/frontal upholstery	.75	1,225	1,281	1,311	1,341	1,371	1,401	1,431	1,461	1,491	1,521	1,551	24
R0049 Poly w/upholstered seat cushion	.75 -2	1,176	1,204	1,219	1,234	1,249	1,264	1,279	1,294	1,309	1,324	1,339	24
5 STAR SWIVEL BASE Die-cast aluminum frame with I			f-braking	casters									
25w, 23.5d, 30-35h, 17-21sh R0044 Polypropylene Shell		powder c	oat	1043		polished	brushed	67 finish		add 24			21
R0045 Poly w/frontal upholstery	.75	1,188	1,244	1,274	1,304	1,334	1,364	1,394	1,424	1,454	1,484	1,514	25
R0046 Poly w/upholstered seat cushion	.75 -2	1,140	1,168	1,183	1,198	1,213	1,228	1,243	1,258	1,273	1,288	1,303	25
5 STAR SWIVEL BASE Die-cast aluminum frame with 25w, 23.5d, 30-35h, 17-21sh													
R0044-B Polypropylene Shell	•	powder c	oat	1092		polished	brushed	67 finish		add 24			21
R0045-B Poly w/frontal upholstery	.75	1,236	1,292	1,322	1,352	1,382	1,412	1,442	1,472	1,502	1,532	1,562	25
R0046-B Poly w/upholstered seat cushion	.75 -2	1,188	1,216	1,231	1,246	1,261	1,276	1,291	1,306	1,321	1,336	1,351	25

E-MOTION

Giancarlo Piretti



Frame: unique flexible back in injection air moulding polypropylene structure; white 7Y, grey 7P with recyclable thermonlastic material feet

with recyclable thermoplastic material feet Seat: polypropylene in white 7Y, grey 7P, black 7F

Colors on page 5

Stacks: 8 on the floor; +/- 12 on trolley

STACKING CHAIR 19w, 21d, 32h, 19sh S0003



Polypropylene Shell 605

GALLERY	Bartoli [Design												
	Frame: Seat/Ba Anti-par	die cast ck: fire i nic Table	aluminur etardant et: black A	n in Segis cold injec BS		coat; color ethane fo	rs on page oam		1, or Segis	s powder	coat finish	nes		
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
STACKING CHAIR 19w, 23.5d, 32.5h, 17.5sh S0740														
Upholstered Seat-Back	1.5	27	1045	1,158	1,218	1,278	1,338	1,398	1,458	1,518	1,578	1,638	1,698	21
STACKING ARMCHA 22.5w, 23.5d, 32.5, 17.5sh, 2 S0740-B Upholstered Seat-Back		27	1286	1,399	1,459	1,519	1,579	1,639	1,699	1,759	1,819	1,879	1,939	24
ARMCHAIR w/NON-S 25w, 26d, 32.5h, 17.5sh, 25. S0741 w/ MTAV742P Upholstered Seat-Back	5ah	NG TA	ABLET	1,531	1,591	1,651	1,711	1,771	1,831	1,891	1,951	2,011	2,071	27
ARMCHAIR w/STACI 25w, 26d, 32.5h, 17.5sh, 25. S0742 w/ MTAV743F Upholstered Seat-Back	5ah	ABLET	1572	1,685	1,745	1,805	1,865	1,925	1,985	2,045	2,105	2,165	2,225	27
GALLERY INFO		PL741 ga		,			y S0740,		,		add 62			

GRACE	Studio E	sseci												
	Fire reta	rdant fo	am meets	Californi	a Bulletin	117A	cted polyu lors on pa		oam					
CHAIR Solid beech wood legs in natu 22.5w, 22.5d, 31h, 18sh, 24.5		sq-ft !, white a	com aniline FA	1 /03, or da	2 irk walnut	3-col FG/07. S	4 Specify felt	5 or metal	6 glides	7	8-L1	9	10-L2	wt
SM900	2	36	1692	1,842	1,922	2,002	2,082	2,162	2,242	2,322	2,402	2,482	2,562	26
SLED BASE CHAIR Steel rod 12 mm base in Segi 22.5w, 22.5d, 31h, 18sh, 24.5 S0901		coat fini 36	shes; ther	moplasti	c glides 1,698	1,778	02 chrom 1,858	ne 1,938	add 52 2,018	2,098	2,178	2,258	2,338	35
SWIVEL BASE CHAIR 4 star swivel blade steel base 22.5w, 21.5d, 31h, 18sh, 24.5 S0903	in Segis	powder 36	coat finish	nes; therm	noplastic ç	glides 1,976	02 chrom 2,056	ne 2,136	add 192 2,216	2,296	2,376	2,456	2,536	49

HAMMER S

Favaretto & Partners

Chicago Athenaeum for Design Excellence and Innovation Good Design Award 2017 Red Dot Award Product Design 2018

Frame: 30 mm metal tube joined with special die-cast aluminum component where arm and leg meet

Frame in Segis powder coat finishes, aluminum 68, or chrome 02; see pages 7-8

Back: metal inner insert and cold injected FR polyurethane foam

Seat: plywood and non-deformable polyurethane foam. Fire retardant foam meets California Bulletin 117A Hammer Medium and Large Armchairs: see page 55

HAMMER ARMCHAIR	yds S	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
4 Leg Base 22w, 23d, 30.3h, 18.5sh	H													
Powder Coat Element & Frame	11	11												
I220-PC	1.75	32	1,336	1,467	1,537	1,607	1,677	1,747	1,817	1,887	1,957	2,027	2,097	26
Chrome Element & Powder Coa				4.500	4 000	4.700	4 000	4.070	4.040	0.040	0.000	0.450		
I220-PC/02	1.75	32	1,461	1,592	1,662	1,732	1,802	1,872	1,942	2,012	2,082	2,152	2,222	26
Chrome Element & Frame 1220-02	1.75	32	1,550	1,681	1,751	1,821	1,891	1,961	2,031	2,101	2,171	2,241	2,311	26

LIPS Bartoli Design Frame: high strength 16mm steel sled in powder coat black 08, white 18. Option: chrome 02 Externall shell: recyclable polypropylene in white 7F, black 7F with cold-injected deformable polyurethane foam Frame colors on page 7; shell colors on page 5 Inside Seat-Back: fr cold injected non deformabale polyurethane foam Fire retardant foam meets California Bulletin 117A Feet: polyethylene Armrests: black textured polypropylene Anti-panic writing tablet: black ABS Stacks: 8 on floor (armchair w/tablet 6) com yds 2 3 5 9 10 wt STACKING CHAIR 20w, 21d, 30.5h, 17.5sh 02 chrome add 25 S0054 .75 662 718 748 778 808 838 868 898 928 958 988 20 Upholstered Inside Shell STACKING CHAIR w/ARMRESTS 23.5w, 21d, 30.5h, 17.5sh, 26ah S0054-B 02 chrome add 25 848 904 934 964 994 1,024 1,054 1,084 1,114 1,144 1,174 23 Upholstered Inside Shell STACKING CHAIR w/ARMRESTS and TABLET 24.5w, 21d, 30.5h, 17.5sh, 26ah S0056-B 02 chrome add 25 Upholstered Inside Shell .75 989 1,045 1,075 1,105 1,135 1,165 1,195 1,225 1,255 1,285 1,315 26 LIPS INFO MGAN0544 ganging device in black plastic and steel add 96

PACIFIC



George J. Sowden

ADI Design Index Award

Italy - Designated as an Environmentally Friendly Product by Casa Toscana Green Home 2004 Triennale di Milano Coffee Design Colleciton

Frame: air moulded recyclable polypropylene reinforced with fiberglass; special satin superficial finish:

white 7Y, brick 8M, mustard 8S, sage green 8T, ivory 7Q, light grey 7V; colors on page 5

Feet: high strength recylclable thermoplastic

Outdoor: version with drainage hole in seat

Outdoor use: Harsh environmental conditions, direct sunlight, and air polution may cause slight color variations and some surface oxidation that do not affect the strength of the materials.

wt

CHAIR 17w, 21d, 32.5h, 17.5sh S0500 Polypropylene



393 400

10

S0500-E Outdoor

FR fire retardant version, call for pricing and minimums Note: FR compounds may cause a slight variance in color.

PACIFIC INFO

POLO

Archirivolto Design

Frame: die cast and extruded aluminum in Segis powder coat finishes for indoor and outdoor use; black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, silver glow 12, ivory 46, white 18, beige 32, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, nordic lichen 55, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, sunny gold 52, mustard 06, sage green 36 Outdoor color choices: page 7 colors shown with an umbrella

Feet and Safety Spacers: high strength recyclable thermoplastic.

Outdoor use: Harsh environmental conditions, direct sunlight, and air polution may cause slight color

variations and some surface oxidation that do not affect the strength of the materials.

Stacks: 6 on floor and trolley Polo Tables: see page 92

wt

STACKING ARMCHAIR 24.5w, 24.5d, 31.5h, 18sh, 26.5ah S0005 Indoor or Outdoor Use



1,055

14

POPPY STAR

Bartoli Design

Frame: air moulding injection of polypropylene reinforced with fiberglass; satin finish black 7F, white 7Y, sage green 8T, military green 8Q, turquoise 9C; colors on page 5 Thermoplastic feet

Outdoor: version with drainage hole in seat
Outdoor version: Harsh environmental conditions, direct sunlight, and air polution may cause slight color

variations and some surface oxidation that do not affect the strength of the materials.

Stacks: 7 on floor; +/- 20 on trolley

STACKING ARMCHAIR

21w, 21d, 29h, 17.5sh, 26.5ah S0400

Polypropylene

S0400-E Outdoor

Polypropylene

S0400FR-7V

Fire Retardant Polypropylene Light Grey 7V

430 438 538

10

10

POPPYSTAR INFO

Note: FR compounds may cause a slight variance in color.

SLIDE

Matteo Thun



Frame: high strength steel of 18 mm and 35mm, in powder coat black 08, aluminum 68; polyethylene feet

Option: chrome 02

Seat-Back: thick polycarbonate in glossy solid black NE, transparent green VT, transparent pink-orange RT,

transparent blue BT; colors on page 5


Feet: polyethylene

Stacks: 8 chairs on floor; +/- 20 on trolley; stool does not stack

STACKING CHAIR
19.5w, 22.5d, 30.5h, 17.5sh

S0050

Polycarbonate



STAMP COLLECTION Alejandro Valdés Stamp Collection: all products have fire retardant foam meeting California Bulletin 117-2013 Seat-Back: internal steel frame and fire retardant molded polyurethane foam Frame: steel tube in Segis powder coat; option 02 chrome, colors on pages 7-8; thermoplastic glides Closed Armrests & Winged Armrests: die cast aluminum in Segis powder coat; option 02 chrome finishes Steel Tube Armrests: steel tube in Segis powder coat or chrome finishes: Upholstered Armrests: internal steel frame and fire retardant molded polyurethane foam; do not stack Option: Removabale anti-panic writing tablets in black ABS Ganging available on some models Stacking Chairs S0190, S0192, S0194, S0195 Stacks: 4 +/- on floor, 12 +/- on trolley Stacking Chairs S0191 with or without writing tablet Stacks: 4 +/- on floor, 9 +/- on trolley Stacking Chairs S0193 with or without writing tablet Stacks: 4 +/- on floor, 7 +/- on trolley Stacking Counter Stool G0200 Stacks: 4 +/- on floor 2 3-col 5 8-L1 9 10-L2 wt vds sa-ft com 1 4 LEG STACKING CHAIR 21.5w, 21.5d, 19sh, 31.5h 02 chrome add 25 S0190 1.25 797 891 941 1,041 1,091 1,241 1,291 20 23 991 1,141 1,191 1,341 S0211 1.25 23 927 1,021 1,071 1,121 1,171 1,221 1,271 1,321 1,371 1,421 1,471 20 Chair w/Ganging Device 4 LEG STACKING CHAIR W/STEEL TUBE ARMRESTS 24w, 21.5d, 19sh, 27ah, 31.5h 02 chrome add 52 S0191 1.25 23 829 923 973 1,023 1,073 1,223 1,273 1,323 1,373 23 1.123 1.173 4 LEG STACKING CHAIR w/ WINGED ALUMINUM ARMRESTS 26w, 21.5d, 19sh, 27ah, 31.5h 02 chrome add 185 S0192 1,228 1 25 23 1 028 1 078 1 128 1 328 1 378 1 428 1 478 22 934 1 178 1.278 4 LEG STACKING CHAIR w/ CLOSED ALUMINUM ARMRESTS 26w, 21.5d, 19sh, 27ah, 31.5h 02 chrome add 185 S0193 1.25 23 934 1,028 1,078 1,128 1,228 1,328 1,428 1,478 24 1,178 1,278 1,378 STACKING SLED BASE CHAIR 22w, 21.5d, 19sh, 31.5h 02 chrome add 37 S0194 1 25 23 797 891 941 991 1,041 1,091 1,141 1,191 1,241 1,291 1,341 23 S0212 1.25 23 928 1,022 1,072 1,122 1,172 1,222 1,272 1,322 1,372 1,422 1,472 26 Chair w/Ganging Device STAMP INFO: Writing Tablet MTAV191 for chairs S0190. S0191, S0192, S0193, S0194; S0211, S0212: add 230 STACKING SLED BASE CHAIR w/ WINGED ALUMIUM ARMRESTS 26w, 21.5d, 19sh, 27ah, 31.5h 02 chrome add 216 S0195 1.25 23 997 1,091 1,141 1,191 1,241 1,291 1,341 1,391 1,441 1,491 1,541 26

		yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
01 50 5	NACE CLIAID	•	•		D. 4D.	0.00									
	BASE CHAIR v d, 19sh, 27ah, 31.5		LSTE	KED F	KMKE	515									
	-, , ,							02 chrom	ie	add 37					
S0196		1.75	32	1,333	1,464	1,534	1,604	1,674	1,744	1,814	1,884	1,954	2,024	2,094	33
00.00				,	, -	,	,	,-	,	,-	,	,	,-	,	
	UU														
	ING SLED BA	SE COU	NTE	R STO	DL										
20w, 19d,	26sh, 36h							02 chrom	ie	add 33					
G0200		1	18	988	1,063	1,103	1,143	1,183	1,223	1,263	1,303	1,343	1,383	1,423	25
STACK 20w, 19d,	ING SLED BA	SE TALL	STC	OOL											
20W, 19u,	30311, 4011							02 chrom	ie	add 33					
G0201		1	18	1,023	1,098	1,138	1,178	1,218	1,258	1,298	1,338	1,378	1,418	1,458	27
G0201		'	10	1,023	1,030	1,130	1,170	1,210	1,230	1,290	1,550	1,570	1,410	1,430	21
	1														
								ded polyu					e e		
		Frame: si	teel tub	e ø 25 mi	m in Segi	s powder	coat or cl	nrome finis	sh; see pa	age / for o	colors. Ir	iermoplas	itic glides		
-	EVER BASE	CHAIR													
21w, 21.5d	d, 19sh, 31.5h														
								02 chrom	ie	add 67					
S0197		1.25	23	977	1,071	1,121	1,171	1,221	1,271	1,321	1,371	1,421	1,471	1,521	28
30191	\mathcal{C}	1.20	20	311	1,071	1,121	1,171	1,221	1,271	1,021	1,571	1,721	1,471	1,021	20
	EVER BASE		//CLC	DSED A	LUMIN	IUM AF	MRES	TS							
26w, 21.5d	d, 19sh, 27ah, 31.5	5h						02 chrom	10	add 170					
								02 (111011	IC	auu 170					
S0198		1.25	23	1,162	1,256	1,306	1,356	1,406	1,456	1,506	1,556	1,606	1,656	1,706	34
CANTU		CHVID	יםוו/,		EDED	۸ ۵ ۸ ۸ ۵ ۲	CTC								
	LEVER BASE d, 19sh, 27ah, 31.5		//UPI	10LS I	CKEU.	ARIVIRE	313								
								02 chrom	ie	add 67					
S0199		1.75	32	1,436	1,567	1,637	1,707	1,777	1,847	1,917	1,987	2,057	2,127	2,197	34
	4														
		0			£	J.C., .		d	41-						
								ded polyu ıt FG/07 (p			al glides a	ccording	to floor m	aterial	
MOOD	DAGE C: 1::								- "		-	J			
	BASE LOUNG 16.5sh, 28h	∍E CHAll	≺												
, 2017,															
10251		1.5	27	1,307	1,420	1,480	1,540	1,600	1,660	1,720	1,780	1,840	1,900	1,960	30
10201		1.0	۲.	1,001	1,720	1,700	.,040	1,000	1,000	1,720	1,700	1,040	1,000	1,000	50

	Sled fram	ne: stee	el rod ø 12	mm for C		15 mm fc	r Lovesea				ages 7-8; irome finis			ides
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
SWIVEL BAS 27w, 25d, 16.5sh,	GE CH	AIR					67 brush	ed alumir	num		add 24			
10252	1.5	27	1,373	1,486	1,546	1,606	1,666	1,726	1,786	1,846	1,906	1,966	2,026	28
SLED BASE I 27w, 25d, 16.5sh,	CHAIR	?												
10250	1.5	27	1,139	1,252	1,312	1,372	02 chrom 1,432	ne 1,492	add 85 1,552	1,612	1,672	1,732	1,792	32
SLED BASE I 54w, 26.5d, 16.5sh	AT						02 chrom	ne	add 85					
10253	2.25	41	2,127	2,296	2,386	2,476	2,566	2,656	2,746	2,836	2,926	3,016	3,106	43
	Seat-Bac Footrest:	k: inte	rnal steel ube ø 14 r	frame and nm in pov		dant mol- finish	07; finishe ded polyu material							
WOOD BASE 21.5w, 21.5d, 19sh S0200	1.25	23	1,146	1,240	1,290	1,340	1,390	1,440	1,490	1,540	1,590	1,640	1,690	25
WOOD BASE 26w, 21.5d, 19sh,		DLST	ERED /	ARMRE	ESTS									
S0201	1.75	32	1,569	1,700	1,770	1,840	1,910	1,980	2,050	2,120	2,190	2,260	2,330	32
WOOD BASE 20w, 19d, 26sh, 36	ER STO	DOL												
G0202	1	18	1,329	1,404	1,444	1,484	1,524	1,564	1,604	1,644	1,684	1,724	1,764	24
WOOD BASE 20w, 19d, 30sh, 40	TOOL													
G0203	1	18	1,361	1,436	1,476	1,516	1,556	1,596	1,636	1,676	1,716	1,756	1,796	25

		Base: die	e cast a	luminum	swivel sp	d fire retar ider base accordin	in Segis	powder c	oat; optioi		d brushed	167. therr	noplastic	feet	
		yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
_	SWIVEL BAS d, 18.5sh, 31h	E CHAII	₹												
								67 brush	ed alumir	num		add 23			
R0120	*	1.25	23	1,280	1,374	1,424	1,474	1,524	1,574	1,624	1,674	1,724	1,774	1,824	27
	SWIVEL BAS , 18.5sh, 26ah, 31l		R w/S	STEEL	TUBE A	ARMRE	STS								
									& 02 chro			add 66			
R0121	1	1.25	23	1,409	1,503	1,553	1,603	1,653	1,703	1,753	1,803	1,853	1,903	1,953	28
	SWIVEL BAS		R w/C	CLOSE	O ALUN	MINUM	ARMR	ESTS							
								67 base	& 02 chro	me arms		add 165			
R0122		1.25	23	1,428	1,522	1,572	1,622	1,672	1,722	1,772	1,822	1,872	1,922	1,972	29
	SWIVEL BAS		R w/L	JPHOLS	STERE	D ARM	REST	S							
26.5W, 22.5	d, 18.5sh, 26ah, 3	in .						67 brush	ed alumir	num		add 23			
R0123	大	1.75	32	1,700	1,831	1,901	1,971	2,041	2,111	2,181	2,251	2,321	2,391	2,461	37
		Base: die	e cast a	lluminum	swivel sp	ider base	in Segis	powder	coat; optio	n polishe	d brushe	d 67. self	braking c	asters	
	SWIVEL BAS	E CHAI	₹												
20.5W, 22.5	u, 10.5511, 5111							67 brush	ed alumir	num	add 23				
R0124	太	1.25	23	1,307	1,401	1,451	1,501	1,551	1,601	1,651	1,701	1,751	1,801	1,851	23
	SWIVEL BAS , 18.5sh, 26ah, 31I		R w/S	STEEL -	TUBE A	ARMRE	STS								
	0							67 base	& 02 chro	me arms	add 66				
R0125		1.25	23	1,434	1,528	1,578	1,628	1,678	1,728	1,778	1,828	1,878	1,928	1,978	27
	SWIVEL BAS		R w/C	CLOSE	O ALUN	MINUM	ARMR	ESTS							
22.3, 22.0	, III Sin, Eddin, O	**						67 base	& 02 chro	me arms	add 165				
R0126	大	1.25	23	1,453	1,547	1,597	1,647	1,697	1,747	1,797	1,847	1,897	1,947	1,997	29
_	SWIVEL BAS		R w/L	JPHOL	STERE	D ARM	REST	S							
R0127	7	1.75	32	1,691	1,822	1,892	1,962	67 brush 2,032	ed alumir 2,102	num 2,172	add 23 2,242	2,312	2,382	2,452	38
	(1)														

		Seat-Back: Base: die- Glides: spe Pneumatic	cast a ecify f	luminum elt or ther	Four Star moplastic	base in S	Segis pov	vder coat;	option po		ushed 67	w/chrome	arms		
		yds s	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
-	WIVEL BASE	CHAIR													
28W, 280, 19/2	23sh, 30.5/35.5h							67 brush	ed alumin	um	add 24				
R0128	-	1.25	23	1,344	1,438	1,488	1,538	1,588	1,638	1,688	1,738	1,788	1,838	1,888	23
	WIVEL BASE 23sh, 26/31ah, 30		w/S	TEEL	TUBE A	ARMRE	STS								
								67 base 8	& 02 chro	me arms	add 66				
R0129		1.25	23	1,471	1,565	1,615	1,665	1,715	1,765	1,815	1,865	1,915	1,965	2,015	28
	WIVEL BASE 23sh, 26/31ah, 30		w/C	CLOSE	O ALUN	/INUM	ARMR								
								67 base 8	& 02 chro	me arms	add 162				
R0130		1.25	23	1,491	1,585	1,635	1,685	1,735	1,785	1,835	1,885	1,935	1,985	2,035	29
	WIVEL BASE 23sh, 26/31ah, 30		w/L	IPHOLS	STERE	D ARM	REST	3							
	_41							67 brush	ed alumir	um	add 24				
R0131	7	1.75		1,762	1,893	1,963	2,033	2,103	2,173	2,243	2,313	2,383	2,453	2,523	30
		Base: die-	cast a	lluminum	Four Star	base with	n thermop	olastic or f	elt glides.						
	WIVEL BASE 24sh, 31.5/35.5h	CHAIR						67 polish	ed brush	ed	add 24				
R0132-T		1.25	23	1,450	1,544	1,594	1,644	1,694	1,744		1,844	1,894	1,944	1,994	24
	WIVEL BASE 24sh, 27/32.5ah,			TEEL	TUBE A	ARMRE	STS								
R0133-T		1.25	22	1,577	1.671	1,721	1,771	67 base 6	& 02 chro 1,871	me arms 1,921	add 66 1,971	2,021	2,071	2,121	28
K0133-1	F	1.23	23	1,077	1,071	1,721	1,771	1,021	1,071	1,321	1,971	2,021	2,071	2,121	20
	WIVEL BASE 24sh, 27/32.5ah,			LOSE	O ALUN	/INUM	ARMR								
								67 base 8	& 02 chro	me arms	add 162				
R0134-T	*	1.25	23	1,595	1,689	1,739	1,789	1,839	1,889	1,939	1,989	2,039	2,089	2,139	30
	WIVEL BASE 24sh, 27/32.5ah,			IPHOLS	STERE	D ARM	REST								
R0135-T		1.75	32	1,868	1,999	2,069	2,139	67 brush 2,209	ed alumin 2,279	2,349	add 24 2,419	2,489	2,559	2,629	30

		Five star	swivel	base with	weight-a	ctivated s	ynchroniz	zed mecha	anism						
		yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
	SWIVEL CH 9/24sh, 27/32.5a			D ALUI	MINUM	ARMR	ESTS								
R0217								67 base 8	& 02 chro	me arms	add 164				
	*	1.75	32	1,649	1,780	1,850	1,920	1,990	2,060	2,130	2,200	2,270	2,340	2,410	30
	SWIVEL CH 0/24sh, 27/32.5a			STERE	D ARN	MREST:	S	07		1	- 11 04				
R0218		2.25	41	2,037	2,206	2,296	2,386	67 polish 2,476	ed brush 2,566	ea 2,656	add 24 2,746	2,836	2,926	3,016	17
		Base: di	e-cast a	luminum	Four Star	base with	n thermo	olastic or f	elt glides.						
	CK 4 STAR 3/23sh, 38/43h	SWIVEL	ARM	CHAIR											
2011, 200, 10								67 polish	ed brush	ed	add 24				
R0136	7	1.75	32	1,487	1,618	1,688	1,758	1,828	1,898	1,968	2,038	2,108	2,178	2,248	24
	CK 4 STAR 3/23sh, 26/31ah		.CHA	IR w/C	LOSED	ALUM	INUM /				- 1:1400				
R0137	1	1.75	32	1,636	1,767	1,837	1,907	67 base 8	2,047	2,117	2,187	2,257	2,327	2,397	30
	CK 4 STAR		CHA	IR w/U	PHOLS	TERE) ARM	RESTS							
28W, 280, 18	3/23sh, 26/31ah	, 38/4311						67 polish	ed brush	ed	add 24				
R0138		2.25	41	1,871	2,040	2,130	2,220	2,310	2,400	2,490	2,580	2,670	2,760	2,850	38
								king caste nism. Pol		shed alu	ninum or	Segis pov	vder		
	CK 5 STAR 9/24sh, 39/44h	SWIVEL	.CHA	IR											
, 200, 10								67 polish	ed brush	ed	add 24				
R0139-T		1.75	32	1,601	1,732	1,802	1,872	1,942	2,012	2,082	2,152	2,222	2,292	2,362	26
	CK 5 STAR 9/24sh, 27/32.5a		CHA	IR w/C	LOSED	ALUM	INUM	ARMRE	STS						
R0140-T		1.75	32	1,748	1,879	1,949	2,019	67 base 8	& 02 chro 2,159	me arms 2,229	add 162 2,299	2,369	2,439	2,509	30
	4				-		•						·		

		yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
_	CK 5 STAR (/24sh, 27/32.5ah		СНА	IR w/UI	PHOLS	TERE) ARMI	RESTS							
20W, 20G, 10	24311, 27702.001	1, 00/4411						67 polish	ed brush	ed	add 24				
R0141-T		2.25	41	1,986	2,155	2,245	2,335	2,425	2,515	2,605	2,695	2,785	2,875	2,965	40
		Five star	swivel	base with	weight-a	ctivated s	ynchroniz	ed mecha	anism						
	CK 5 STAR 3 /24sh, 27/32.5ah		СНА	IR w/CI	LOSED	ALUM	INUM A	ARMRE	STS						
D0045								67 base	& 02 chro	me arms	add 162				
R0215	7	1.75	32	1,806	1,937	2,007	2,077	2,147	2,217	2,287	2,357	2,427	2,497	2,567	30
	CK 5 STAR (/24sh, 27/32.5ah		СНА	IR w/UI	PHOLS	TERE) ARMI	RESTS							
20W, 20G, 10	24311, 21702.001	1, 00/4411						67 polish	ed brush	ed	add 24				
R0216		2.25	41	2,109	2,278	2,368	2,458	2,548	2,638	2,728	2,818	2,908	2,998	3,088	32
		Frame: s Closed A	teel tub luminu red Arn	ne ø 25 mi m Armres nrests: inf	m in Segi: ts: die ca	d fire retar s powder st alumin el frame a	coat or ch um in Se	rome finis gis powde	sh er coat or	chrome fi					
HIGH BA(21w, 21.5d, 1	CK CANTILE 9sh , 39h	EVER BA	ASE (CHAIR											
								02 chrom	ie	add 68					
S0208		1.75	32	1,109	1,240	1,310	1,380	1,450	1,520	1,590	1,660	1,730	1,800	1,870	28
	CK CANTILE 9sh, 27ah, 39h	EVER BA	ASE (CHAIR	w/CLO	SED AL	UMINU	JM ARI	MREST	S					
								02 chrom	ie	add 170					
S0209		1.75	32	1,289	1,420	1,490	1,560	1,630	1,700	1,770	1,840	1,910	1,980	2,050	34
	CK CANTILE 9sh, 27ah, 39h	EVER BA	ASE (CHAIR	w/UPH	OLSTE	RED A								
								02 chrom	ie	add 68					
S0210		2.25	41	1,783	1,952	2,042	2,132	2,222	2,312	2,402	2,492	2,582	2,672	2,762	34

TO-BE

Archirivolto Design

Shell: recyclable polypropylene reinforced with fiberglass. Available in black 7F, white 7Y, beige 8H, sage green 8T, military green 8Q, orange 8M; colors on page 5 Steel seat frame in powder coat matching shell color.

Wood Legs: Solid oak in Natural RO/02 or Black Aniline RO/05; finishes on page 9; felt and pvc glides included Metal Legs: steel tube in black 08, white 18, taupe 32, sage green 36, military green 34, brick 05; colors on page 7

FR: fire retardant version black 7F: call for pricing and minimums. FR compounds may cause a slight variance in color.

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
WOOD BASE CHAIR 20w, 23d, 32h S0170 Polypropylene Shell		837											18
S0171 Poly w/frontal upholstery	.75	1,141	1,197	1,227	1,257	1,287	1,317	1,347	1,377	1,407	1,437	1,467	22
S0172 Poly w/upholstered seat cushion S0173	.75-2	962	990	1,005	1,020	1,035	1,050	1,065	1,080	1,095	1,110	1,125	20
Fully upholstered	1.25	1,249	1,343	1,393	1,443	1,493	1,543	1,593	1,643	1,693	1,743	1,793	
WOOD BASE COUNT Footrest in powder coat matchi 19.3w, 22.5d, 39.5h 25sh		ermoplas	tic footres	st protectio	on								
G0160 Polypropylene Shell G0161		1,291											22
Poly w/frontal upholstery	.75	1,582	1,638	1,668	1,698	1,728	1,758	1,788	1,818	1,848	1,878	1,908	27
G0162													
Poly w/upholstered seat cushion	.75-2	1402	1,430	1,445	1,460	1,475	1,490	1,505	1,520	1,535	1,550	1,565	24
G0163 Fully upholstered	1.25	1,689	1,783	1,833	1,883	1,933	1,983	2,033	2,083	2,133	2,183	2,233	
WOOD BASE TALL ST Footrest in powder coat matchi 19.3w, 22.5d, 44h, 29.5sh		ermoplas	tic footres	st protection	on								
G0165 Polypropylene Shell		1,346											23
G0166													
Poly w/frontal upholstery	.75	1,636	1,692	1,722	1,752	1,782	1,812	1,842	1,872	1,902	1,932	1,962	27
G0167 Poly w/upholstered seat cushion	.75-2	1457	1,485	1,500	1,515	1,530	1,545	1,560	1,575	1,590	1,605	1,620	25
G0168 Fully upholstered	1.25	1,744	1,838	1,888	1,938	1,988	2,038	2,088	2,138	2,188	2,238	2,288	

	Legs: tapered Thermoplastic Outdoor versio FR: fire retarda	glides. Ch ns: availat	air does r ole in sam	not stack. ne powder	coat fini	shes show	n above;	stainless	steel scre	ews			
	yds	com	1	2	3	4	5	6	7	8	9	10	wt
4 LEG CHAIR 18.5w,22d, 32h, 17.75sh S0175 Polypropylene Shell		powder	oat	640									19
S0175-E Outdoor Polypropylene Shell		powder o	oat	702									19
S0176 Poly w/frontal upholstery	.75	931	987	1,017	1,047	1,077	1,107	1,137	1,167	1,197	1,227	1,257	24
S0177 Poly w/upholstered seat cushion	.75-2	751	779	794	809	824	839	854	869	884	899	914	21
S0178 Fully upholstered	1.25	1,038	1,132	1,182	1,232	1,282	1,332	1,382	1,432	1,482	1,532	1,582	
	Frame: steel 18 Stacks: 8 on f Outdoor versio	loor, +/- 20	on trolley	′						er seat			
4 LEG STACKING CH 22.5w, 22d, 32.75h S0160 Polypropylene Shell	AIR	powder	oat	507		02 chrom	ne	add 44					14
S0160-E Outdoor Polypropylene Shell		powder o	oat	567									14
S0161 Poly w/frontal upholstery	.75	840	896	926	956	986	1,016	1,046	1,076	1,106	1,136	1,166	20
S0162 Poly w/upholstered seat cushion	.75-2	661	689	704	719	734	749	764	779	794	809	824	18
S0163 Fully upholstered	1.25	948	1,042	1,092	1,142	1,192	1,242	1,292	1,342	1,392	1,442	1,492	
4 LEG STACKING AR 22.5w, 22d, 32.75h S0160-B Polypropylene Shell	MCHAIR	powder	oat	606		02 chrom	ne	add 62					20
S0161-B Poly w/frontal upholstery	.75	965	1,021	1,051	1,081	1,111	1,141	1,171	1,201	1,231	1,261	1,291	24
S0162-B Poly w/upholstered seat cushion	.75-2	785	813	828	843	858	873	888	903	918	933	948	22
S0163-B Fully upholstered	1.25	1,072	1,166	1,216	1,266	1,316	1,366	1,416	1,466	1,516	1,566	1,616	25
	Chairs Stack: 8	3 on floor, +	/- 20 on ti	rolley	Stools st	ack 4 on fl	oor]
STACKING SLED BAS 19.75w, 22d, 32.75h S0165 Polypropylene Shell	SE CHAIR	powder o	oat	456		02 chrom	ne	add 48					18
S0166 Poly w/frontal upholstery	.75	796	852	882	912	942	972	1,002	1,032	1,062	1,092	1,122	21
S0167 Poly w/upholstered seat cushion	.75-2	617	645	660	675	690	705	720	735	750	765	780	19
S0168 Fully upholstered	1.25	904	998	1,048	1,098	1,148	1,198	1,248	1,298	1,348	1,398	1,448	

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
STACKING SLED BAS	SE COUNTE	R STO	OL										
23w, 22.75d, 39.5h, 24.8h G0170													
Polypropylene Shell		powder c	oat	670		02 chrom	ie	add 56					20
G0171	7												
Poly w/frontal upholstery	.75	961	1,017	1,047	1,077	1,107	1,137	1,167	1,197	1,227	1,257	1,287	24
G00172 Poly w/upholstered seat cushion	.75-2	781	809	824	839	854	869	884	899	914	929	944	22
G0173 Fully upholstered	1.25	1,068	1,162	1,212	1,262	1,312	1,362	1,412	1,462	1,512	1,562	1,612	
STACKING SLED BAS 23w, 22.75d, 44h, 29.52sh	SE TALL STO	OOL											
G0174 Polypropylene Shell		powder c	oat	715		02 chrom	ie	add 56					21
G0175 Poly w/frontal upholstery	.75	1,005	1,061	1,091	1,121	1,151	1,181	1,211	1,241	1,271	1,301	1,331	24
G0176 Poly w/upholstered seat cushion	.75-2	826	854	869	884	899	914	929	944	959	974	989	23
G0177													
Fully upholstered	1.25	1,112	1,206	1,256	1,306	1,356	1,406	1,456	1,506	1,556	1,606	1,656	
	Swivel Bases: military green 3 Swivel Base Fe	4, brick 05	, or brush	ned 67	owder co	at black 0	8, white 1	8, beige 3	32, sage ç	green 36,			
4 STAR SWIVEL BAS	E w/ FEET												
19w, 22.5d, 31h													
R0100 Polypropylene Shell		powder c	oat	852		67 brush	ed	add 24					19
R0101 Poly w/frontal upholstery	.75	1,143	1,199	1,229	1,259	1,289	1,319	1,349	1,379	1,409	1,439	1,469	23
R0102 Poly w/upholstered seat cushion	.75-2	963	991	1,006	1,021	1,036	1,051	1,066	1,081	1,096	1,111	1,126	21
R0103													
Fully upholstered	1.25	1,270	1,364	1,414	1,464	1,514	1,564	1,614	1,664	1,714	1,764	1,814	
4 STAR SWIVEL BAS Self-braking casters 22w, 23.hd, 31h, 18sh	E w/CASTE	RS											
R0105 Polypropylene Shell	3	powder c	oat	898		67 brush	ed	add 24					19
R0106 Poly w/frontal upholstery	.75	1,203	1,259	1,289	1,319	1,349	1,379	1,409	1,439	1,469	1,499	1,529	22
R0107 Poly w/upholstered seat cushion	.75-2	1024	1,052	1,067	1,082	1,097	1,112	1,127	1,142	1,157	1,172	1,187	21
R0113 Fully upholstered	1.25	1,310	1,404	1,454	1,504	1,554	1,604	1,654	1,704	1,754	1,804	1,854	

	Frame: die-cas self-braking ca		n frame ir	n powder o	coat abov	e or polisl	hed brush	ed finish.	Gas adj	ustable se	at height	;	
	yds	com	1	2	3	4	5	6	7	8	9	10	wt
5 STAR SWIVEL BASI	E w/CASTE	RS											
Self-braking casters													
25w, 24d, 31-35h, 17-21sh													
R0108													
Polypropylene Shell	-	powder	oat	868		67 brush	ed	add 24					21
R0109													
Poly w/frontal upholstery	.75	1,158	1,214	1,244	1,274	1,304	1,334	1,364	1,394	1,424	1,454	1,484	25
R0110													
Poly w/upholstered seat cushion	.75-2	979	1,007	1,022	1,037	1,052	1,067	1,082	1,097	1,112	1,127	1,142	23
R0111													
Fully upholstered	1.25	1,266	1,360	1,410	1,460	1,510	1,560	1,610	1,660	1,710	1,760	1,810	

TO-BE OUTDOOR

Frame: steel in all Segis outdoor powder coat finishes; thermoplastic glides Option: removable cushion, in suitable Outdoor fabric, with securing ties. Stacks: Chair 7 +/- on floor & 12 +/- on trolley; Armchair and Stools 4+/- on floor

CHAIR 22w, 23d, 31.5h, 18sh S0179		powder coat	652	15
CHAIR w/ ARMRESTS 25w, 23d, 31.5h, 18sh, 26.5ah S0180		powder coat	694	18
LOUNGE w/ ARMREST 29w, 27d, 28.5h, 17sh, 23ah S0182	S	powder coat	802	19
COUNTER STOOL 24w, 21.5d, 33h, 25sh G0189		powder coat	784	18
TALL STOOL 24w, 22d, 37.5h, 29.5sh G0190		powder coat	818	19

REMOVABLE CUSHIONS

Fabrics suitable for Outdoor use



	yds	com	1	2	3	4	5	6	7	8	9	10
C0179 Cushion for chairs	.75	189	245	275	305	335	365	395	425	455	485	515
C0182 Larger cushion for lounge	1	195	270	310	350	390	430	470	510	550	590	630
C0189 Cushion for stools	.75	185	241	271	301	331	361	391	421	451	481	511

TRONO

Sottsass Associati



 $\label{prop:continuous} \textit{Frame: single injection of various polymers for high resistance; available in}$

polycarbonate transparent TR or transparent green VT

Stacks: 15 on floor; +/- 20 on trolley





STACKING CHAIR

20.5w, 21.5d, 30h, 17.5sh

S0040

Polycarbonate Transparent or Transparent Green

746

wt

15

UNO



Bartoli Design + Fauciglietti Engineering XXI Compasso D'Oro ADI ADI Design Index Materialica Design Awarad

Chair: high grade steel frame and flexible techno polymer back support with insert burned into the two-composiiton urethane base material. External film is flexible, nontoxic, and fire retardant. High resistance to abrasion and spotting; satin finish in petrol blue BP, black OF, sand SA, white OC, red OA; colors on pge 6 Feet: recylclable thermoplastic

Stacking: 9 on floor; +/- 20 on trolley



STACKING CHAIR 19w, 17.5d, 31h, 17.5sh S0001



1,240

ZENITH Carlo Bimbi Legs: solid beech in natural FA/02, dark walnut FG/07; finishes on page 9 Frame-Arms: die cast aluminum in powder coat black 08, white 18, aluminum 58, or chrome 02; colors on pages 7-8 Seat-Back: injected fire retardant foam w/polyester fr padding; internal metal frame in back Fire retardant foam meets California Bulletin 117A Glides: specify felt or metal Stacks: 5 on floor; +/- 12 on trolley 2 8-L1 10-L2 yds sq-ft com 3-col 5 9 wt STACKING CHAIR 21w, 21.5d, 32.5h, 19sh 02 chrome add 110 S0002 1.5 27 1233 1,346 1,406 1,466 1,526 1,586 1,646 1,706 1,766 1,826 1,886 24 STACKING ARMCHAIR 24w, 21.5d, 32.5h, 19sh, 25.5ah 02 chrome add 143 S0002-B 1.5 27 1539 1,652 1,712 1,772 1,832 1,892 1,952 2,012 2,072 2,132 2,192 25

TROLLEY	Carlo Bartoli				
	Universal Trolley and Diable Trolle Steel in powder coat black 10	ey for trans	sport and storage of stacking chairs		
			to be stacked; specify chair when ordering: , Polo, Poppy Star, Slide, Stamp, To-Be, Trono, Uno		
UNIVERSAL TROLLE	Y /7			dimensions	wt
24w, 40d, 39h C0514		1,626		25w, 40d, 39h	31
DIABLE TROLLEY C0765		862		16w, 30d, 48h	20

OUTDOOR PRODUCTS OVERVIEW

Breeze, page 12



Dragonfly, pages 19-20



K Collection Bases with Pacific, page 90



Longway Outdoor, page 62



Polo Chairs & Tables, pages 29, 92



Pacific, page 28



Samu Bases, page 93



To-Be, page 40, 42 Stay-On Bases, page 95



Easy Boy, page 85



I

Slim, page 94



HPL & Gres Porcelain Tops, page 97

AGORA	Cisotti &	Laube												
	Metal Le Wood Le Fire retai Heavy D	gs: stee egs: bee rdant fo uty Gro	el in Segis ech in nat am meets	s powder ural FA/02 Californi elting Co	coat finish 2 or white a Bulletin	nes or chi aniline F 117A	rame; colorome; see A/03; see oon B, Ch	page 7 page 9	polyureth	ane fr foa	am meets	CA 117A		
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
LOUNGE CHAIR 27.5w, 27.5d, 30h, 18sh							02 chrom	e	add 99					
I200 (steel legs)	2.75	50	2,103	2,309	2,419	2,529	2,639	2,749	2,859	2,969	3,079	3,189	3,299	47
l210 (beech legs)	2.75	50	2,257	2,463	2,573	2,683	2,793	2,903	3,013	3,123	3,233	3,343	3,453	47
LOVESEAT 54w, 27.5d, 30h, 18ah	02 chrome add 99													
I201 (steel legs)	4.5	81	2,887	3,225	3,405	3,585	3,765	3,945	4,125	4,305	4,485	4,665	4,845	86
l211 (beech legs)	4.5	81	3,136	3,474	3,654	3,834	4,014	4,194	4,374	4,554	4,734	4,914	5,094	86
			-	-			ester pad ermoplast	-	-		s			
OTTOMAN 29dia, 18.5h 1204	2	36	1,247	1,397	1,477	1,557	casters 1,637	1,717	add 30 1,797	1,877	1,957	2,037	2,117	30
LARGE OTTOMAN 48.5dia, 18.5h 1205	3.5	63	2,580	2,843	2,983	3,123	casters 3,263	3,403	add 30 3,543	3,683	3,823	3,963	4,103	67
	Ottoman-Stool: plywood and polyurethane fr foam with polyester padding meeting CA 117 Heavy duty gros grain welting Black thermoformed plastic base with thermoplastic glides I213 has thermoplastic glides I215 has casters													
OTTOMAN-STOOL 16.5dia, 18.5h 1213	1.5	27	528	641	701	761	821	881	941	1,001	1,061	1,121	1,181	15
1215	1.5	27	595	708	768	828	888	948	1,008	1,068	1,128	1,188	1,248	15

ALPHABET C	OLLE	ECT	ION	Roberto	Romane	ello								
	Shaped Fire reta	Seat: n	on deform am meets	nable poly Californi	vurethane a Bulletin	foam w/p 117A	eel profile a polyester p es; see pag	adding	urethane i	nserts for	back sup	port		
DTA	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
LOUNGE CHAIR 29.5w, 27d, 28h, 17.5sh							02 chrom	e	add 334					
1805	3.25	59	2,168	2,412	2,542	2,672	2,802	2,932	3,062	3,192	3,322	3,452	3,582	59
LOVESEAT 54w, 27d, 28h, 17.5sh							02 chrom	e	add 334					
1807	7.5	135	3,533	4,096	4,396	4,696	4,996	5,296	5,596	5,896	6,196	6,496	6,796	101
GAMMA														
LOUNGE CHAIR 32.5w, 29.5d, 35.5h, 17.5sh, 2	25ah						02 chrom	е	add 334					
1821	4.5	81	2,719	3,057	3,237	3,417	3,597	3,777	3,957	4,137	4,317	4,497	4,677	72
SOFA	25-6						02 chrom	e	add 334					
58.5w, 29.5d, 35.5h, 17.5sh, 2 1822	7.5	135	4,537	5,100	5,400	5,700	6,000	6,300	6,600	6,900	7,200	7,500	7,800	122
MI LONGUE														
	Headres	st-Cushi	on: magn	et operat	ed continu	ously ac	justable h	eadrest a	and cushio	on				
CHAISE LOUNGE 26w, 58.2d, 38.5h, 15.5sh							02 chrom		add 334					
1840	4	72	3,362	3,662	3,822	3,982	4,142	4,302	4,462	4,622	4,782	4,942	5,102	78
OMG														
LOUNGE CHAIR 32.5d, 29.5w, 30.5h, 17.5sh, 2	25ah						02 chrom	е	add 334					
1800	4.5	81	2,692	3,030	3,210	3,390	3,570	3,750	3,930	4,110	4,290	4,470	4,650	68
LOVESEAT 58.5h, 29.5d, 30.5h, 17.5sh, 2	25ah						02 chrom	е	add 334					
1801	6.75	122	3,026	3,532	3,802	4,072	4,342	4,612	4,882	5,152	5,422	5,692	5,962	109
	lie													

BE-ON

Archirivolto Design

Frame: plywood and non-deformable polyurethane foam covered with polyester padding Panels: upholstered plywood Feet: black thermoplastic material

Fire retardant foam meets California Bulletin 117A





	The retardant to	ani mook	Gamorni	a Ballean	1177	1				S SECTION	1		
		I	E	E		E							
	Low Panel		Medium	Panel		High Pan	el		•	With Add	ed Cushi	ons	
	yds	com	1	2	3	4	5	6	7	8	9	10	wt
ARMCHAIR inside seat 34.5w, 24.5d													
I380 Low Panel 39.5w, 37.5d, 36h, 18.5sh	6	3,151	3,601	3,841	4,081	4,321	4,561	4,801	5,041	5,281	5,521	5,761	139
I381 Medium Panel 39.5w, 37.5d, 44h, 18.5sh	9.5	3,868	4,581	4,961	5,341	5,721	6,101	6,481	6,861	7,241	7,621	8,001	183
I382 High Panel 39.5w, 37.5d, 61.5h, 18.5sh	12.5	4,497	5,435	5,935	6,435	6,935	7,435	7,935	8,435	8,935	9,435	9,935	231
LOVESEAT inside seat 71w, 24.5d													
I383 Low Panel 75.5w, 37.5d, 36h, 18.5sh	10.5	4,934	5,722	6,142	6,562	6,982	7,402	7,822	8,242	8,662	9,082	9,502	185
I384 Medium Panel 75.5w, 37.5d, 44h, 18.5sh	13.75	5,979	7,010	7,560	8,110	8,660	9,210	9,760	10,310	10,860	11,410	11,960	220
1385 High Panel 75.5w, 37.5d, 61.5h, 18.5sh	17.5	6,786	8,099	8,799	9,499	10,199	10,899	11,599	12,299	12,999	13,699	14,399	250
SOFA inside seat 106.5w, 24.5d													
I386 Low Panel 111.5w, 37.5d, 36h, 18.5sh	12	6,612	7,512	7,992	8,472	8,952	9,432	9,912	10,392	10,872	11,352	11,832	260
I387 Medium Panel 111.5w, 37.5d, 44h, 18.5sh	17.5	7,703	9,016	9,716	10,416	11,116	11,816	12,516	13,216	13,916	14,616	15,316	295
I388 High Panel 111.5w, 37.5d, 61.5h, 18.5sh	21	8,894	10,469	11,309	12,149	12,989	13,829	14,669	15,509	16,349	17,189	18,029	324
CUSHIONS	10												
25.5w, 12h 1390CUSCINO	.5	254	292	312	332	352	372	392	412	432	452	472	13
20w, 12h 391CUSCINO	.5	234	272	272	272	272	272	272	272	272	272	272	13
HANGER 5w, 8h M382GANC		140											7
BOARD 27w, 30h M382LAV		241											16

BILLA LOUNGE Favareto & Partners Frame: elliptic metal tube four legs base in Segis powder coat or chrome; see pages 7-8 black thermoplastic glides Backrest: curved oak plywood in Natural RO-02 or Black Aniline RO-05 (page 9) with inside upholstered panel Seat: upholstered beech plywood panel w/fr foam Fire retardant foam meets California Bulletin 117A Coordinating Billa Chair: see page 11 8-L1 10-L2 wt sq-ft 3-col 7 LOUNGE CHAIR, 4 LEGS 27w, 26d, 29h, 17.5sh 02 chrome add 84 1240 36 2,039 2,189 2,269 2,349 2,429 2,509 2,589 2,669 2,749 2,829 2,909 35

CARELL	Alejand	ro Valdé	:S											
	Fire reta	rdant fo /al steel	steel meta am meets tube profi oak wood	Californi le in Segi	a Bulletin	117A			hane					
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
LOW BACK LOUNGE	CHAIR	!												
1315	2.5	45	1,507	1,695	1,795	1,895	1,995	2,095	2,195	2,295	2,395	2,495	2,595	73
LOW BACK LOVESE	ΑT													
1316	5	90	2,526	2,901	3,101	3,301	3,501	3,701	3,901	4,101	4,301	4,501	4,701	104

CROSS	Archir	rivolto De	eign											
	Fire reta Legs: o	ardant fo	am meets Iuminum	Californi in Segis p	a Bulletin	117A at finishe	able foam es; see pag		ester pado	ding				
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
LOUNGE CHAIR 36w, 32.5d, 36h, 18sh, 24-32a 1193	h 5	90	2,121	2,496	2,696	2,896	02 chrom 3,096	ne add 3,296	294 3,496	3,696	3,896	4,096	4,296	73
LOVESEAT 59w, 33d, 36h, 18sh, 24-32ah 1194	7	126	2,819	3,344	3,624	3,904	02 chrom 4,184		294 4,744	5,024	5,304	5,584	5,864	104

FLORES

Bartoli Design

Internal Frame: metal combined with multi-ply plywood covered with non deformable foam; underneath side of bench is black moulded ABS thermoplastic

Legs: tubular steel legs in Segis powder coat finishes, see page 7

Seat and Shaped Cushions: non-deformable polyurethane foam covered w/polyester padding Backrest Cushions: with internal dead weight may be freely moveable to create several seating positions or specified as optional "fixed version" cushions.

NOTE: to order fixed backrest cushions, use bench product number for "fixed cushion" and "fixed version" cushion Fire retardant foam meets California Bulletin 117A

ROUND BENCH	yds	com	1	2	3	4	5	6	7	8	9	10	wt
78.5dia, 15.5h IF01 IF05 for FIXED CUSHION	7.75	7,750	8,331	8,641	8,951	9,261	9,571	add 85 9,881	10,191	10,501	10,811	11,121	73
RECTANGULAR BENCH 106.5w, 48d, 15.5h						02 chrom	ie	add 85					
IF02 IF06 for FIXED CUSHION	7.5	6,791	7,354	7,654	7,954	8,254	8,554	8,854	9,154	9,454	9,754	10,054	104
SQUARE BENCH													
48w, 48d, 15.5h IF04						02 chrom	ie	add 85					
IF07 for FIXED CUSHION	3.25	4,054	4,298	4,428	4,558	4,688	4,818	4,948	5,078	5,208	5,338	5,468	122
SMALL CUSHION													
31.5w, 13d, 10.5h IFC1	1.25	612	706	756	806	856	906	956	1,006	1,056	1,106	1,156	46
IFC3 FIXED VERSION	1.25	886	980	1,030	1,080	1,130	1,180	1,230	1,280	1,330	1,380	1,430	46
LARGE CUSHION													
47w, 13d, 10.5h IFC2	1.75	846	977	1,047	1,117	1,187	1,257	1,327	1,397	1,467	1,537	1,607	46

C0220VACDC

IFC4 FIXED VERSION

Selection of 3 interconneced outlets or USB communications ports for USA (product only; it does NOT include installation by electrician per local ordinances)

1,391

1,321

1,251



1,120

1.75



1,461

FLORES INFO

FLOOR ANCHORAGE: two leg supports in a diagonal pattern

122

1,601

1,531

1,741

754

1,671

1,811

1,881 46

HAMMER M & L

Favaretto & Partners

Chicago Athenaeum for Design Excellence and Innovation Good Design Award 2017 Red Dot Award Product Design 2018

Frame: 30 mm metal tube joined with special die-cast aluminum component where arm and leg meet.

Frame in Segis powder coat finishes, aluminum 68, or chrome 02; see pages 7-8

Back: metal inner insert and cold injected fr polyurethane foam. M low back version. L high back version.

Seat: plywood and non deformable polyurethane foam. Fire retardant foam meets California Bulletin 117A Hammer Small Armchairs: see page 26

	yds		com	1	2	3-COL	4	5	6	7	8-L1	9	10-L2	wt
HAMMER ARMCHAIR 32w, 29d, 29h, 17.5sh	M	7												
I221-PC	2.75	50	1,999	2,205	2,315	2,425	2,535	2,645	2,755	2,865	2,975	3,085	3,195	43
Chrome Element & Powder Co	at Frame 2.75	50	2,127	2,333	2,443	2,553	2,663	2,773	2,883	2,993	3,103	3,213	3,323	43
Chrome Element & Frame 1221-02	2.75	50	2,266	2,472	2,582	2,692	2,802	2,912	3,022	3,132	3,242	3,352	3,462	43

HAMMER INFO

Segis requires a memo sample of all vinyls, polyurethanes, silicones, etc. for Hammer upholsterability testing.

HAMMER ARMCHAIR L

32w, 31d, 37.5h, 17.5sh



HAMMER L IS AVAILABLE ONLY IN THE FOLLOWING UPHOLSTERY PATTERNS AT THE PRICING SHOWN BELOW:

CODE X - Upholstered in Camira Main Line Flax

CODE B - Upholstered in Camira Blazer or Remix 3; Gabriel Step Melange CODE K - Upholstered in Kvadrat Atlas, Canvas 2, or Steelcut Trio 3

Powder Coat Element & Frame	
1222-PC-X	3,123
1222-PC-B	3,630
I222-PC-K	4,225
Chrome Element & Powder Coat Frame I222-PC/02-X I222-PC/02-B I222-PC/02-K	3,250 3,758 4,353
Chrome Element & Frame 1222-02-X 1222-02-B 1222-02-K	3,389 3,897 4,492

See Pages 120+ for the specific patterns available on Hammer L as noted above

HAMMER L NOTES:


Hammer L in a pattern not shown above will require an upcharge and international shipping/customs charges; call for pricing

HOTEL Cisotti & Laube Base: metal frame in Segis powder coat finishes and aluminum 68; colors on pages 7-8 Inner frame in Medium Density Fiberboard Seat-Back: different density non deformable foam covered with polyester padding Fire retardant foam meets California Bulletin 117A Armrests: plywood and non deformable foam Tables- Tablet Arms: metal frame in Segis powder coat finish with top in standard laminate with MDF core; code PLD AA Rovere Asburgo 4519, BB Rovere Carbone 4517, RG Rovere Grigio 4511, CC Copperfield Grigio 3192, MB Marmo Bianco 5547, MN Marmo Nero 6076, MG Marmo Grigio/Oro 6089, CR Corten 3276, GG Grigio 527 Colors on page 10 yds com 1 2 3 5 9 10 wt LOUNGE CHAIR with small armrests 5 2.921 3.296 3.496 3.696 3.896 4.096 4.296 4.496 4.696 4.896 5.096 95 36w, 32d, 29h, 16sh, 23ah IM01 with large armrests 41w, 31.5d, 29h, 16sh, 23ah 5 3,120 3,495 3,695 3,895 4,095 4,295 4,495 4,695 4,895 5,095 5,295 106 IM04 LOVESEAT with small armrests 65.5w, 32d, 29h, 16sh, 23ah 4,657 5.257 5.897 6,537 7.817 IM02 8 5,577 6,217 6,857 7,177 7,497 8,137 114 with large armrests 70w, 32d, 29h, 16sh, 23ah **IM05** 8 4,853 5,453 6,093 6,413 6,733 7,053 7,373 7,693 8,013 8,333 125 5,773 **SOFA** with small armrests 11 6,480 7,305 7,745 8,185 8,625 9,065 9,505 9,945 10,385 10,825 11,265 132 95w, 32d, 29h, 16sh, 23ah IM03 with large armrests 100w, 32d, 29h, 16sh, 23ah 6.681 7.506 10,586 11,026 11,466 143 **IM06** 11 7 946 8 386 8,826 9,266 9,706 10,146 **SMALL TABLES** SQUARE 32w, 32d, 16h IMT5 1,117 53 RECTANGULAR 48w, 24d, 13h 61 1,221 IMT6 **HOTEL** -- MODULAR ELEMENTS All modules in terminal position must be combined with one of the following: an upholstered armrest (IMBS or IMBL), a table (IMT4) or a tablet arm (IMTDX or IMTSX) MODULE 1 SEAT 1 LOUNGE 29.5w, 31.5d, 29h, 16sh IMS₁ 3 2,278 2,503 2,623 2,743 2,863 2,983 3,103 3,223 3,343 3,463 3,583 64

vds	com	1	2	3	4	5	6	7	8	9	10	wt
·												
6	4,139	4,589	4,829	5,069	5,309	5,549	5,789	6,029	6,269	6,509	6,749	125
1 LOUNGE - 1 (OTTOMAN											
4.75	3,382	3,738	3,928	4,118	4,308	4,498	4,688	4,878	5,068	5,258	5,448	116
2 OTTOMANS												
3.5	2,712	2,975	3,115	3,255	3,395	3,535	3,675	3,815	3,955	4,095	4,235	105
3 LOUNGES												
9	5,903	6,578	6,938	7,298	7,658	8,018	8,378	8,738	9,098	9,458	9,818	185
2 LOUNGES - 1	OTTOMA	N										
7.75	5,191	5,772	6,082	6,392	6,702	7,012	7,322	7,632	7,942	8,252	8,562	175
1 LOUNGE - 2 (OTTOMAN	S										
6.5	4,482	4,970	5,230	5,490	5,750	6,010	6,270	6,530	6,790	7,050	7,310	165
4	3,106	3,406	3,566	3,726	3,886	4,046	4,206	4,366	4,526	4,686	4,846	64
1.5	428	541	601	661	721	781	841	901	961	1,021	1,081	31
1.5	338	451	511	571	631	691	751	811	871	931	991	17
Right (DX) and	Left (SX) re	efer to po	sition whe	n seated.	Metal fra	ıme with t	op in lam	inate with	MDF cor	e; 12w, 3	2d, 21h	
R	586											23
7	586											23
Laminate top in	standard (colors; Se	gis powd	er coat fra	me							
14h for 90° Angle	Joining	P			1,039							32
14h for 45° Angle	Joining	M			830							21
14h for Linear Joir	ning '	M			597							19
BLE 12w, 32d, 14	h N				569							19
				-					cted	123		
1	1 LOUNGE - 1 C 4.75 2 OTTOMANS 3.5 3 LOUNGES 9 2 LOUNGES - 1 7.75 1 LOUNGE - 2 C 6.5 4 1.5 Right (DX) and Laminate top in 4h for 90° Angle a 4h for 45° Angle a 4h for Linear Joir LE 12w, 32d, 14 Two metal plate	6 4,139 1 LOUNGE - 1 OTTOMAN 4.75 3,382 2 OTTOMANS 3.5 2,712 3 LOUNGES 9 5,903 2 LOUNGES - 1 OTTOMAN 7.75 5,191 1 LOUNGE - 2 OTTOMAN 6.5 4,482 4 3,106 1.5 428 1.5 338 Right (DX) and Left (SX) ro 586 586 Laminate top in standard of the for 90° Angle Joining 4h for 45° Angle Joining 4h for 45° Angle Joining 4h for 45° Angle Joining LE 12w, 32d, 14h Two metal plates are required.	1 LOUNGE - 1 OTTOMAN 4.75 3,382 3,738 2 OTTOMANS 3.5 2,712 2,975 3 LOUNGES 9 5,903 6,578 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 4 3,106 3,406 1.5 428 541 1.5 338 451 Right (DX) and Left (SX) refer to positive to	1 LOUNGE - 1 OTTOMAN 4.75 3,382 3,738 3,928 2 OTTOMANS 3.5 2,712 2,975 3,115 3 LOUNGES 9 5,903 6,578 6,938 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 5,230 4 3,106 3,406 3,566 1.5 428 541 601 1.5 338 451 511 Right (DX) and Left (SX) refer to position where the same top in standard colors; Segis powder the for 90° Angle Joining 4h for 45° Angle Joining 4h for 45° Angle Joining 4h for Linear	1 LOUNGE - 1 OTTOMAN 4.75 3,382 3,738 3,928 4,118 2 OTTOMANS 3.5 2,712 2,975 3,115 3,255 3 LOUNGES 9 5,903 6,578 6,938 7,298 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 6,392 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 5,230 5,490 4 3,106 3,406 3,566 3,726 1.5 428 541 601 661 1.5 338 451 511 571 Right (DX) and Left (SX) refer to position when seated.	1 LOUNGE - 1 OTTOMAN 4.75 3,382 3,738 3,928 4,118 4,308 2 OTTOMANS 3.5 2,712 2,975 3,115 3,255 3,395 3 LOUNGES 9 5,903 6,578 6,938 7,298 7,658 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 6,392 6,702 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 5,230 5,490 5,750 4 3,106 3,406 3,566 3,726 3,886 1.5 428 541 601 661 721 1.5 338 451 511 571 631 Right (DX) and Left (SX) refer to position when seated. Metal fraction of the composition of the composition when seated and the composition of the composition when seated and the composition of the composition when seated and the composition of	1 LOUNGE - 1 OTTOMAN 4.75 3.382 3.738 3.928 4.118 4.308 4.498 2 OTTOMANS 3.5 2.712 2.975 3.115 3.255 3.395 3.535 3 LOUNGES 9 5.903 6.578 6.938 7.298 7.658 8.018 2 LOUNGES - 1 OTTOMAN 7.75 5.191 5.772 6.082 6.392 6.702 7.012 1 LOUNGE - 2 OTTOMANS 6.5 4.482 4.970 5.230 5.490 5.750 6.010 4 3.106 3.406 3.566 3.726 3.886 4.046 1.5 428 541 601 661 721 781 1.5 338 451 511 571 631 691 Right (DX) and Left (SX) refer to position when seated. Metal frame with 1 586 586 Laminate top in standard colors; Segis powder coat frame 4h for 90° Angle Joining 4h for 45° Angle Joining 597 LE 12w, 32d, 14h 7 569	1 LOUNGE - 1 OTTOMAN 4.75 3,382 3,738 3,928 4,118 4,308 4,498 4,688 2 OTTOMANS 3.5 2,712 2,975 3,115 3,255 3,395 3,535 3,675 3 LOUNGES 9 5,903 6,578 6,938 7,298 7,658 8,018 8,378 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 6,392 6,702 7,012 7,322 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 5,230 5,490 5,750 6,010 6,270 4 3,106 3,406 3,566 3,726 3,886 4,046 4,206 1.5 428 541 601 661 721 781 841 1.5 338 451 511 571 631 691 751 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in lam 586 586 Laminate top in standard colors; Segis powder coat frame 4h for 90° Angle Joining 1,039 4h for 45° Angle Joining 1,039 4h for 45° Angle Joining 3,030 4h for Linear Joining 597 LE 12w, 32d, 14h 569	1 LOUNGE-1 OTTOMAN 4.75 3,382 3,738 3,928 4,118 4,308 4,498 4,688 4,878 2 OTTOMANS 3.5 2,712 2,975 3,115 3,255 3,395 3,535 3,675 3,815 3 LOUNGES 9 5,903 6,578 6,938 7,298 7,658 8,018 8,378 8,738 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 6,392 6,702 7,012 7,322 7,632 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,970 5,230 5,490 5,750 6,010 6,270 6,530 4 3,106 3,406 3,566 3,726 3,886 4,046 4,206 4,366 1.5 428 541 601 661 721 781 841 901 1.5 338 451 511 571 631 691 751 811 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with 1586 586 Laminate top in standard colors; Segis powder coat frame 4h for 90° Angle Joining 1,039 4h for 45° Angle Joining 2 1,039 4h for Linear Joining 3 830 4h for Linear Joining 597 LE 12w, 32d, 14h 7 569	1 LOUNGES - 1 OTTOMAN 3.5 2,712 2,975 3,115 3,255 3,395 3,535 3,675 3,815 3,955 3 3 3 5 2,712 2,975 3,115 3,255 3,395 3,535 3,675 3,815 3,955 3 3 3 5 2,712 2,975 3,115 3,255 3,395 3,535 3,675 3,815 3,955 3 3 3 5 2,712 2,975 6,082 6,392 6,702 7,012 7,322 7,632 7,942 4 3,106 3,406 3,566 3,726 3,886 4,046 4,206 4,366 4,526 1,5 4,482 4,970 5,230 5,490 5,750 6,010 6,270 6,530 6,790 4 3,106 3,406 3,566 3,726 3,886 4,046 4,206 4,366 4,526 1,5 4,288 541 601 661 721 781 841 901 961 1,5 338 451 511 571 631 691 751 811 871 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with MDF cores and the form of the	1 LOUNGE - 1 OTTOMAN 4.75 3.382 3.738 3.928 4.118 4.308 4.498 4.688 4.878 5.068 5.258 2 OTTOMANS 3.5 2.712 2.975 3.115 3.255 3.395 3.535 3.675 3.815 3.955 4.095 3 LOUNGES 9 5.903 6.578 6.938 7.298 7.658 8.018 8.378 8.738 9.098 9.458 2 LOUNGES - 1 OTTOMAN 7.75 5.191 5.772 6.082 6.392 6.702 7.012 7.322 7.632 7.942 8.252 1 LOUNGE - 2 OTTOMANS 6.5 4.482 4.970 5.230 5.490 5.750 6.010 6.270 6.530 6.790 7.050 4 3.106 3.406 3.566 3.726 3.886 4.046 4.206 4.366 4.526 4.686 1.5 428 541 601 661 721 781 841 901 961 1.021 1.5 338 451 511 571 631 691 751 811 871 931 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with MDF core; 12w, 3: 1 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with MDF core; 12w, 3: 1 Laminate top in standard colors; Segis powder coat frame 4th for 90° Angle Joining 830 4th for 45° Angle Joining 830 4th for Linear Joining 597 LE 12w, 32d, 14h 569 Two metal plates are required to link elements together at each place one element is connected	1 LOUNGE - 1 OTTOMAN 4.75 3.382 3.738 3.928 4,118 4,308 4,488 4,888 4,878 5,088 5,258 5,448 2 OTTOMANS 3.5 2,712 2,875 3,115 3,255 3,395 3,535 3,675 3,815 3,955 4,095 4,235 3 LOUNGES 9 5,903 6,578 6,938 7,288 7,658 8,018 8,378 8,738 9,098 9,458 9,818 2 LOUNGES - 1 OTTOMAN 7.75 5,191 5,772 6,082 6,392 6,702 7,012 7,322 7,632 7,942 8,252 8,562 1 LOUNGE - 2 OTTOMANS 6.5 4,482 4,870 5,230 5,490 5,750 6,010 6,270 6,530 6,790 7,050 7,310 4 3,106 3,406 3,566 3,726 3,886 4,046 4,206 4,366 4,526 4,686 4,846 1.5 428 541 601 661 721 781 841 901 961 1,021 1,081 1.5 338 451 511 571 631 691 751 811 871 931 991 Right (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with MDF core; 12w, 32d, 21h Fight (DX) and Left (SX) refer to position when seated. Metal frame with top in laminate with MDF core; 12w, 32d, 21h A for 45° Angle Joining 1,039 4h for 45° Angle Joining 2,040 4,040 4,050 4,







LONGWAY

Bartoli Design

Frame: steel with different densities of non deformable polyurethane foam and polyester padding lining. Fire retardant foam meets California Bulletin 117A Legs: steel in Segis powder coat finishes or satin chrome 03; see pages 7-8 Seat Height: Longway IW modules have 16.5sh.

Longway Tables see page 91

A DETAILED LAYOUT MUST ACCOMPANY ALL LONGWAY ORDERS.













LONGWAY INFO

MGANH0108 ganging device in powder coat black 08

71

MGANH4008 ganging device in powder coat black 08 for use with the curved benches: Longway E, H, and I

Floor anchoring per each metal leg

C0H50 Floor Anchoring system with stainless steel cover for upholstered legs of Longway C, F, N, and O. Priced per leg

612



Option: Longway legs in brushed stainless steel 65; call for pricing

UPHOLSTERABILITY - upon request, Segis may require a 1/2 yard sample for Longway testing purposes

MULTIPLE FABRICS:

Longway pieces in multiple upholstery pattern/colors often require additional yardage which will be reflected in Graded pricing or require COM pricing. Contact Segis for information

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
LONGWAY A													
	Bench with Cen	tral Armre	st										
\wedge													
110w, 27d, 28.5h, 16.5sh													
IW01	6	4,836	5,286	5,526	5,766	6,006	6,246	6,486	6,726	6,966	7,206	7,446	164
LONGWAY S2	Optional Backre	est											
97w, 14.5h) j												
IHS2	3	2,021	2,246	2,366	2,486	2,606	2,726	2,846	2,966	3,086	3,206	3,326	53

Longway A bench with central armrest may be used alone or in combinations with the HS2 backrest. Select IW02, IW03, IW04, IW05 or IW06 benches when using HS2 backrest; see examples below. Select IH01 if the bench will NOT be used with a backrest.

All Longway A benches are priced identically.

"Left" and "Right" refer to position when facing the seating side of the bench

IW01 IW02 IW03 IW04 IW05 IW06

Suitable for backrest on upper right side and lower left side IW05 IW06

Suitable for backrest on upper left side IW03 IW04 IW05 IW06

Suitable for backrest on upper right side and lower left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper right side and lower left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper right side and lower left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw05 IW06

Suitable for backrest on upper left side Iw06

Suitable for backrest on upper left

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
LONGWAY B	Bench with two	different s	eat heigh	ts									
132w, 27d, 20.5h, 16.5sh	Ч												
IW20	6.5	4,408	4,896	5,156	5,416	5,676	5,936	6,196	6,456	6,716	6,976	7,236	177
LONGWAY L	Loop Seating M Note: Factory re									cluded)			
	Į												
110w, 57d, 43.5h, 16.5sh IW74	12	11,364	12,264	12,744	13,224	13,704	14,184	14,664	15,144	15,624	16,104	16,584	300
LONGWAY E	Curved Bench 9 IW39 has fou					40 has tv	vo legs a	and mus	st be use	ed in a m	odular (composit	ion.
104w, 27d, 28.5h, 16.5sh, 61. IW39	5w inside 7.5	5,323	5,886	6,186	6,486	6,786	7,086	7,386	7,686	7,986	8,286	8,586	158
104w, 27d, 28.5h, 16.5sh, 61. IW40	5w inside 7.5	4,826	5,389	5,689	5,989	6,289	6,589	6,889	7,189	7,489	7,789	8,089	149
NOTE:	Factory requi	res a 1/2	yard pi	ece of up	oholster	y selectio	on for a _l	oproval	on Long	way E			
LONGWAY INFO	MGANH4008 ga	anging de	vice in po	wder coa	t black 08	for use w	ith curved	d benche	s: Longw	ay E, H, a	nd I	87	
	Frame: Module non-deformable							with differ	ent densit	ies of			
LONGWAY D	Angle ottoman,	not self-st	anding; u	se in a co	mpositior	ı only (leg	position	varies pe	r compos	ition)			
27w, 27d, 16.5h IW72	1.25	1,314	1,408	1,458	1,508	1,558	1,608	1,658	1,708	1,758	1,808	1,858	39
LONGWAY G	Rectangular be	nch or joir	ing elem	ent, use a	lone or in	a modula	ar compos	sition					
55w, 27d, 16.5h IW73	2	2,099	2,249	2,329	2,409	2,489	2,569	2,649	2,729	2,809	2,889	2,969	62
LONGWAY INFO	MGANH0108 ga	anging de	vice in po	wder coa	t black 08		71						

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
LONGWAY H	Curved Bench 4	l5° radius	43.3 inch	es									
53.5w, 27d, 16.5sh, 33.5 w in: IW41	side 2	2,334	2,484	2,564	2,644	2,724	2,804	2,884	2,964	3,044	3,124	3,204	60
LONGWAYI	Curved Bench 6	60° radius	26 inches	3									
53w, 27d, 16.5h, 27w inside IW42	2	2,321	2,471	2,551	2,631	2,711	2,791	2,871	2,951	3,031	3,111	3,191	59
LONGWAY INFO	MGANH4008 ga	anging de	vice in po	wder coa	black 08	for use w	ith curved	d benches	s: Longw	ay E, H, a	nd I	87	
LONGWAY M	Hexagonal ben	ch or joini	ng elemei	nt with thr	ee legs, u	se alone	or in a mo	odular cor	mposition				
53w, 53d, 16.5h IW70	2.75	2,536	2,742	2,852	2,962	3,072	3,182	3,292	3,402	3,512	3,622	3,732	75
LONGWAY Q	Circular 54" Ø b	ench with	three leg	s; use on	ly in a mo	dular con	nposition						
TH													
62.5w, 53.5d, 16.5h IW09	4.5	3,722	4,060	4,240	4,420	4,600	4,780	4,960	5,140	5,320	5,500	5,680	120
LONGWAY R	Circular 71" Ø b	ench with	four legs;	; use only	in a mod	ular com	oosition						
T I													
83w, 71d, 16.5h IW10	7.5	4,838	5,401	5,701	6,001	6,301	6,601	6,901	7,201	7,501	7,801	8,101	170
LONGWAY INFO	MGANH0108 ga	anging de	vice in po	wder coa	black 08		71						
LONGWAY C	Bench with side	armrest.											
110w, 27d, 28.5h, 16.5sh IW30	7.75	4,914	5,495	5,805	6,115	6,425	6,735	7,045	7,355	7,665	7,975	8,285	158
LONGWAY F	Bench with side	armrests,	without b	ackrest.									
~													
110w, 27d, 28.5h, 16.5sh IW50	8.5	5,311	5,949	6,289	6,629	6,969	7,309	7,649	7,989	8,329	8,669	9,009	182
LONGWAY INFO:	Upholstered Le	g: Design	s with uph	nolstered	legs have	optional	stainless	steel floo	r anchorii	ng; see pa	ige 59		

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
LONGWAY F w/BACK	REST Bench	with side	armrests a	and backr	est.								
110w, 27d, 28.5h, 16.5sh IW60	11	7,045	7,870	8,310	8,750	9,190	9,630	10,070	10,510	10,950	11,390	11,830	222
LONGWAY N	Chair												
27w, 39.5d, 28.5h, 16.5sh IW07	3.75	3,431	3,712	3,862	4,012	4,162	4,312	4,462	4,612	4,762	4,912	5,062	87
LONGWAY O	Chaise longue	with 25 x 1	2 magne	tic headre	st								
27w, 75d, 35h, 16.5sh, 12h for IW08	ot 7	5,035	5,560	5,840	6,120	6,400	6,680	6,960	7,240	7,520	7,800	8,080	119
LONGWAY C	OUTDOC	R											
	Powder coated Upholstered wit Legs: Brushed	h fabric su	itable for			ough poly	urethane	foam					
Module A IE01	Bench with Cen	tral Armre	st										
110w, 27d, 31h, 16.5sh	6	5,862	6,312	6,552	6,792	7,032	7,272	7,512	7,752	7,992	8,232	8,472	164
Module E IE39 104w, 27d, 30h, 16.5sh inner curve width 61.5	Curved Bench 9 Note: Factory re					selection f	or approv	/al on Lor	ngway E				
	7.5	7,050	7,613	7,913	8,213	8,513	8,813	9,113	9,413	9,713	10,013	10,313	158
Module N IE07	Armchair												
27w, 39.5d, 30h, 16.5sh	7	4,109	4,634	4,914	5,194	5,474	5,754	6,034	6,314	6,594	6,874	7,154	119
Module O	Chaise longue	with 25 x 1	2 magne	tic headre	st								
IE08 27w, 75d, 36.5h, 16.5sh, 12h	foot 3.75	5,714	5,995	6,145	6,295	6,445	6,595	6,745	6,895	7,045	7,195	7,345	87
LONGWAY INFO	MGANH4008 g	anging de	vice in po	wder coat	black 08	for use w	ith curve	d Longwa	y E bench	nes		87	
LONGWAY INFO	MGANH0108 g	anging de	vice in po	wder coat	black 08	for joinin	g straight	benches				58	

LONGWAY®



Modules




















Compositions






















































LONGWAY®
























MYGINGOL

Roberto Romanello

Frame: metal frame with cold-injected non deformable polyurethane foam with polyester padding Fire retardant foam meets California Bulletin 117A Fixed Version: with metal glides

Swivel Version: steel base in powder coat black 08, anthracite 11, white 18, aluminum 68; see pages 7-8

	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
FIXED BASE ARMCH 27w, 24.5d, 30h, 17.5sh I962-FB	2.25	41	2,326	2,495	2,585	2,675	2,765	2,855	2,945	3,035	3,125	3,215	3,305	60
SWIVEL BASE ARMC 27w, 24.5d, 30h, 17.5sh I962-SB	2.25	41	2,517	2,686	2,776	2,866	2,956	3,046	3,136	3,226	3,316	3,406	3,496	60

NOLDOR

Archirivolto Design

Frame: tubular steel and plywood; exposed steel in Segis powder coat finishes; see page 7
Inside Back and Seat Cushions: polyurethane foam with polyester padding. Inside seat/back cushions may be upholstered in a graded fabric or COM selection. Yardage shown below is for inside seat/back cushions ONLY Fire retardant foam meets California Bulletin 117A

UPHOLSTERY CHOICES FOR THE NOLDOR "OUTER BACK":

CODE X - CAMIRA RIVET or MAIN LINE FLAX

CODE B - CAMIRA BLAZER or REMIX 3; GABRIEL STEP MELANGE

CODE K - KVADRAT ATLAS, CANVAS 2, or STEELCUT TRIO 3

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
LOW BACK ARMCHAII 41w, 36d, 35h, 17sh	₹					02 chrom	e add	372					
1832-X	4.75	5,517	5,873	6,063	6,253	6,443	6,633	6,823	7,013	7,203	7,393	7,583	69
I832-B	4.75	6,374	6,730	6,920	7,110	7,300	7,490	7,680	7,870	8,060	8,250	8,440	69
1832-K	4.75	6,747	7,103	7,293	7,483	7,673	7,863	8,053	8,243	8,433	8,623	8,813	69
LOW BACK LOVESEA 64w, 36d, 35h, 17sh	Т					02 chrom	ne add	592					
I833-X	5.75	6,953	7,384	7,614	7,844	8,074	8,304	8,534	8,764	8,994	9,224	9,454	133
I833-В	5.75	7,868	8,299	8,529	8,759	8,989	9,219	9,449	9,679	9,909	10,139	10,369	133
I833-K	5.75	8,438	8,869	9,099	9,329	9,559	9,789	10,019	10,249	10,479	10,709	10,939	133
HIGH BACK ARMCHAI 41w, 36d, 52.5h, 17sh	R					02 chrom	ne add	372					
1830-X	4.75	5,743	6,099	6,289	6,479	6,669	6,859	7,049	7,239	7,429	7,619	7,809	77
I830-В	4.75	6,819	7,175	7,365	7,555	7,745	7,935	8,125	8,315	8,505	8,695	8,885	77
1830-K	4.75	9,128	9,484	9,674	9,864	10,054	10,244	10,434	10,624	10,814	11,004	11,194	77
HIGH BACK LOVESEA 64w, 36d, 52.5h, 17sh	ıΤ					02 chrom	ne add	592					
I831-X	5.75	7,510	7,941	8,171	8,401	8,631	8,861	9,091	9,321	9,551	9,781	10,011	153
I831-B	5.75	9,271	9,702	9,932	10,162	10,392	10,622	10,852	11,082	11,312	11,542	11,772	153
I831-K	5.75	11,926	12,357	12,587	12,817	13,047	13,277	13,507	13,737	13,967	14,197	14,427	153
SMALL PILLOW 23.5w, 12d													
INC1	0.75	157	213	243	273	303	333	363	393	423	453	483	

C0220VACDC

Selection of 3 interconneced outlets or USB communications ports for USA (product only; it does NOT include installation by electrician per local ordinances)

Power Data

NOLDOR INFO

See pages 120+ for specific patterns noted above for Noldor "outer back"

Noldor "Outer Back" in a pattern not shown above will require an upcharge plus international shipping and customs charges; call for pricing information

OSCAR

Alejanddro Valdés

Frame: plywood and non-deformable polyurethane foam covered with polyester padding Metal Legs: tapered metal legs in Segis powder coat finishes; black 08, anthracite 11, grey 23 taupe 17, aluminum 68, light grey 04, ivory 46, white 18, beige 32, mustard 06, melon yellow 53 blue workshop 13, water blue 33, pigeon blue 56, verdigris 54, military green 34, sage green 36 brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48; colors on page 7

Thermoplastic glides

Wood Legs: solid ash in natural FR/02 or black aniline FR/02, finishes on page 9

Specify felt or metal glides

Fire retardant foam meets California Bulletin 117A

	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
ARMCHAIR 30w, 28d, 28h, 17sh														
I300 (metal legs)	3.5	63	2,049	2,312	2,452	2,592	2,732	2,872	3,012	3,152	3,292	3,432	3,572	52
l310 (ash wood legs)	3.5	63	2,153	2,416	2,556	2,696	2,836	2,976	3,116	3,256	3,396	3,536	3,676	52
LOVESEAT 61w, 28d, 28h, 17sh														
I301 (metal legs)	4.5	81	2,790	3,128	3,308	3,488	3,668	3,848	4,028	4,208	4,388	4,568	4,748	93
l311 (ash wood legs)	4.5	81	2,900	3,238	3,418	3,598	3,778	3,958	4,138	4,318	4,498	4,678	4,858	93

REY	Archiriv	olto De	sign											
	Frame: plywood and non-deformable polyurethane foam covered with polyester padding Fire retardant foam meets California Bulletin 117A Base: metal in Segis powder coat with perimeter in wood Top: veneered MDF Metal Legs: tapered metal legs in Segis powder coat; thermoplastic glides black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, ivory 46, white 18, beige 32, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, mustard 06, sage green 36; colors on pages 7-8 Wood Legs: solid ash in natural FR/02 or black aniline FR/02; finishes on page 9. Specify felt or metal glides													
REY														
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
ARMCHAIR 44w, 35d, 28h, 17.5sh			Ų			1								I
l329 (metal legs)	6.75	122	4,236	4,742	5,012	5,282	5,552	5,822	6,092	6,362	6,632	6,902	7,172	166
l328 (ash wood legs)	6.75	122	4,612	5,118	5,388	5,658	5,928	6,198	6,468	6,738	7,008	7,278	7,548	166
OTTOMAN TABLE w/LOOSE CUSHION 65w, 35d, 28h, 17.5sh cushion 65w,12d														
l331 (metal legs)	2	36	3,984	4,134	4,214	4,294	4,374	4,454	4,534	4,614	4,694	4,774	4,854	117
l330 (ash wood legs)	2	36	4,360	4,510	4,590	4,670	4,750	4,830	4,910	4,990	5,070	5,150	5,230	117
OTTOMAN CUSHION FIXED WITH 4 MAGNETS add 136														
LOVESEAT 84.5w, 35d, 28h, 17.5sh			2		\$			5						ı
l321 (metal legs)	10.25	185	6,070	6,839	7,249	7,659	8,069	8,479	8,889	9,299	9,709	10,119	10,529	220
l320 (ash wood legs)	10.25	185	6,446	7,215	7,625	8,035	8,445	8,855	9,265	9,675	10,085	10,495	10,905	220
SOFA, THREE SEATS 118w, 35, 28h, 17.5sh			shown ar	re three se	eats with v	various pi	llows							
l327 (metal legs)	8.5	153	8,077	8,715	9,055	9,395	9,735	10,075	10,415	10,755	11,095	11,435	11,775	326
l326 (ash wood legs)	8.5	153	8,453	9,091	9,431	9,771	10,111	10,451	10,791	11,131	11,471	11,811	12,151	326
LOVESEAT with TABLE 108.5w, 35d, 28h, 17.5sh table extends 33w Right or Left table refers to posiiton when seated. Shown here are l3424-DX & l325-DX with table on right														
metal legs I325-DX (table on right) I323-SX (table on left)	8.5	153	7,638	8,276	8,616	8,956	9,296	9,636	9,976	10,316	10,656	10,996	11,336	245
ash wood legs I324-DX (table on right) I322-SX (table on left)	8.5	153	8,014	8,652	8,992	9,332	9,672	10,012	10,352	10,692	11,032	11,372	11,712	245
CUSHIONS	0													
1335CUSCINO 23.5 x 18	.75		202	258	288	318	348	378	408	438	468	498	528	13
1334CUSCINO 16.5 x 16.5	.5		150	188	208	228	248	268	288	308	328	348	368	13

SKYLAN Altherr Désile Park Base: metal in powder coat black 08, anthracite 11, grey 23, taupe 17, light grey 04, ivory 46, white 18 beige 32, mustard 06, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, verdisgris 54, military green 34, sage green 36, brick 05, red 26, copper 47, "oxide 1" 48, "oxide 2" 49 or aluminum 68; colors on pages 7-8 Seat: plywood and non-deformable polyurethane foam covered with polyester padding Back: metal frame and cold-injected polyurethane foam Fire retardant foam meets California Bulletin 117A Table: multifunctional table with swivel top in metal powder coat matching base Right (DX) and Left (SX) refer to position when seated. 10-L2 8-L1 yds sq-ft com 1 2 3-col 5 9 wt MODULE 1 SEAT 31.5w. 33d. 18.5sh 1340 3.75 1,655 2,086 2,986 3,286 55 1,936 2,236 2,386 2,536 2,686 2,836 3,136 1 SEAT + 1 BACKREST 31.5w, 33d, 39.5h, 18.5sh 1341 6 2,487 2,937 3,177 3,417 3,657 3,897 4,137 4,377 4,617 4,857 5.097 95 1340 1341 MODULE 1.5 SEAT 52w, 33d, 18.5sh 3,843 4,203 1342 4.5 2.425 2,763 2,943 3,123 3,303 3,483 3,663 4,023 4.383 75 1.5 SEAT + 1 BACKREST 52w, 33d, 39.5h, 18.5sh 1343 DX RIGHT 3,247 3,772 4,052 4,332 4,612 4,892 5,172 5,452 5,732 6,012 6,292 114 1344 SX LEFT 1342 1343 1344 MODULE 3 SEATS 92w. 33d. 18.5sh 1345 5.5 3,433 4,066 4,286 4,506 4,726 4,946 5,166 3,846 5,386 5,606 5,826 150 1345 3 SEATS + 1 BACKREST 92w, 33d, 39.5h, 18.5sh 1346 DX RIGHT 4,899 5,219 5,539 5,859 6,179 6,499 6,819 7,139 7,459 7,779 190 4.299 1347 CENTER 1348 SX LEFT 1346 3 SEATS + 2 BACKRESTS 92w, 33d, 39.5h, 18.5sh 1349 DX + CENTER 10.5 5,129 5,917 6,337 6,757 7,177 7,597 8,017 8,437 8,857 9,277 9,697 229 1350 DX +SX 1351 SX + CENTER

1352

1353

1354

1351

1352 1353 1354

1349

1350

	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
MODULE 3 SEATS + 3	BACK	(RES	rs											
92w, 33d, 39.5h, 18.5sh 1355	12.75		5,958	6,914	7,424	7,934	8,444	8,954	9,464	9,974	10,484	10,994	11,504	269
356 357 358		\rightarrow									_ _			
	1355			1356			1357			1358				
CURVED MODULES 61.5w, 85d, 18.5h SEAT ONLY 1359	6.75		3,834	4,340	4,610	4,880	5,150	5,420	5,690	5,960	6,230	6,500	6,770	139
	1359													
CURVED SEAT + 1 BA 61.5w, 85d, 39.5h, 18.5sh 1362 1363 1364 1365	ACKRE 9	ST	4,701	5,376	5,736	6,096	6,456	6,816	7,176	7,536	7,896	8,256	8,616	178
		1			\		^)						
				9										
	1362		1	363		1364			1365					
CURVED SEAT + 2 BA 61.5w, 85d, 39.5h, 18.5sh 1360 1361	ACKRE	STS	5,529	6,392	6,852	7,312	7,772	8,232	8,692	9,152	9,612	10,072	10,532	218
366 367														
			136				9		- /					
	1360		130	'		1366			1367					
SWIVEL TOP TABLE 16Ø, 28,75h		Right (I	DX) and L	eft (SX) re	efer to pos	ition whe	n seated.							
MTAVSKYMET-DX Rig MTAVSKYMET-SX Le	ght ft		430 430											15
	J	180°		18	0.									

STEAK & STILTON

Carlo Bimbi



Unit: modular freestanding system of upholstered benches; back panels are not included in module price
Frame: multi-ply plywood inner frame and non deformable polyurethane foam covered with polyester padding
Fire retardant foam meets California Bulletin 117A Metal feet

Base: 4"h, covered with stainless steel in polish 65 or metal in powder coat or aluminum 68; pages 7-8

A DETAILED LAYOUT MUST ACCOMPANY ALL STEAK & STILTON ORDERS

MODULES WITH POLISHED STAINLESS STEEL BASES

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
1171 STRAIGHT MODULE 31.5w, 25.5d, 43.5h, 18.5sh	3.5	2,604	2,867	3,007	3,147	3,287	3,427	3,567	3,707	3,847	3,987	4,127	86
I172 STRAIGHT MODULE 47.25w, 25.5d, 43.5h, 18.5sh	4.25	3,256	3,575	3,745	3,915	4,085	4,255	4,425	4,595	4,765	4,935	5,105	132
I173 STRAIGHT MODULE 59w, 25.5d, 43.5h, 18.5sh	4.25	3,855	4,174	4,344	4,514	4,684	4,854	5,024	5,194	5,364	5,534	5,704	163
I174 STRAIGHT MODULE 71w, 25.5d, 43.5h, 18.5sh	5	4,372	4,747	4,947	5,147	5,347	5,547	5,747	5,947	6,147	6,347	6,547	196
I170 CORNER MODULE 27.5w, 27.5d, 43.5h, 18.5sh	3.75	3,431	3,712	3,862	4,012	4,162	4,312	4,462	4,612	4,762	4,912	5,062	124
MODULES WITH POWE	MODULES WITH POWDER COAT BASES												
I171 STRAIGHT MODULE 31.5w, 25.5d, 43.5h, 18.5sh	3.5	2,507	2,770	2,910	3,050	3,190	3,330	3,470	3,610	3,750	3,890	4,030	86
I172 STRAIGHT MODULE 47.25w, 25.5d, 43.5h, 18.5sh	4.25	3,160	3,479	3,649	3,819	3,989	4,159	4,329	4,499	4,669	4,839	5,009	132
I173 STRAIGHT MODULE 59w, 25.5d, 43.5h, 18.5sh	4.25	3,758	4,077	4,247	4,417	4,587	4,757	4,927	5,097	5,267	5,437	5,607	163
I174 STRAIGHT MODULE 71w, 25.5d, 43.5h, 18.5sh	5	4,275	4,650	4,850	5,050	5,250	5,450	5,650	5,850	6,050	6,250	6,450	196
I170 CORNER MODULE 27.5w, 27.5d, 43.5h, 18.5sh	3.75	3,334	3,615	3,765	3,915	4,065	4,215	4,365	4,515	4,665	4,815	4,965	124
C171 BACK PANEL	1.5	432	545	605	665	725	785	845	905	965	1,025	1,085	
C172 BACK PANEL	1.5	470	583	643	703	763	823	883	943	1,003	1,063	1,123	
C173 BACK PANEL	1.75	470	601	671	741	811	881	951	1,021	1,091	1,161	1,231	
C174 BACK PANEL	2.25	470	639	729	819	909	999	1,089	1,179	1,269	1,359	1,449	
C170-A BACK PANEL 1 side	1.5	470	583	643	703	763	823	883	943	1,003	1,063	1,123	
C170-B BACK PANEL 2 sides	3	499	724	844	964	1,084	1,204	1,324	1,444	1,564	1,684	1,804	


STEAK & STILTON INFO	C170FISSAGGIO back to back ganging device 335 MGAN17022 lateral ganging device 121
C0220VACDC	Selection of 3 interconneced outlets or USB communications ports for USA (product only; it does NOT include installation by electrician per local ordinances)
Note: additional power sockets are available for foreign countries. Call for information.	POWER DATA Stock of St. Stock of St. St. 37: PH; USD Type AV 2.0





Compositions

A drawing of the required configuration must accompany your order



TAXIDO	Carlo Bir	mbi												
	Shaped Fire reta	Seat: n	on deforn am meets	nable poly California	/urethane a Bulletin	foam wit 117A	eel profile h polyeste			n pages 7	-9			
	yds	sq-ft	com	1	2	3-col	4	5	6	7	8-L1	9	10-L2	wt
SWIVEL ARMCHAIR	nouder or	at blac	l OO anth	racita 11	white 10	ماسام	m 60 ar ah							
steel column & base in Segis 28w, 29d, 32.5h, 16.5sh	powder co	Jai Diac	k uo, anui	iacile i i,	wille 10,	alullilliu	02 chrom		166					
1140	2.75	50	1,952	2,158	2,268	2,378	2,488	2,598	2,708	2,818	2,928	3,038	3,148	63
SWIVEL ARMCHAIR	w/HEAD	RES	T											
28w, 29.5d, 41h, 16.5sh							02 chrom	e add	166					
1141	3	54	2,205	2,430	2,550	2,670	2,790	2,910	3,030	3,150	3,270	3,390	3,510	68
TAXIDO INFO:	Memory	Return	for Swive	l Armchai	r		add 300							
SLED ARMCHAIR steel rod in all Segis powder 28w, 29h, 32.5h, 16.5sh	coat finish	es					02 chrom	o add	60					
1144	2.75	50	1,894	2,100	2,210	2,320	2,430	2,540	2,650	2,760	2,870	2,980	3,090	48
SLED ARMCHAIR w/l	HEADR	EST					00 -1		00					
28w, 29d, 41h, 16.5sh							02 chrom	e add	60					
1145	3	54	2,140	2,365	2,485	2,605	2,725	2,845	2,965	3,085	3,205	3,325	3,445	52
ROCKING ARMCHAII steel rod in Segis powder coa 29w. 31d. 32.5h, 16.5sh		or alum	inum 68; s	solid beed	chwood ro	ockers in	natural FA	√02 or da	rk walnut	FG/07				
1142	2.75	50	2,448	2,654	2,764	2,874	2,984	3,094	3,204	3,314	3,424	3,534	3,644	48
ROCKING ARMCHAII 28w, 31d, 41h, 16.5sh	R w/HE/	ADRE	ST											
1143	3	54	2,696	2,921	3,041	3,161	3,281	3,401	3,521	3,641	3,761	3,881	4,001	52

TERMINUS

Carlo Bimbi

Frame: multi-ply plywood inner frame w/non deformable polyurethane foam covered w/polyester padding Fire retardant foam meets California Bulletin 117A

Legs: steel in Segis powder coat finishes, aluminum 68, or chrome 02; colors on pages 7-8 Back Panels: choice of short or tall back panels which are ordered separately; see page 75

A DETAILED LAYOUT MUST ACCOMPANY ALL TERMINUS ORDERS



	yds	com	1	2	3	4	5	6	7	8	9	10	wt
MOO CED ALCUE MODULE						02 chrom	ie add	224					
1189 STRAIGHT MODULE 31.5w, 25.5d, 31h, 18.5sh	2	1,758	1,908	1,988	2,068	2,148	2,228	2,308	2,388	2,468	2,548	2,628	53
						02 chrom	e add	224					
1181 STRAIGHT MODULE 47.25w, 25.5d, 31h, 18.5sh	2.5	1,974	2,162	2,262	2,362	2,462	2,562	2,662	2,762	2,862	2,962	3,062	64
						02 chrom	ie add	224					
1182 STRAIGHT MODULE 59w, 25.5d, 31h, 18.5sh	3	2,422	2,647	2,767	2,887	3,007	3,127	3,247	3,367	3,487	3,607	3,727	74
						02 chrom	e add	224					
1183 STRAIGHT MODULE 71w, 25.5d, 31h, 18.5sh	3.5	2,866	3,129	3,269	3,409	3,549	3,689	3,829	3,969	4,109	4,249	4,389	86
						02 chrom	e add	224					
I180 CORNER MODULE 43.3w, 43.3d, 31h, 18.5sh	3.5	3,045	3,308	3,448	3,588	3,728	3,868	4,008	4,148	4,288	4,428	4,568	104
		Í		ŕ		,	,	ŕ		ŕ	•		
I187-DX RIGHT CORNER N	ИODUL	.E				02 chrom	ie add	224					
I184-SX LEFT CORNER MC	DULE 2.75	2,648	2,854	2,964	3,074	3,184	3,294	3,404	3,514	3,624	2 724	3,844	120
45.5W, 27.5U, 5111, 16.5511	2.75	2,040	2,054	2,904	3,074	3,104	3,294	3,404	3,314	3,024	3,734	3,044	120
I188-DX RIGHT CORNER N		E.				02 chrom	ie add	224					
1185-SX LEFT CORNER MC	DULE 3.5	3.129	3.392	3,532	3.672	3.812	3.952	4.092	4.232	4.372	4.512	4.652	122
	-	.,	-,		-,- =		-,	,	,		,		·

TERMINUS INFO

DX RIGHT CORNER: when seated the longer side of the bench will extend to the right

 $\mathsf{SX}\,\mathsf{LEFT}\,\mathsf{CORNER}$: when seated the longer side of the bench will extend to the left

CORNER MODULE: 43.3x43.3 w/25.5d seat



TERMINUS BACK PANELS

Back Panels: bench modules are designed without backs. Exposed backs will require either an upholstered seat back panel, an upholstered high back partition panel, or a laminate high back partition panel

A DETAILED LAYOUT MUST ACCOMPANY ALL TERMINUS ORDERS

	yds	com	1	2	3	4	5	6	7	8	9	10	wt
UPHOLSTERED SEAT	BACK PAN	NEL 21	"H										
C184-R BACK 28.25"	1	461	536	576	616	656	696	736	776	816	856	896	
C186-R BACK 31.5"	1	461	536	576	616	656	696	736	776	816	856	896	
C185-R BACK 43.3"	1.5	499	612	672	732	792	852	912	972	1,032	1,092	1,152	
C181-R BACK 47.25"	1.5	499	612	672	732	792	852	912	972	1,032	1,092	1,152	
C182-R BACK 59"	1.75	499	630	700	770	840	910	980	1,050	1,120	1,190	1,260	
C183-R BACK 71"	2.25	499	668	758	848	938	1,028	1,118	1,208	1,298	1,388	1,478	
UPHOLSTERED HIGH B	ACK PAR	MOITITE	I PANE	EL 39"H	(49.25	" H FR	OM FLO	OOR)					
C284-R BACK 28.25"	1.75	584	715	785	855	925	995	1,065	1,135	1,205	1,275	1,345	
C286-R BACK 31.5"	1.75	661	792	862	932	1,002	1,072	1,142	1,212	1,282	1,352	1,422	
C285-R BACK 43.3"	2.5	661	849	949	1,049	1,149	1,249	1,349	1,449	1,549	1,649	1,749	
C281-R BACK 47.25"	2.75	697	903	1,013	1,123	1,233	1,343	1,453	1,563	1,673	1,783	1,893	
C282-R BACK 59"	3.5	697	960	1,100	1,240	1,380	1,520	1,660	1,800	1,940	2,080	2,220	
C283-R BACK 71"	4.25	697	1,016	1,186	1,356	1,526	1,696	1,866	2,036	2,206	2,376	2,546	

LAMINATE HIGH BACK PARTITION PANEL 39"H (49.25"H from floor) in white BI or natural oak RO

C284-L PANEL 28.25"	558
C286-L PANEL 31.5"	580
C285-L PANEL 43.3"	630
C281-L PANEL 47.25"	653
C282-L PANEL 59"	717
C283-L PANEL 71"	753


TERMINUS INFO MGAN18022 lateral ganging device 93

C180FISSAGGIO back to back ganging device for backless benches 321

C180FISSAGGIO and C180FISSAGGIO2 back to back ganging devices for compositions with high back partition panels

M180PIASTR2 metal plate to connect linear high back panels 30

M180PIASTR1 metal plate to conntect corner high back panels 52



AGORA Cisotti & Laube Tabletop-Legs: steel in Segis powder finishes; see page 7. Black polyamyde glides black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, ivory 46, white 18, beige 32, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, mustard 06, sage green 36; colors on pages 7-8 Agora Seating: see page 48 dimensions wt **TEARDROP TABLE** T0200 powder coat 602 19.5w, 17d, 16h 13 **TEARDROP TABLE** 602 T0201 powder coat 19.5w, 17d, 20h 14 **TEARDROP TABLE** 608 19.5w, 17d, 24h T0202 powder coat 14 **RECTANGULAR TABLE** powder coat 700 27.5w, 17-22d, 16h 24 T0203 AGORA DUO TWO LEVEL TABLE

637


powder coat

32

17.5w, 22.75d, 17.5h, 25h

T0204

ALPHATABLES Roberto Romanello				
Tabletops: 2.4" thick moulded pol Square tables have 1.2" lip Legs: die-cst aluminum in Segis p	•	available in white 7C, grey 7P, beige at finishes or chrome; see page 7	8H	
LOW COLLABE TABLE				wt
LOW SQUARE TABLE T0866 powder coat 20w, 20d, 14h	868	02 chrome	1,304	17
LOW RECTANGULAR TABLE T0867 40w, 20d, 14h powder coat	1139	02 chrome	1,593	21



BOOM ROUND UTS Base - Columns: steel in Segis powder coat finishes or chrome, colors on pages 7-8 Cylindrical column 2.4"Ø Floor protection: plastic pad under round bases Chrome bases have a stainless steel cover Fixing plates: technopolymer except as noted below Tops: are not included; order separately Powder Coat 02 Chrome dimensions wt ROUND BASE, LOW COCKTAIL HEIGHT T0645-D 611 696 25 18 Ø, 16h for 24-30" Ø/square tops ROUND BASE, COCKTAIL HEIGHT T0645-E 617 702 26 18 Ø, 18h for 24-30" Ø/square tops **ROUND BASE** 676 761 29 T0645-P 18 Ø, 29h for 24-30" Ø/square tops TALL ROUND BASE T0645-B 756 861 32 18 Ø, 41.5h for 24" Ø tops ADJUSTABLE ROUND BASE 1,086 1,226 T0645-R 38 18 Ø, 28-40h steel fixing plate pneumatic height adjustment for 24" Ø tops **ROUND BASE** T0653-P 924 1,062 38 24 Ø, 29h die-cast aluminum fixing plate for 30-40" Ø tops for 28-36" square tops TALL ROUND BASE 976 T0653-B 1,118 24 Ø, 41.5h 42 die-cast aluminum fixing plate for 28-36" Ø tops **ROUND BASE** T0647-P 1,169 1,335 63 26 Ø, 29h die-cast aluminum fixing plate 3.15" Ø column for 36-60" Ø tops for 36-42" square tops TALL ROUND BASE T0647-B 1,293 1,461 66 26 Ø, 41.5h die-cast aluminum fixing plate 3.15" Ø column for 30-40" Ø tops

BOOM ROUND

UTS

SQUARE BASE with ROUND COLUMN

Base - Columns: steel in powder coat finishes; cylindrical column 2.4" \emptyset Note: square & rectangular bases, the chromed version has a stainless steel cover

Floor protection: four or six felt pads

Fixing plates: technopolymer except as noted below for adjustable base

Tops: are not included; order separately

	Powder Coat	02 Chrom	е	
SQUARE BASE, COCKTAIL HEIGHT T0234-E for 24-30" Ø/square tops	617	703	18w, 18d, 18h	26
SQUARE BASE T0234-P for 24-30" Ø/square tops	676	762	18w, 18d, 29h	29
TALL SQUARE BASE T0234-B for 24" Ø tops	756	861	18w, 18d, 41.5h	32
ADJUSTABLE SQUARE BASE T0234-R steel fixing plate pnuematic height adjustment for 24" Ø tops	1,086	1,221	18w, 18d, 28-40h	38
RECTANGULAR TWIN BASE T0646-P for 30x48-60" rectangular tops	1,046	1,348	34w,18d, 29h	56
TALL RECTANGULAR TWIN BAT0646-B for 30x48-60" rectangular tops	SE 1,204	1,518	34w,18d, 41.5h	64

BOOM SQUARE

UTS

SQUARE BASE with SQUARE COLUMN

Base - Columns: steel in Segis powder coat aluminum finishes, chrome, or brushed stainless steel rectangular or square base with 2.4" square columns; metal fixing plates; adjustable feet Note: Boom Rectangular Twin Base has two 2.4" square columns to support rectangular tops. Note: square & rectangular bases, the chromed version has a stainless steel cover

		Powder Coat	02 Chrome	dimensions	wt
SQUARE BASE T0236-P for 24-36" Ø tops for 24-36" square tops	447	729	794	19w, 19d, 29h	45
TALL SQUARE BASE T0236-B for 24-30" Ø tops for 30" square tops	I	819	887	19w, 19d, 41.5h	48
RECTANGULAR TWIN B T0239-P for 30x48-60" rectangular tops	BASE	1,148	1444	32w, 17d, 29h	52

COMPASSO Orlandini Design

Frame: metal in Segis powder coat finish; flip top mechanism and horizontal stacking capability black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, ivory 46, white 18, beige 32, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, mustard 06, sage green 36; colors on pages 7-8 Casters: termoplastic material. Two are braking casters

Stacking info: six stacked would be 61d, 44h as shown below

Tops: are not included; order separately



				dimensions	wt
TABLE BASE T0090 for 48x32 tops	ΛΛ	powder coat	1,137	50.5w, 24d, 28.75h	44
TABLE BASE T0091 for 56x32 tops	[]	powder coat	1,195	58.25w, 24d, 28.75h	44
TABLE BASE T0092 for 66x32 tops		powder coat	1,242	66w, 24d, 28.75h	48
TABLE BASE T0093 for 72 x 32 tops		powder coat	1,299	74w, 24d, 28.75h	48

CONI	Luigi Trenti				
	Vertical support: co	der coat white 18 or black 08 onical shaped roto-moulded in powder coat ded; order separately			
BASE				dimensions	wt
T0060-P for 24-30" Ø tops for 24-30" square tops	I	powder coat	673	17.5 Ø, 28h	29
BASE T0061-P for 30-36" Ø tops for 36" square tops	T	powder coat	826	23.5 Ø, 28h	32

CULT	UTS								
	Segis powder coa Option: chrome (Frame: pair of steel two legs frames to be directly fixed to the tabletop; tapered legs available in powder coat Segis powder coat finishes; colors on page 7 Option: chrome 02 Tops: are not included; order separately							
BASE						dimensions	wt		
T0015 for 36" Ø tops for 30-36" square tops		powder coat	636	chrome 02	750	29.5w, 14d, 28h	21		
BASE T0016 with metal support for 32x48-72" tops		powder coat	711	chrome 02	825	29.5w, 14d, 28h	23		



E40)/ B0)/				
EASY BOY	Bartoli Design			
	Frame: steel frame and top available in Segis powd black 08, anthracite 11, grey 23, taupe 17, aluminun melon yellow 53, blue workshop 13, water blue 33, red 26, copper 47, oxide "2" 49, oxide "1" 48, mustar Powder coat colors 24, 40, 41, 42, 45, and 51 are no Outdoor colors are denoted with umbrellas Heights: complement of modular seating systems, a Base: dimensions 14.6" x 14.8" Top: dimensions Felt under the base for floor protection	n 68, light g bigeon blue d 06, sage of acceptables as a writing	rey 04, ivory 46, white 18, beige 32, 256, verdigris 54, military green 34, brick 05, green 36; colors on pages 7-8 le for Easy Boys surface or support for laptop	
TABLE			dimensions	wt
TABLE T0042	powder coat	501	18w, 16.5d, 16h	26
T0042-E Outdoor	powder coat	548		
TABLE T0041	powder coat	514	18w, 16.5d, 21h	27
T0041-E Outdoor	powder coat	561		
TABLE				
T0040	powder coat	528	18w, 16.5d, 24.5h	27
T0040-E Outdoor	powder coat	575		
EASY BOY	SMART			
	Multi-purpose table with double USB socket Base: dimensions 14.6" x 14.8" Top: dimensions 18" x 16.5" Felt under the base for floor protection			
TABLE T0049	powder coat	708	18w, 16.5d, 24.5h	27
			700	
Y BOY				
	Multifunctional table available in two heights Frame and Top: metal in powder coat finish Felt under base for floor protection			
TABLE T0043	powder coat	598	18w, 16.5d, 24.5h	22
TABLE T0039	powder coat	611	18w, 16.5d, 27.5h	25
1				

FOLD-UP & FOLD-UP SLIM

Lucci & Orlandini



Frame and Folding mechanism: steel in powder coat black 08 or chrome 02; polyethylene spacers for storage protection; safety locks for leg storage Extension: one leg available with joining system

Segis Joining Tops: straight edge in oak veneer natural finish with white laminate or black anti fingerprint laminate. Order separately below. Option: Joining or Non-Joining Top styles ordered separately; see pages 98+Trolley: steel in powder coat black 10



Holley. Steel in powder	coat black 10					
					dimensions	wt
FOLDING BASE T0890 for connecting tops 29.5" x 57" for_non-connecting tops 30-36" x 60-72"	powder coat	675	02 chrome	785	29.5d, 29h	21
SLIM FOLDING BASE T0891 for connecting tops 15.75" x 67" for non-connecting tops 18-24" x 60-72" tops	powder coat	613	02 chrome	763	15.5d, 28.5h	17
CONNECTING BASE T0892 1 LEG w/2 GANGING M+F use with tops 29.5" x 57"	powder coat	525	02 chrome	556	29.5d, 28.5h	
SLIM CONNECTING BASE T0893 1 LEG w/2 GANGING M+F use with tops 15.75" x 67"	powder coat	502	02 chrome	533	15.5d, 28.5h	
TOPS FOR CONNECTING: straight edge i	n oak veneer natural	k finish w/o	choice of white laminate or b	olack anti-	fingerprint laminate	
LAMINATE ON PLYWOOD TOP PL9R145075	white laminate	1,097	black anti fingerprint	1,321	57w, 29.5d	42
SLIM LAMINATE ON PLYWOOD TOP PL9R170040	white laminate	1,037	black anti fingerprint	1,261	67w, 15.75d	27
TROLLEY C0660 vertical max 8 pieces	powder coat	1,543			17.5w, 29.5d, 21h	50
SLIM TROLLEY C0894 horizontal max 10 pieces	powder coat	1,592			17.5w, 29.5d, 24.5l	'n

HOTEL Cisc	otti & Laube			
Top AA I MB Cold		e, code P ne 4517,		wt
SQUARE TABLE IMT5		1,130	32w, 32d, 16h	
RECTANGULAR TABLE IMT6		1,228	48w, 24d, 13h	

JO TAB Roberto Romanello Base: steel in Segis powder coat finishes and aluminum 68: black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, silver glow 12, ivory 46, white 18, beige 32, sunny gold 52, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, mustard 06, sage green 36; colors on pages 7-8 colors Column: steel in powder coat finishes or chrome 02 (chrome column has base in polished stainless steel 65) Tops: are not included; order separately. dimensions wt **BASE** T0095 powder coat 820 02 chrome w/65 stainless 982 17.5w, 17.5d, 29h 58 for 32" square top **BASE** T0096 powder coat 1071 1,247 33.5w, 17.5d, 29h 84 02 chrome w/65 stainless for 32x48-56" tops

JUXT 4F	UTS							
	Base: steel in Segis powder coat finishes and aluminum 68; colors on pages 7-8 thermoplastic feet. Fixing plate: powder coat steel with flip top mechanism in plastic material; when top is vertical, leg design allows bases to be pushed close together for compact storage Tops: are not included; order separately.							
FLIP TOP BASE T0070-P for 28-32" Ø & square tops	powder coat	680	02 chrome	797	dimensions wt 22.5w, 19.5d, 29h 24			
TALL FLIP TOP BAS T0070-B for 28-32" Ø & 28" square to	powder coat	804	02 chrome	909	22.5w, 19.5d, 41.5h 27			



K COLLECTION

Carlo Bartoli

Indoor K: spokes of high resistance die cast aluminum w/high resistance steel profile columns; Segis powder coat finishes Outdoor K: spokes of high resistance die cast aluminum w/high resistance aluminumum profile columns
Segis powder coat finishes, aluminum 68 or chrome 02; see pages 7-8 for selection; not all are available for outdoor use
Both Versions: special grey color high resistance technopolymer fixing plates, horizontal connecting bars of high
resistance elliptical aluminum profile in chrome or epoxy powder coat. Adjustable feet in high resistance thermo-plastic
Tops: are not included; order separately

K2 Modular 2 spoke bases: in two he	eights, two	standard lengths, 120 degre	e termina	l bases	
120 DEGREE BASE w/22" JOINING BAR				dimensions	wt
T0731-P powder coat for 32x48-60" tops	872	02 chrome	1,466	42w, 27d, 29h	28
T0731-PE OUTDOOR powder coat	910				23
120 DEGREE BASE w/26.5" JOINING BAR					
T0732-P powder coat for 32-36x60-66" tops	877	02 chrome	1,551	46w, 27d, 29h	29
T0732-PE OUTDOOR powder coat	915				24
120 DEGREE TALL BASE w/26.5" JOINING BAR	939	02 chrome	1 757	46 27d 44.5h	36
T0732-B powder coat for 30-32x60-66" tops	939	02 chrome	1,757	46w, 27d, 41.5h	30
K3 Three spoke table bases					
3 SPOKE BASE					
T0733P powder coat for 20-24" round tops	440	02 chrome	744	23Ø, 29h	12
T0733-PE OUTDOOR	476				10
K4 Four spoke table bases					
LOW 4 SPOKE BASE					
T0734-C powder coat for 32-42" round tops	532	02 chrome	989	30Ø, 22.5h	14
for 30-36" square tops T0734-CE OUTDOOR powder coat	568				12
4 SPOKE BASE T0734-P powder coat	582	02 chrome	1140	30Ø, 29h	15
for 32-42" round tops for 30-36" square tops					
T0734-PE OUTDOOR powder coat	622				13
TALL 4 SPOKE BASE					
T0734-B powder coat	672	02 chrome	1,238	30Ø, 41.5h	20
for 30-36" round tops T0734-BE OUTDOOR powder coat	708				15
/ \					
4 SPOKE BASE w/DIE CAST FIXING PLATE T0304-P powder coat	648	02 chrome	1,177	30Ø, 29h	15
for 36-42" round tops		32 33110	.,,	, =	
	684				13
K5 Five spoke table bases				dimensions	wt
5 SPOKE BASE w/DIE CAST FIXING PLATE					
T0735-P powder coat for 48-60" round tops	850	02 chrome	1,470	35.5Ø, 29h	24
for 42" square tops 54x86-110" oval tops w/2 bases					
T0735-PE OUTDOOR powder coat	889			_	21

LONGWAY TABLES

Bartoli Design

Low tables for individual use or for use as matching elements for Longway modular benches.

Legs: u-shaped steel in Segis powder coat finishes, satin chrome 03, or brushed stainless 66; see pages 7-8

Tabletops: high pressure laminate in white BI, Oak Asburgo AA, Oak Carbone BB, Rovere Grigio RG, Grey GG,
Corten CR, Copperfield CC, White Marble MB, Marmo Nero MN, or Marmo Grigio/Oro MG priced identically;
NR Fenix Ingo anti fingerprint black tops are priced separately below. Colors on page 10

LONGWAY Modular Seating: see pages 59-64

SMALL SQUARE TABLE T0HT1 BASE	powder coat	356	66 brushed stainless	1,111	dimensions	wt
Ų Ų	03 satin chrome	356				
PHPQ068068 TOP	BI, AA, BB, RG, CC, GG, CR, MN, MB, MG	504			27w, 27d, 15h	44
	NR Fenix Ingo	753				
RECTANGULAR TABLE						
T0HT1 BASE	powder coat 03 satin chrome	356 356	66 brushed stainless	1,111		
PHPR140068 TOP	BI, AA, BB, RG, CC, GG, CR, MN, MB, MG	1184			55w, 27d, 15h	74
	NR Fenix Ingo	1,806				
ROUND TABLE						
TOHT3 BASE	powder coat 03 satin chrome	407 407	66 brushed stainless	1,218		
РНРТ090 ТОР	BI, AA, BB, RG, CC, GG, CR, MN, MB, MG	783			35.5 Ø, 15h	62
	NR Fenix Ingo	1,336				
SQUARE TABLE						
T0HT4 BASE	powder coat 03 satin chrome	387 387	66 brushed stainless	1,152		
PHPQ090090 TOP	BI, AA, BB, RG, CC, GG, CR, MN, MB, MG	783			35.5w, 35.5d, 15h	62
	NR Fenix Ingo	1,336				

POLO Archirivoloto Design Indoor - Outdoor Bases: die cast iron base in two diameters and two heights Base - Column - Aluminum Tops: in Segis powder coat finishes black 08, anthracite 11, grey 23, taupe 17, aluminum 68, light grey 04, silver glow 12, ivory 46, white 18, beige 32, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, nordic lichen 55, verdigris 54, military green 34, brick 05, red 26, copper 47, oxide "2" 49, oxide "1" 48, sunny gold 52, mustard 06, sage green 36 Tops: aluminum top is priced below; other tops are not included; order those separately from tops section Polo Chairs: see page 29 dimensions wt BASE WITH 2.5" ALUMINUM PROFILE COLUMN AND 16" GREY TECHNOPOLYMER FIXING PLATE T0005-P 798 powder coat for 28-32" Ø & 28" square tops T0005-PE OUTDOOR 873 19 Ø. 29h 32 powder coat TALL BASE T0005-B 879 powder coat for 24" Ø tops T0005-BE OUTDOOR powder coat 954 19 Ø, 41.5h 35 BASE WITH 2.5" ALUMINUM PROFILE COLUMN AND 20" DIE CAST ALUMINUM FIXING PLATE T0008-P powder coat 877 for 32" square tops T0008-PE OUTDOOR powder coat 952 19 Ø, 29h 35 TALL BASE T0008-B powder coat 958 for tops 28" Ø tops T0008-BE OUTDOOR powder coat 1033 19 Ø, 41.5h 37 LARGE BASE WITH 3.2" ALUMINUM PROFILE COLUMN AND 20" DIE CAST ALUMINUM FIXING PLATE T0006-P powder coat 1179 for 40-48" Ø & 32-36" square top T0006-PE OUTDOOR powder coat 1254 25.5 Ø. 29h 56 LARGE TALL BASE T0006-B 1306 powder coat for 32" Ø tops T0006-BE OUTDOOR powder coat 1381 25 5 Ø 41 5h 59 BASE FOR ALUMINUM TOPS WITH 2.5" ALUMINUM PROFILE COLUMN AND 20" METAL FIXING PLATE T0007-P 877 powder coat T0007-PE OUTDOOR 19 Ø, 29h 32 powder coat 952 ALUMINUM TOP FOR BASES T0007-P &T0007-PE PLA0T072 551 28.5 Ø 12 powder coat WITHOUT PATTERN

SAMU	Bartoli Design								
	Segis powder coat finish Adjustable Feet: thermo	ase - Columns: 4 Spoke Base in steel profile; central column 60 mm steel tube egis powder coat finishes or aluminum 68, colors on pages 7-8 djustable Feet: thermoplastic material ixing plates: grey high resistance technopolymer 15.75"Ø							
	Tops: are not included; of	order separately		dimensions	wt				
4 SPOKE BASE, COCK T0105-E 24-30" Ø tops 24-30" square tops	TAIL HEIGHT	powder coat	509	22.5w, 22.5d, 18h	16				
T0105-EE Outdoor	,	powder coat	567						
4 SPOKE BASE T0105-P for 36" Ø tops 30" square tops	T	powder coat	528	22.5w, 22.5d, 29h	19				
T0105-PE Outdoor		powder coat	586						
TALL 4 SPOKE BASE T0105-B for 30" Ø tops 30" square tops	I	powder coat	575	22.5w, 22.5d, 41.5	ih 20				
T0105-BE Outdoor		powder coat	632						
TWIN 2 SPOKE BASE T0100-P for 32"x 48-56" tops	s	powder coat	832	42w, 26d, 29h	28				
T0100-PE Outdoor	لملح	powder coat	890						
TWIN 2 SPOKE BASE T0100-B for 32"x 48-56" tops	s	powder coat	867	42w, 26d, 41.5h	34				
T0100-BE Outdoor		powder coat	925						
4 SPOKE BASE w/ FO T0107-P	DLDING MECHANIS	SM powder coat	582	22.5w, 22.5d, 29h	19				
	Fixing plates: powder co	ated die-cast alumii	num 19.5'	Ø for heavier tops					
4 SPOKE BASE, COCK T0106-E for 36" Ø tops 30" square tops	TAIL HEIGHT	powder coat	567	22.5w, 22.5d, 18h	16				
T0106-EE Outdoor	,	powder coat	628						
4 SPOKE BASE T0106-P for 36" Ø tops 30" square tops	T	powder coat	586	22.5w, 22.5d, 29h	19				
T0106-PE Outdoor		powder coat	648						

SLIM	UTS			
	Frame: steel frame and top available in Segis powder black 08, anthracite 11, grey 23, taupe 17, light grey 0 melon yellow 53, blue workshop 13, water blue 33, pi red 26, copper 47, "oxide 1" 48, "oxide 2" 49 or alumin Outdoor colors are denoted with umbrellas Multipurpose holder stand for contract and residential Heights: four choices complement modular seating s Felt under the base for floor protection	14, ivory 46 geon blue num 68; pa use	5, white 18, beige 32, mustard 06, brick 05 56, verdisgris 54, military green 34, sage green 36, ages 7-8 for colors	
			dimensions	wt
TABLE T0055	T powder coat	420	16.5w, 16.5d, 16h	25
T0055-E Outdoor	powder coat	470		
TABLE T0051	powder coat	433	16.5w, 16.5d, 21h	26
T0051-E Outdoor	powder coat	483		
TABLE T0052	T powder coat	447	16.5w, 16.5d, 25h	26
T0052-E Outdoor	powder coat	497	10.3w, 10.3u, 2311	20
TABLE T0053	powder coat	454	16.5w, 16.5d, 29h	27
T0053-E Outdoor	powder coat	504		
TABLE T0054	powder coat	413	12w, 12d, 29h	21
T0054-E Outdoor	powder coat	463		

STAY-ON Archirivolto Design Base: 4 spoke steel base in Segis powder coat finishes Column: round 60mm steel or square 60x60mm steel in powder coat finishes and aluminum 68; colors on pages 7-8 Outdoor colors are denoted with umbrellas Fixing plates: grey high resistance technopolymer 15.75" Ø except when noted below as die-cast aluminum fixing plates for heavier tops Tops: are not included; order separately dimensions wt 4 SPOKE BASE w/Round Column T0110-P powder coat 607 27Ø, 29h 22 for 36" Ø tops for 36" square tops T0110-PE Outdoor powder coat 665 4 SPOKE BASE w/Round Column T0110-B 659 23 powder coat 27Ø, 41.5h for 36" Ø tops for 36" square tops T0110-BE Outdoor powder coat 717 4 SPOKE BASE w/Round Column die-cast aluminum 19.5" Ø fixing plate T0112-P powder coat 671 27Ø, 29h 23 for 36" Ø tops for 36" square tops 729 T0112-PE Outdoor powder coat 4 SPOKE BASE w/Round Column & Folding Mechanism die-cast aluminum 19.5" Ø fixing plate T0114-P 671 23 27Ø, 29h for 32" Ø tops for 32" square tops 4 SPOKE BASE w/Square Column 607 22 T0111-P powder coat 27Ø, 29h for 36" Ø tops for 36" square tops 665 T0111-PE Outdoor powder coat 4 SPOKE BASE w/Square Column T0111-B 23 powder coat 666 27Ø, 41.5h for 30" Ø tops for 30" square tops T0111-BE Outdoor 724 powder coat 4 SPOKE BASE w/Square Column die-cast aluminum 19.5" Ø fixing plate T0113-P 23

671

729

27Ø, 29h

powder coat

powder coat

for 36" Ø tops for 36" square tops T0113-PE Outdoor

TOP & STOP

U.T.S.

Base: die cast aluminum; steel column Ø 60 mm; available in Segis powder coat finishes and aluminum 68 black 08, anthracite 11, grey 23, taupe 17, light grey 04, silver glow 12, ivory 46, white 18, beige 32, mustard 06, sunny gold 52, melon yellow 53, blue workshop 13, water blue 33, pigeon blue 56, nordic lichen 55, verdisgris 54, military green 34, sage green 36, brick 05, red 26, copper 47, "oxide 1" 48, "oxide 2" 49; colors on pages 7-8 Outdoor colors are denoted with umbrellas

Six non-marking polyethylene glides

Tabletop fixing plate: grey high resistance technopolymer \emptyset 40 cm for T0030 models or pofwder coated die-cast aluminum \emptyset 49.5 cm for T0032-P for use with gres porcelain and other heavier/larger tops Tops: are not included; order separately

				dimensions	wt
BASE T0030-P technopolymer fixing plate for 32" Ø & 28" square tops	T	powder coat	546	19.75 Ø, 28.75 h	22
T0030-PE Outdoor		powder coat	579		
BASE T0032-P die cast aluminum fixing plate for 40" Ø and 36" square tops	Ţ	powder coat	621	19.75 Ø, 28.75 h	27
T0032-PE Outdoor		powder coat	654		

HPL LAMINATE TOPS

HPL tabletops are made by a sandwich of pure cellulose paper sheets, impregnated with thermosetting resins. Tops of excellent quality that combine aesthetics and performance: the tabletop is suitable for indoor and compatible for outdoor use, easy to clean thanks to melamine, and extremely compact with a thickness of .4 inch. HPL tops offer durability and resistance according to Standards EN 438 and fire resistance of class 2.

HPL Laminate Tops use the code "PHP". The black color (NR) has unique properties such as thermal healing of superficial micro scratches, low light reflectivity thanks to extreme opacity, soft touch, and anti-fingerprint features. See page 10 for laminate selections

C060 . . . Metal reinforcement for HPL LAMINATE TOPS with length over 56"

Harsh environmental outdoor conditions and/or exposure to direct sunlight can heat the surface of the tops, especially in the case of large and dark tabletops, and lead them to warping (+/-5%). Prolonged exposure to direct sunlight may cause color changes and/or discoloration over time.


	BI, AA, BB, RG CR, MB, MN,		NR BLACK ANTI-FINGERPF	RINT		wt
PHPT049 20" Ø			558			11
PHPT050 20" Ø	427					11
PHPT059 24" Ø	•		664			13
PHPT060 24" Ø	454					13
PHPT069 28" Ø	504		753			16
PHPT07932" Ø	615		893			20
PHPT08936" Ø	777		1,329			23
PHPT100 40" Ø	907		1,388			31
PHPT120 48" Ø	1,648		1,858			40
PHPQ069069 28" x 28"	504		753			19
PHPQ079079 32" x 32"	615		893			23
PHPQ089089 36" x 36"	777		1,329			26
PHPR120079 32" x 48"	984		1,569			33
PHPR140079 32" x 56"	1,184		1,806			40
PHPR180079 32" x 72"	2,367		2,714			51
art. PHP						
BI White 0001 R	NR anti fingerprint black Fenix Ingo	AA Oak Asburgo 4519	BB Oak Carbone 4517	RG Oak Grey 4511	GG Grey 527	
		bad				
CC Copperfield grey 3192	CR Corten 3276	MB White marble 5547	MN Black marble 6076	MG Grey/Gold marble 6089		

GRES PORCELAIN TOPS

Half inch thick tops to be used with table bases which have die-cast aluminum fixing plates.

A damp microfibre cloth is sufficient for dailing cleaning; for regular cleaning we suggest a neutral liquid detergent with a soft sponge or microfiber cloth.

BC BAS	ALT CREA	AM		DM DARK MARQU	JINIA
PGPQ070070 28" x 28"	766	1		1,127	22
PGPT080 32" dia	932	BC Basalt Cream	DM Dark Marquinia	1,384	24




FORMICA patterns ending in 58, WLSON ART patterns ending in 38 or 60, plus NEVAMAR, PIONITE, and MICARTA standard patterns are available at prices shown. Request pricing for all other patterns.

LAMINATES

TOPS									
	29,000			32,000		33,000)		
		₹"			3mm ⊣⊢		0.05"		
	1989 1015			Ban Jap Vala	T		-1- T		
			- 7 4		-74		-74		
	Mini 1/4" Edg					2 			
	Mitered - Eas Inlay Laminat			PVC edge 3n Inlay Lamina			Veneer Self Edge		
		Veneel		Laminate	Veneer	Lamin	yeneer Veneer		
18" x 30"	376	641		234	499	195	451		
18" x 36"	452	769		279	596	234	542		
18" x 42"	559	930		355	726	306	663		
18" x 48"	602	1,025		369	792	312	722		
18" x 60"	753	1,282		458	987	391	903		
18" x 72"	903	1,538		548	1,183	469	1,083		
18" x 96"	1,204	2,051		727	1,574	625	1,444		
24" x 24"	301	513		189	401	170	361		
24" x 30"	376	641		234	499	195	451		
24" x 36"	452	769		279	596	234	542		
24" x 42"	559	930		355	726	306	663		
24" x 48"	602	1,025		369	792	312	722		
24" x 60"	753	1,282		458	987	391	903		
24" x 72"	903	1,538		548	1,183	469	1,083		
24" x 96"	1,204	2,051		727	1,574	625	1,444		
30" x 30"	441	- 777		279	598	244	- 544		
30" x 36"	529	912		333	715	293	652		
30" x 42"	649	1,095		417	863	375	792		
30" x 48"	706	1,215		439	949	391	870		
30" x 60"	882	1,519		546	1,183	488	1,087		
30" x 72"	1,058	1,823		653	1,418	586	1,305		
30" x 96"	1,411	2,431		867	1,886	781	1,740		
36" x 36"	625	1 004		396	855	- 252	- 702		
	635 772	1,094 _		491		352 443	783 944		
36" x 42" 36" x 48"	847	1,307		523	1,026	469	1,044		
36" x 60"	1,058	1,458 <u> </u>		651	1,135 1,415	586	1,305		
36" x 72"	1,198	2,064		734	1,599	672	1,996		
	-			-		-	-		
42" x 42"	864	1,489 _		573	1,197	531	1,114		
42" x 48" 42" x 60"	988 1,235	1,702 2,127		652 881	1,366 1,772	607 759	1,273 1,591		
48" x 48"	1,129	1,945		691	1,507	625	1,392		
	-			-		-	-		
18" dia	377	496		173	292	162	274		
24" dia	393	605 _		195	407	170	377		
30" dia	592	911 _		287	605	244	568		
36" dia	852	1,311 _		409	868	352	818		
42" dia	1,160	1,785 _		582	1,206	531	1,165		
48" dia	1,515	2,331 _		716	1,531	625	1,455		
54" dia	1,861	2,950 _		967	1,999	904	1,957		
60" dia	2,368	3,642		1,188	2,462	934	2,273		
72" dia	3,692	5,527		1,975	3,810	1,858	3,548		

FORMICA patterns ending in 58, WLSON ART patterns ending in 38 or 60, plus NEVAMAR, PIONITE, and MICARTA standard patterns are available at prices shown. Request pricing for all other patterns.

LAMINATES



ELLIPSE Bartoli Design Floor standing coat hanger Frame: elliptic aluminum tube w/die cast aluminum base in powder coat anthracite 11, ivory 46, aluminum 68, white 18; colors on pages 7-8 Umbrella Ring: thermoplastic w/removable water collector dimensions wt FLOOR COAT HANGER E300SP powder coat 876 14 Ø, 17.5w, 67.5h 35 FLOOR COAT HANGER w/UMBRELLA RING E300SP-P powder coat 938 14 Ø, 15w, 69H 36 Wall mounted coat hanger w/ 4 hooks Finishes: anthracite 11, ivory 46, aluminum 68, white 18 Terminal Elements-Hooks: thermoplastic material; max load of 33 pounds WALL MOUNTED COAT HANGER E300AP powder coat 227 24w, 3.5d, 4.5h 9 Trolley coat or dress hanger with casters Terminal Elements - 24 Hooks: high resistance thermoplastic material Frame: aluminum in matte lacquered finishing in anthracite 11, aluminum 68, ivory 46, white 18 Shelves: powder coat perforated hat rack in above and perforated steel luggage rack below in matte lacquered finishes TROLLY COAT HANGER w/HOOKS E300SR-2 1.206 71w, 23.5d, 65h 35 TROLLY COAT HANGER w/HOOKS & TOP SHELF E300SR-C 1,899 71w, 23.5d, 71h 55 TROLLEY DRESS HANGER w/2 SHELVES E300SR-G 1,951 71w, 23.5d, 71h 75

ELLIPSE

Bartoli Design



Containing elements in steel

Textured matte lacquered finish in anthracite 11, ivory 46, aluminum 68, or white 18.

Water collector and gaskets in anthracite self-extinguishing ABS

Bin liner in powder coat steel

LOW WASTEPAPER BASKET	
E400GB	

303

dimensions

wt

6

DIFFERENTIATED CONTAINER in polystyrene E400RD (7.5x6.7"h)

114

14w, 9d, 15h

WATER COLLECTOR ME400PVVAS

108



BIN LINER SUPPORT

E400RI330 for Low E400GB & E400PG

114

ASHTRAY w/SAND COLLECTOR AND WASTEPAPER BASKET

Chrome sand tray. Upper funnel-shaped part is self-extinguishing stopping oxygen exchange

and inhibiting flame propagation.

E400PG

659

14w, 9d, 26h

12

BIN LINER SUPPORT E400RI330

114

HAND SANITIZER STATION

Floor standing sanitizer station with foot pump
Aluminum base and column in Anthracite powder coat finish with red segis top
Sanitizer bottle area 2.75 dia, 7.5-8.5 h inside height (adjustable 1 inch); sanitizer bottle not included

Option: laser cut logo on top for minimum order of five pieces; add 12.50 list each Client to provide DWG or DXF file

NOTE: product ships FOB Morristown TN 37814



Power Options available on various products, call for pricing











COMPANY CERTIFICATIONS



Segis SpA 53036 Poggibonsi (SI) Italy





(1998) Quality management systems certified according to ISO 9001:2015 (registration IT4646)

(2001) Internal Environmental management system certified according to ISO 14001:2015 (Registration IT23310)



(2005) Ethical Behaviour management system certified according to SA8000:2014 Certificate no.064 - for Social Responsibility.



The mark of responsible forestry FSC* C155379

(2020) The FSC™ certification (Forest Stewardship Council ™) ensures that the supply chain of wood-based products derives from a forest management that is respectful of the environment, economically sustainable and socially useful.

Ask for our FSC ™ - certified products.

Tests and Certifications -- Seating

BREEZE

Fire retardant certifications

Breeze meets Class 1 Standards by the Italian Minister of Interior.

Hesistance tests

Mod. Breeze S0466 (all versions)

UNI 5687/73 - seat frame durability to corrosion: 120 H.

Mod. Breeze S0466 (stools version not included)

ANSI-BIFMA 5, 1-1993/6 - back impact test

ANSI-BIFMA 5. 1-1993/9 - seat drop test

ANSI-BIFMA 5. 1-1993/12 - cyclic seat impact test

ANSI-BIFMA 5. 1-1993/13 - stability test

ANSI-BIFMA 5. 1-1993/14 - vertical arm strength test

ANSI-BIFMA 5. 1-1993/15 - horizontal arm strength test

ANSI-BIFMA 5. 1-1993/17 - back durability test

ANSI-BIFMA 5. 1-1993/19 - leg strength/front load test

ANSI-BIFMA 5. 1-1993/20 - leg strength/side load test

UNI 8587-84 - back strength test

UNI 9083-87 - cyclic fall-down test

UNI 9088-87-84 - leg strength/side load test

UNI 9089-87 - back impact test UNI 9089/87 - arm impact test

UNI 8589-84 - vertical arm strength test

UNI 8590-84 - horizontal arm strength test

UNI 8584-84 - back durability test

UNI 8585-84 - seat impact test

UNI 8586-84 - cyclic seat impact test

EN 1022/96 - stability test

CAMEL

Resistance tests

EN 16139:2013+AC:2013 - General requirements of resistance

EN 16139:2013+AC:2013 - Instruction of use

EN 1728:2012+ AC:2013 - Seat and back static load test

EN 1728:2012+ AC:2013 - Static vertical load test

EN 1728:2012+ AC:2013 - Seat and back fatigue test

EN 1728:2012+ AC:2013 - Seat front edge fatigue test

EN 1728:2012+ AC:2013 - Front legs static load test

EN 1728:2012+ AC:2013 - Side legs static load test

EN 1728:2012+ AC:2013 - Seat impact test

EN 1728:2012+ AC:2013 - Back impact test

EN 1022:2005 - Stability

ANSI-BIFMA X5.11 - 2011/6 - Back drop test ANSI-BIFMA X5.11 - 2015/8 - Seat drop test

ANSI-BIFMA X5.11 - 2015/11 - Seat durability test

ANSI-BIFMA X5.1 - 2011/12 - Stability

ANSI-BIFMA X5.1 - 2011/16 - Seat durability test - non tilting test

ANSI-BIFMA X5.1 - 2011/18 - Front legs static load test

ANSI-BIFMA X5.1 - 2011/18 - Side legs static load test

ANSI-BIFMA X5.11 -2015/7 - Back static drop test

ANSI-BIFMA X5.11 -2015/8 - Seat drop test

ANSI-BIFMA X5.11 -2015/11 - Seat durability test

ANSI-BIFMA X5.11 -2015/12 - Stability

ANSI-BIFMA X5.11 -2015/16 - Back durability test - non tilting seat

ANSI-BIFMA X5.11 -2015/18 - Front legs static load test ANSI-BIFMA X5.11 -2015/18 - Side legs static load test

ANSI-BIFMA X5.11 - 2015/8 - Seat drop test

ANSI-BIFMA X5.11 - 2015/18 - Front legs static load test

ANSI-BIFMA X5.11 - 2015/18 - Side legs static load test

DERBY

Resistance tests

EN 16139:2013+AC:2013 - General requirements of resistance

EN 16139:2013+AC:2013 - Instruction of use

EN 1728:2012+AC:2013 - Seat and back static load test

EN 1728:2012+ AC:2013 - Static vertical load test

EN 1728:2012+AC:2013 - Arm horizontal static load test

EN 1728:2012+ AC:2013 - Arm vertical static load test

EN 1728:2012+AC:2013 - Seat and back fatigue test EN 1728:2012+AC:2013 - Seat front edge fatigue test

EN 1728:2012+AC:2013 - Arm fatigue test

EN 1728:2012+AC:2013 - Seat impact test

EN 1728:2012+AC:2013 - Back impact test

EN 1728:2012+AC:2013 - Arm impact test

EN 1335-3:2009 AC:2009, par. 7.1 - Stability

ANSI-BIFMA X5.11 -2015/7 - Back static durability test

ANSI-BIFMA X5.11 -2015/12 - Stability

ANSI-BIFMA X5.11 -2015/16 - Back durability test - non tilting seat

DRAGONFLY

Fire retardant certifications

Art. S0020 The product meets Class 2 IM Standards by the Italian Minister of Interior

Art. S0021-S0022 The product upholstered with Xtreme fabric meets Class 1 IM Standards by the Italian Minister of Interior.

Art. S0025-S0026 with Xtreme fabric

The product upholstered meets Class 1IM Standards by the Italian Minister of Interior.

Art. S0024B The product meets Class 2 Standards by the Italian Minister of Interior.

Art. S0025B-S0026B with Xtreme fabric

The product meets Class 1 IM Standards by the Italian Minister of

Art. S0034-S0034B-S0035-S0035B with Xtreme fabric

The product meets Class 1 IM Standards by the Italian Minister of

Resistance tests

EN 16139:2013 - general requirements of resistance test

EN1728:2012 - seat and back static load test

EN1728:2012 - seat and back static vertical load test

EN 1728:2012 - seat and back fatigue test

EN 1728:2012 - seat front edge fatigue test

EN 1728:2012 - front legs static load test EN 1728:2012 - side legs static load test

EN 1728:2012 - seat impact test

EN 1728:2012 - back impact test

EN 1728:2012 - stability test

ANSI-BIFMA 5.1 -2011/6 - back drop test

ANSI-BIFMA 5.1 -2011/8 - seat drop test

ANSI-BIFMA 5.1 -2011/11 - seat durability test

ANSI-BIFMA 5.1 -2011/12 - stability test

ANSI-BIFMA 5.1 -2011/16 -back durability test - non tilting seat ANSI-BIFMA 5.1 -2011/18 - front legs static load test

ANSI-BIFMA 5.1 -2011/18 - side legs static load test

EMOTION

Resistance tests

ANSI-BIFMA 5.1 - 2011/16 - back durability test

ANSI-BIFMA 5.1 - 2011/11 - seating durability test

ANSI-BIFMA 5.1 – 2011/12 – stability test ANSI-BIFMA 5.1 – 2011/6 - backrest strength

ANSI-BIFMA 5.1 – 2011/8 - seat impact test ANSI-BIFMA 5.1 – 2011/18 front leg static load test

GALLERY

Fire retardant certifications

Art. S0740-S0741 The product meets Class 1 IM Standards by the Italian Minister of Interior with Xtreme and faux leather Gazebo.

Resistance tests

Mod. Gallery S0740/S0740 B

UNI-EN 1022/98 -stability test

EN 1728/00 - front legs static load test

EN 1728/00 - side legs static load test

EN 1728/00 - seat impact test

EN 1728/00 - back impact test

UNI 9038/87 - drop test

EN 1728/00 - seat and back static load test

EN 1728/00 - seat and back fatigue test

ANSI-BIFMA 5. 1-1993/12 front legs static load test

ANSI-BIFMA 5. 1-1993/12 side legs static load test ANSI-BIFMA 5. 1-1993/12 - stability test (25/11/02)

ANSI-BIFMA 5. 1-1993/12 - back resistance test

ANSI-BIFMA 5 1-1993/09 - seat impact test

Mod. Gallery S0740 B

EN 1728/00 - armrests vertical static load test EN 1728/00 - armrests horizontal static load test

EN 1728/00 - armrest fatigue test ANSI-BIFMA 5. 1-1993/12 - vertical arm strength test ANSI-BIFMA 5 1-1993/09 - horizontal arm strength

The seat and back padding foam meets the following standards:

UNI 6356-2/88 dynamic fatigue with costant deformation

UNI 6353/85 sinkinng resistance index

EN ISO 1856/00 remaining deformation after permanent compression

EN ISO 3386-1/97 effort- deformation on compression specifications

EN ISO 3385/95 fatigue on constant load

HAMMER - S

Resistance tests

ANSI-BIFMA X5.11-2015/12 - stability test

ANSI-BIFMA X5.11-2015/16 - back fatigue test

ANSI-BIFMA X5.11-2015/7 - back durability test

ANSI-BIFMA X5.11-2015/18 - front and side legs static load

ANSI-BIFMA X5.11:2015/23 - frame durability test

ANSI-BIFMA X5.11:2015/19 - arms durability test

ANSI-BIFMA X5.11-2015/13 - armrest vertical static load test

ANSI-BIFMA X5.11-2015/14 - armrest horizontal static load test

LIPS

Fire retardant certifications

The product upholstered with Xtreme fabric and Gazebo faux-leather meets Class 1IM Standards by the Italian Minister of Interior.

Resistance tests

EN 1022/05 - stability

EN 1728/00 - seat and back static load test

EN 1728/00 - arm vertical static load test

EN 1728/00 - arm horizontal static load test

EN 1728/00 - seat and back fatigue test

EN 1728/00 - seat front edge fatigue test

EN 1728/00 - arm fatigue test

EN 1728/00 - front leg static load test

EN 1728/00 - side leg static load test

ANSI-BIFMA 5.1 - 2002/16 - back durability test - cyclic

ANSI-BIFMA 5.1 - 2002/11 - seating durability test - cyclic

ANSI-BIFMA 5.1 - 2002/12 - stability test

ANSI-BIFMA 5.1 - 2002/6 - backrest strength - static

ANSI-BIFMA 5.1 - 2002/8 - drop test - dynamic

ANSI-BIFMA 5.1 - 2002/18 - leg strength - front application

ANSI-BIFMA 5.1 - 2002/18 - leg strength - side application

PACIFIC

Fire retardant certifications

The product meets Class 2 by the Italian Minister of Interior.

Resistance tests

UNI-EN 1022/98 -stability

EN 1728/00 -seat/back impact test

EN 1728/00 - leg strength / front load test

EN 1728/00 - seat/back impact test

EN1728/00 - leg strength / side load test

EN 1728/00 -seat drop test

EN 1728/00 -back drop test

ANSI-BIFMA 5. 1-2002/6 back drop test

ANSI-BIFMA 5. 1-2002/11 seat durability test

ANSI-BIFMA 5. 1-2002/12 stability test

ANSI-BIFMA 5 1-2002/16 back fatigue test - non tilting seat

ANSI-BIFMA 5 1-2002/18 leg strength / front load test

POLO

O

Resistance tests

EN 15373:2007 general safety requirements for non-residential chairs

EN 1022:2005 - stability

EN 1728:2000 - seat and back static load test

EN 15373:2007- non-residential chairs- vertical back static load test

EN 1728:2000 - arm horizontal static load test

EN 1728:2000 - arm vertical static load test

EN 1728/00 - seat and back fatigue test

EN 1728/00 - seat front edge fatigue test

EN 1728/00 - arm fatigue test

EN 1728/00 - front leg static load test

EN 1728/00 - side leg static load test

EN 1728/00 - seat impact test

EN 1728/00 - back impact test

EN 1728/00 - arm impact test

ANSI-BIFMA 5.1 - 2011/16 - back durability test

ANSI-BIFMA 5.1 - 2011/11 - seating durability test - cyclic

ANSI-BIFMA 5.1 - 2011/21 - arm fatigue test ANSI-BIFMA 5.1 - 2011/12 - stability test

ANSI-BIFMA 5.1 - 2011/6 - back drop test

ANSI-BIFMA 5.1 - 2011/8 - seat drop test

ANSI-BIFMA 5.1 – 2011/13 – vertical arm strength test ANSI-BIFMA 5.1 – 2011/14- horizontal arm strenght test

POPPY STAR

Fire retardant certifications

The product meets Class 2 by the Italian Minister of Interior.

Resistance tests

UNI-EN 1022/98 - stability

EN 1728/00 - leg forward static load test

EN 1728/00 - leg sideways static load test

EN 1728/00 - seat impact test

EN 1728/00 - back impact test EN 1728/00 - seat front edge durability test

EN 1728/00 - seat and back fatigue test

EN 1728/00 - seat and back static load test

EN 1728/00 - arm downwards static load test EN 1728/00 - arm sideways static load test

EN 1728/00 - arm fatigue test

ANSI-BIFMA 5. 1-2002/06 - backrest strenght test - static ANSI-BIFMA 5. 1-2002/11 - seat durability test - cyclic ANSI-BIFMA 5. 1-2002/12 - stability test

ANSI-BIFMA 5. 1-2002/13 - arm strenght test- vertical static ANSI-BIFMA 5. 1-2002/14 - arm strenght - horizontal static

ANSI-BIFMA 5. 1-2002/16 - back durability test - cyclic

ANSI-BIFMA 5. 1-2002/18 - Leg strenght test - side application

TO-BE

Resistance tests

```
ANSI-BIFMA 5. 1-2002/06 - backrest strenght test - static ANSI-BIFMA 5. 1-2002/08 - seat impact test ANSI-BIFMA 5. 1-2002/11 - seat durability test - cyclic ANSI-BIFMA 5. 1-2002/12 - stability test - cyclic ANSI-BIFMA 5. 1-2002/16 - back durability test - cyclic ANSI-BIFMA 5. 1-2002/18 - leg strenght test - side application ANSI-BIFMA 5. 1-2002/18 - leg strenght test - front application
```

STAMP

Resistance tests

```
Art. $0191 (without tablet)

BN 16139-2013+AC:2013 - Salety requirements
EN 16139-2013+AC:2013 - Information for use
EN 1728:2012+AC:2013 - Seat and back stello load test
EN 1728:2012+AC:2013 - Seat and back stello load test
EN 1728:2012+AC:2013 - Vertical load on back rest
EN 1728:2012+AC:2013 - Arm downwards static load test
EN 1728:2012+AC:2013 - Arm sideways static load test
EN 1728:2012+AC:2013 - Seat and back fatigue lest
EN 1728:2012+AC:2013 - Seat front edge durability test
EN 1728:2012+AC:2013 - Seat front edge durability test
EN 1728:2012+AC:2013 - Leg forward static load test
EN 1728:2012+AC:2013 - Leg forward static load test
EN 1728:2012+AC:2013 - Leg forward static load test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Arm rest impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Arm rest impact test
EN 1728:2012+AC:2013 - Arm rest impact test
EN 1728:2012+AC:2013 - Seat impact test
EN 1728:2012+AC:2013 - Arm rest impact test
EN 1728:2012+AC:2013 - Arm rest impact test
EN 1728:2012+AC:2013 - Arm stength test
EN 1728:2012+AC:2017/10 - Seating durability test
ANSI-BIFMA X5.1-2017/17 - Arm stength test - Vertical
ANSI-BIFMA X5.1-2017/17 - Top test
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Front application
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Side application
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Side application
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Side application
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Side application
ANSI-BIFMA X5.1-2017/17 - Leg strength test - Side application
```

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 1IM Standards by the Italian Minister of Interior

Resistance tests

Mod. To-be S0160 EN 16139:2013 - general requirements of resistance test EN1728:2012 - seat and back static load test EN1728:2012 - seat and back static vertical load test EN 1728:2012 - seat and back fatigue test EN 1728:2012 - seat front edge fatigue test EN 1728:2012 - front legs static load test EN 1728:2012 - side legs static load test EN 1728:2012 - seat impact test EN 1728:2012 - back impact test EN 1728:2012 - stability test ANSI-BIFMA 5.1 -2017/6 - back drop test ANSI-BIFMA 5.1 -2017/78 - seat drop test ANSI-BIFMA 5.1 -2017/10 - seat durability test ANSI-BIFMA 5.1 -2017/11 - stability test ANSI-BIFMA 5.1 -2017/15 - back durability test / non tilting seat ANSI-BIFMA 5.1 -2017/17 - front legs static load test ANSI-BIFMA 5.1 -2017/17 - side legs static load test

Resistance tests

ANSI-BIFMA 5.1 -2017/24 - frame fatigue test

Mod. To-Be S0165 EN 16139:2013 - general requirements of resistance test EN1728:2012 - seat and back static load test EN1728:2012 - seat and back static vertical load test EN 1728:2012 - seat and back fatigue test EN 1728:2012 - seat front edge fatigue test EN 1728:2012 - front legs static load test EN 1728:2012 - side legs static load test EN 1728:2012 - seat impact tes EN 1728:2012 - back impact test EN 1728:2012 - stability test ANSI-BIFMA 5.1 -2017/6 - back drop test ANSI-BIFMA 5.1 -2017/7 - seat drop test ANSI-BIFMA 5.1 -2017/10 - seat durability test ANSI-BIFMA 5.1 -2017/11 - stability test ANSI-BIFMA 5.1 -2017/15 - back durability test / non tilting seat. ANSI-BIFMA 5.1 -2017/17 - front legs static load test

ANSI-BIFMA 5.1 -2017/17 - side legs static load test ANSI-BIFMA 5.1 -2017/24 - frame fatique test

TRONO

Resistance tests

EN 1022/98 - stability test
EN 1728/00 - seat static load test
EN 1728/00 - back static fatigue test
EN 1728/00 - seat fatigue test
EN 1728/00 - back fatigue test
EN 1728/00 - front seat durability test
EN 1728/00 - leg strength / front load test
EN 1728/00 - leg strength / side load test
EN 1728/00 - seat/back impact test

UNO

Resistance tests

EN 1022/98 - stability test

ANSI-BIFMA 5.1 -2002/6 - backrest strength test - static test

ANSI-BIFMA 5.1 -2002/11 - seat durability test

ANSI-BIFMA 5.1 -2002/12 - stability test

ANSI-BIFMA 5.1 -2002/16 - back fatigue test -non tilting seat

ANSI-BIFMA 5.1 -2002/18 - front legs static load test

ANSI-BIFMA 5.1 -2002/18 - side legs static load test

Tests and Certifications -- Lounge Seating

AGORA

Resistance tests

Armchair Agorà (art. 1200)

Test ANSI-BIFMA X5.11 -2015/7 – backrest strenght test Test ANSI-BIFMA X5.11 -2015/11 - seating durability test Test ANSI-BIFMA X5.11 -2015/12 - stability test Test ANSI-BIFMA X5.11 -2015/16 - back durability test

ALPHABET COLLECTION

Fire retardant certifications

The product upholstered with Xtreme fabric and Gazebo fauxleather meets Class 1IM Standards by the Italian Minister of Interior.

ALPHABET DTA

Resistance tests

ANSI-BIFMA X5.4 - 2005/5 - backrest strength horizontal, static ANSI-BIFMA X5.4 - 2005/7 - backrest durability - horizontal, cyclic ANSI-BIFMA X5.4 - 2005/9 - arm strength - horizontal, static ANSI-BIFMA X5.4 - 2005/10 - arm strength - vertical, static ANSI-BIFMA X5.4 - 2005/11 - arm durability - horizontal, cyclic ANSI-BIFMA X5.4 - 2005/12 - arm durability - vertical, cyclic ANSI-BIFMA X5.4 - 2005/13 - seating durability - cyclic ANSI-BIFMA 5.4 - 2005/14 - drop test - dynamic ANSI-BIFMA X5.4 - 2005/15 - structural durability - cyclic

ALPHABET OMG

Resistance tests

ANSI-BIFMA X5.4 -2005/5 - back strength - horizontal ANSI-BIFMA X5.4 -2005/6 - back strength - vertical ANSI-BIFMA X5.4 -2005/7 - back durability - horizontal, cyclic ANSI-BIFMA X5.4 -2005/8 - back durability - vertical, cyclic ANSI-BIFMA X5.4 -2005/9 - arm strength - horizontal ANSI-BIFMA X5.4 -2005/10 - arm strength - vertical ANSI-BIFMA X5.4 -2005/11 - arm durability - horizontal, cyclic ANSI-BIFMA X5.4 -2005/12 - arm durability - vertical, cyclic ANSI-BIFMA X5.4 -2005/13 - seating impact test - cyclic ANSI-BIFMA X5.4 -2005/14 - drop test - dynamic ANSI-BIFMA X5.4 -2005/15 - structural durability - cyclic ANSI-BIFMA X5.4 - leg strength - front & side application ANSI-BIFMA X5.4 - unit drop test - dynamic ANSI-BIFMA X5.4 - stability

Resistance tests

ANSI-BIFMA X5.11-2015/16 - back durability test ANSI-BIFMA X5.11-2015/7 - backrest durability test ANSI-BIFMA X5.11-2015/8 - seat impact test ANSI-BIFMA X5.11-2015/13 - vertical arm strenght test ANSI-BIFMA X5.11-2015/14 - horizontal arm strengt test ANSI-BIFMA X5.11-2015/18 - front and side legs static load test

CROSS

Fire retardant certifications

Art. I194 / I195 The products upholstered with Xtreme fabric meet Class 1IM Standards by the Italian Minister of Interior.

FLORES

Fire retardant certifications

The product upholstered with Xtreme fabric and Gazebo fauxleather meets Class 1IM Standards by the Italian Minister of Interior.

Tests and Certifications -- Modular Seating

LONGWAY A

Fire retardant certifications

Art. IH01 The product upholstered with Xtreme fabric and Gazebo faux-leather meets Class 1 IM Standards by the Italian Minister of

LONGWAY B

Fire retardant certifications

Art. IH20 The product upholstered with Xtreme fabric and Gazebo faux-leather meets Class 1IM Standards by the Italian Minister of Interior

LONGWAY C

Fire retardant certifications

Art. IH30 The product upholstered with Xtreme fabric and Gazebo faux-leather meets Class 1IM Standards by the Italian Minister of Interior

Resistance tests

ANSI-BIFMA 5.4 - 2005/13 - seating durability - cyclic ANSI-BIFMA 5.4 - 2005/12 - arm durability - cyclic ANSI-BIFMA 5.4 - 2005/15 - structural durability - cyclic Test ANSI-BIFMA 5.4 - 2005/10 - arm strength - vertical, static Test ANSI-BIFMA 5.4 - 2005/14 - drop test - dynamic ANSI-BIFMA 5.4 - 2005/17 - leg strength - front & side application ANSI-BIFMA 5.4 - 2005/18 - unit drop test - dynamic ANSI-BIFMA 5.4 - 2005/22 - stability

Tests and Certifications -- Bases

BOOM

Tests and certifications

Art. T0645 (Boom H. 72/102 cm with Ø 59 cm tabletop) EN 1730/00 - Vertical static load

EN 1730/00 - stability

K2

Resistance tests

Mod. K2 h cm 71 - with cm 180 x 80 tabletop

UNI 8592/84 - stability

UNI 8595/84 - base strength UNI 9085/87 - table drop

UNI 9086/87 – leg sideways impact

K3

Resistance tests

Mod. K3 h cm 71 - with Ø cm 50 tabletop

test UNI 8592/84 - stability

test UNI 8595/84 - base strength

test UNI 9085/87 - table drop

test UNI 9086/87 - leg sideways impact

SAMU

Resistance tests

Art.T0105P with 79x79 cm tabletop

EN 15372:2016 - 5.1/5.2 - safety requirements

EN 1730:2016, 6.2 - horizontal static load test EN 1730:2012, 6.3 - vertical static load test

EN 1730:2012, 6.4.2 - horizontal fatigue test

EN 1730:2012, 6.5 - vertical fatigue test

EN 1730:2012, 6.6 - vertical impact test

EN 1730:2012, 7.2 - stability under vertical load

Resistance tests

Mod K4 h cm 71 - with cm 80 x 80 tabletop

UNI 8592/84 - stability

UNI 8595/84 - base strength

UNI 9085/87 - table drop

UNI 9086/87 – leg sideways impact Resistance tests

Mod. K4 h cm 105 - with Ø cm 70 tabletop

UNI 8592/84 – stability UNI 9085/87 – table drop

UNI 9086/87 - leg sideways impact

K5

Resistance tests

Mod. K5 - h. cm 71 - with Ø cm 150 tabletop

UNI 8592/84 - stability

UNI 8595/84 - base strength

UNI 9085/87 - table drop

UNI 9086/87 - leg sideways impact

STAY-ON

Resistance tests

Art.T0110P with 79x79 cm tabletop

EN 15372:2016 - 5.1/5.2 - safety requirements

EN 1730:2016, 6.2 - horizontal static load test

EN 1730:2012, 6.3 - vertical static load test EN 1730:2012, 6.4.2 - horizontal fatigue test

EN 1730:2012, 6.5 - vertical fatigue test

EN 1730:2012, 6.6 - vertical impact test EN 1730:2012, 7.2 - stability under vertical load

Segis USA, Inc. TERMS AND CONDITIONS OF SALE

Orders and Order Acknowledgements – All orders must be submitted in writing via mail, fax, or e-mail; Segis will confirm on Segis USA until the order acknowledgement is issued. The order acknowledgement is the final expression of the agreement between the customer and Segis USA and supersedes all prior oral and written statements regarding the order. The acknowledgement can be modified only in writing from Segis USA or by an acknowledgement issued by Segis USA.

Order Scheduling - Orders will be scheduled for production only after the following:

- · Cover samples for all upholstered pieces have been submitted and approved
- · All COM's/COL's have been received and inspected
- · Special finishes have been approved
- · Ordering information questions have been answered
- · Credit has been approved
- · Required Deposits have been received

Change Orders- Segis USA is not required to accept changes requested after the order acknowledgement; however, when possible, Segis USA will accept reasonable changes with the following conditions:

- Change order must be received in writing before the order is put into production
- The request for change must be submitted in writing and received in time to be implemented
- A revised order is subject to additional charges for material, labor, and administration costs

Cancellations - Orders may not be canceled by the customer without the prior written consent of Segis USA. A cancellation or restocking charge of up to the total amount of the order is applicable on orders canceled. If orders containing customers own material/leather (COM/COL) are canceled after production has begun, the COM/COL cannot be returned or credited.

Prices – 2023 published prices are list, F.O.B. freight paid by Segis USA, to any one destination (dock to dock) within the continental United States; see the Minimum Shipment Upcharges details on page 4). Outside the continental U.S. additional freight charges will apply to point of export. Because of frequent fluctuations in raw materials and freight charges, Segis USA reserves the right to change prices without notice. All orders are accepted subject to prices prevailing at time of order. Prices do not include:

- · Storage or insurance charges
- · Sales or other taxes
- · Local delivery, unpacking, or installation

Storage - When merchandise is ready and the Buyer cannot accept delivery, the listed storage charges below will be assessed: (Charges are based on a five day week, i.e. \$25 per day would equal \$125 per week.) Note: Storage fees are to be prepaid.

A. Quantity of 25 items or less: \$25.00 per day
B. Quantity of 26 to 100 items: \$1 per item per day
C. Quantities exceeding 100: Require quote

Partial Deliveries – Segis USA reserves the right to make partial shipments, unless specified otherwise on the original purchase order; invoices covering these shipments are to be paid as they come due.

Shipping - All quoted delivery dates are approximate and all orders are subject to delay or failure of delivery due to strikes or other labor difficulties, acts of God, war, riot, fire, accident, compliance with government regulations or other causes beyond Segis USA's control. Segis USA is not liable for any delay in shipment. All Segis USA shipments are made on a dock-to-dock basis. Inside, residential or call before delivery services are subject to additional charges by the carrier. Segis USA does not provide set-up or installation.

Credit - We invite customers to open accounts on our usual terms. If your firm is not listed with a recognized credit agency you are requested to enclose one bank reference and three trade references with your initial order. We reserve the right to cancel or change credit terms at our discretion and to request advance payment at any time.

Special Orders - A minimum 50% non-refundable deposit is required on all special or custom items not normally stocked.

Terms of Payment - Terms of payment are Net 30 days from the date of invoice. Payment is due when the invoice is issued and is considered delinquent if not paid within 30 days. In the event of delinquency, the customer shall be liable for collection costs including attorneys' fees. Interest will be charged at the rate of 1½% per month on delinquent accounts. No statement will be rendered unless requested.

Returns - No return of merchandise will be accepted without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect. Authorized returns must be made on a freight prepaid basis to Segis USA's designated destination and are subject to substantial restocking charges (25% to 80% of invoice amount). Special order items are not subject to return.

CLAIMS AND RECEIVING INFORMATION

Claims - Segis USA is not responsible for damages or losses incurring in transit. All furniture is shipped at the purchaser's own risk after it has been carefully inspected and securely packed. It is accepted as such by the carrier. Before accepting merchandise from the carrier, customer should carefully inspect all items and note any loss or damage on the delivery receipt. If there is loss or damage, make immediate claim with the delivering carrier. In case damage is concealed and not determined until furniture is unpacked, keep the packing and notify the carrier immediately for an inspection. Failure to make such a claim shall constitute acceptance of the merchandise and waiver of any defects, errors or shortages. Contact Segis USA if you have questions on how to proceed: 423-317-0162.

Important Receiving Information and Procedures:

- 1. Sign "NO VISIBLE DAMAGE" on BOL if the shipment appears to be OK.
- 2. Note Any Visible Damage or Shortages on the BOL and make the driver sign it; make a copy of signed BOL.
- 3. Report CONCEALED DAMAGE within 7 DAYS of RECEIPT. KEEP BOXES & PACKING.
- 4. Immediately call the Carrier for inspection of visible or concealed damage.
- 5. Contact Segis if you have questions on how to proceed: 423-317-0162.

Other Claims - All claims against Segis USA other than valid warranty claims, including claims for shortages and errors, must be made within ten days after delivery. Failure to make any such claims against Segis USA within a ten day period shall constitute acceptance of the merchandise and waiver of any such shortages, errors, or other claims.

CARE AND MAINTENANCE -

Metal Chairs & Stools — should be inspected each month for signs of structural failure (welds, tabs, hardware, etc.); take out of service immediately if problems noted. Missing glides should be replaced to avoid tipping/slipping.

Metal Frames — Clean with soft cloth or sponge and a mild detergent solution; rinse than dry with soft cloth or buckskin. DO NOT USE aggressive products such as acids, solvents, or solutions containing chlorine or ammonia. Powder detergents, steel wool, and plastic fiber sponges can ruin the surfaces. Die-cast aluminum frames with chrome plating can occasionally have some slight peeling in heavy use environments.

Wood Chairs & Stools - At least every three months perform a thorough inspection of each piece. Particular care should be taken in inspecting the seat rails and bottom and front side rails for loose joints. One loose joint will put extra pressure on the remaining joints, eventually resulting in loosening of all joints. This could result in the chair's collapsing. In the event that any of the joints become loose, you should take the chair out of service. Each chair should be periodically cleaned (the wood finish) with a water-soluble solution to remove built up grease and grime. Do not leave cleaning solution on too long. Wood chairs should not be exposed to extreme temperatures, particularly heat or moisture, near cooking facilities.

Upholstery – Leather: can be cleaned with a mild saddle soap using care as color may darken. Vinyl can be cleaned with a mild soap and water solution or good grade automotive vinyl cleaner. Do not allow stains to set. Fabrics are quite varied; it is best to determine the composition of the fabric then clean with a substance recommended for that composition; the fabric source would have recommendations for each pattern.

Polypropylene, Polycarbonate, Polyurethane (Derby & Uno) — Periodic cleaning can be done using a simple lukewarm solution of Ivory Liquid; rinse and dry with soft rag or buckskin. DO NOT USE aggressive products such as acids, solvents, or products containing alcohol, chlorine, or ammonia. Powder detergents, steel wool, and plastic fiber sponges can ruin the surfaces. Long term exposure to direct sunlight may cause some color change but does not affect strength of the product. When matching existing product, there may be some color variation.

FLAMMABILITY -

Flammability Codes/Foam - All standard Segis USA products are manufactured to meet the flammability requirements of California Technical Bulletin #117. Alternative fire barriers or foam with properly treated fabric have been approved by the suppliers to meet the Boston Fire code rating. It is the customer's responsibility to determine local flammability requirements. Some standard Segis USA products have been tested and meet the California Technical Bulletin #133 by using available fire barriers and various fabrics. Contact the factory for details.

FIRE BARRIER: GUILFORD OF MAINE, FIREGUARD, G 220®

The barrier will help items pass the California Technical Bulletin 133 test. The barrier is applied over the foam; it Is not a treatment of the fabric. **Call for the list upcharge California Technical Bulletin #133 Certification** requires specific testing of a unit constructed exactly as the unit(s) being specified for the project. If this certification is required, the customer is responsible for the cost of the test unit, the cost of any COM fabric, plus the cost of the test itself. These costs must be added to the purchase order. **Call for information** and pricing.



5 YEAR LIMITED WARRANTY

Segis USA utilizes top quality materials and mechanisms for the manufacture of its products. Strenuous tests for structural integrity are performed, where applicable, under BIFMA (Business and Institutional Furniture Manufacturer's Association) guidelines.

The original purchaser of Segis furniture is protected against defective workmanship for (5) years from date of original purchase. This warranty specifically excludes damage resulting from shipment to storage outside of Segis USA's premises or to damage resulting from accident, alteration, abuse, misuse, negligence, or normal wear and tear. Covering materials are not warranted against fading, wearing, and performance or if cut by the customer or others. Printed textiles are not warranted against irregularity in register. Because of natural variations over which Segis USA has no control, this warranty does not extend to color, surface, grain or texture of leather, granite or wood; Segis does not warrant matching of color, surface, grain or texture of these materials.

In no event shall this warranty exceed the purchase price of the furniture. No deduction will be allowed for repairs in the field without specific written authorization. Damage caused by carriers, installers, or unauthorized repairs or modifications/alterations is not covered. Any items that become damaged should be taken out of service immediately. During the warranty period, Segis USA will repair or replace, at its option, defective merchandise manufactured by Segis USA. This warranty does not cover labor, freight, or other costs or expenses to remove or install any defective, repaired, or returned goods.

All other express warranties and all implied warranties including any warranty of merchantability or fitness for a particular purpose are hereby excluded. Segis USA shall not be liable for any incidental or consequential damages. This warranty extends to original customer only.

Designs and Specifications – All dimensions and weights shown are approximate. The products shown and described in the Segis USA catalog and price lists are, and remain, our property. We reserve the right to make adjustments in dimensions, design and/or construction without prior notice.

Materials - Due to the variations inherent in natural materials over which Segis USA has no control, all furniture containing leather, granite, or wood is sold subject to these normal variations and irregularities of color, surface, grain, and texture. Segis USA cannot warrant against the occurrence of these natural characteristics. Segis USA cannot be responsible for matching color, surface, grain, and texture or for differences in color or tone between covering material supplied and samples from which choice has been made, nor will Segis USA be responsible for matching upholstery for separate orders. Segis USA cannot warrant against wear, fading, or performance of any covering material.

Wood Finishes - Items will be manufactured in the standard finish being run at the time of production. When an order requires an exact finish match (i.e. replacements, reorders), this information must be clearly stated on the original purchase order. Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Minor variations may occur from one piece of furniture to the next even if they are finished at the same time. Exposure to light and the aging process will cause discoloration of natural wood products. Light finishes on wood will not mask the natural characteristics of wood. Segis USA does not guarantee the exact matching of grain, pattern, and color.

CAUTION

To better preserve the products purchased, it is advisable to pay attention to gels and sanitizing products that could alter their original appearance if used directly on materials such as plastics, metals, woods, fabrics, leathers, etc.

C.O.M. FORM

NOTE:

(Please Photocopy)

This form must be submitted for each fabric/ vinyl/ leather to be applied to Segis USA products. <u>Supply memo to verify upholsterability</u>; in some instances yardage may be required for verification. Herewith the customer verifies the cover's pattern, color, and direction for upholstering.

ORDERS FOR UPHOLSTERED PRODUCTS WILL NOT BE PUT INTO PRODUCTION UNTIL FORMS ARE RECEIVED.

SOME CHAIRS SHOW THE YARDAGE REQUIREMENT AS 3/4-2. WHEN ORDERING AN ODD

NUMBER OF THESE MODELS, YOU MUST SUPPLY AN ADDITIONAL 3/4 YARD PER ORDER. Company Name Contact & Phone # Contact e-mail Purchase Order Number Model Number / Quantity Fabric Source (Mill) Fabric Name, Number, Color Total Yardage Shipped per Color **APPLICATION** Is there a desired top and bottom to the fabric application? Circle for correction application below: Yes____ No____ Is the fabric a stripe or directional pattern? Yes____ No____ If yes, apply: Horizontal_____ or Vertical_____ TEXTILE SAMPLE Horizontal Vertical Attach memo sample here with desired face and direction displayed.

TOP OF SAMPLE - show how the cover is to be applied along the top of the back and/or back of the seat. (up the roll or railroaded)

Send completed form with memo sample for approval to Segis: Questions, call 1-423-317-0162

Via Mail: Segis USA, Inc. - P.O. Box 2157 - Morristown, TN 37816-2157

Via UPS, FedEx, etc.: Segis USA, Inc. - 3431 W. Andrew Johnson Hwy - Morristown, TN 37814

UPHOLSTERY INFORMATION -

Segis USA Textiles - All other Terms and Conditions of Sale are applicable to the sale of Segis USA Textiles except as herein amended or supplemented. Fabrics are computed to the nearest 1/4 yard; minimum order requirement is one yard. Leathers are computed to the nearest full hide; minimum order requirement is one hide. When filling leather orders, Segis USA will make every attempt to select full hide sizes to match as closely as possible, but not be less than the specified square footage. Leather is a natural material and hide size varies, some overage can be expected. All Segis USA leathers are high quality, natural materials with a certain degree of variation to them.

Graded Patterns – Segis USA has "graded" upholstery patterns from a few sources and leathers from one source. Samples and information are available via each source's web site. A graded pattern may not be suitable for every Segis USA product; submit an Upholstery & Leather Approval & Direction form on Page 114 for all graded fabrics. For grading of materials not listed, contact customer service: 423-317-0162

Camira www.camirafabrics.com select: Contract Fabrics

Gabriel eya@gabriel.dk email for samples

Kvadrat kvadrat.dk

Momentum www.memosamples.com

Spradling spradling.group

Leather Grade L1 www.wollsdorf.com Mammut

Leather Grade L2 www.wollsdorf.com Paloma

SUBMIT THE FORM ON PAGE 114 WITH ALL "GRADED" AND "COM" PATTERNS.

Customer's Own Material / Leather - Segis USA reserves the right of preliminary approval for all COM / COL prior to order acceptance. Copy and complete the Upholstery & Leather Approval & Direction Form on page 114; submit to Segis for approval. Even after such preliminary approval, Segis USA reserves the right to reject COM / COL including, if necessary, application of COM / COL to the selected model. When COM/COL is accepted, Segis USA assumes no responsibility for its appearance, durability, colorfastness, or any other quality after upholstered on Segis USA product.

Prices include labor to apply COM (fabrics and vinyl) or COL (leathers and suede) to Segis USA product. At Segis USA's discretion, additional yardage, labor charge, or handling surcharge may be required as a condition of COM/COL acceptance. Any COM/COL delivered to Segis USA's factory without preliminary approvals, order acceptance, and appropriate identification may be refused; Segis USA will accept no responsibility for loss or any other claims.

COL Leather – published square footage requirements for COL are based upon *USABLE SQUARE FOOTAGE OF LEATHER*. Hides should measure a minimum of 50-55 square feet. On smaller hides add 15-25% to the COL requirement. Half hides are not acceptable. Leather typically has brands and range marks. The shape of the individual hides, or hides containing excessive range marks, brands or other unusable imperfections, may make it necessary for Segis to request that the customer order additional leather after the COL is received.

Application of Directional Fabrics: Due to the upholstering process used by Segis USA, some COM fabrics may be considered directional which are not considered directional by the fabric supplier. You must specify the application of COM and Graded patterns if you require that they be applied in a particular direction, i.e., instructions for stripes, patterns, or reversible fabrics. Copy and complete the Upholstery & Leather Approval & Direction form on page 114. Clearly specify the application direction then submit the form and sample to Segis USA. In the absence of special instructions, Segis USA reserves the right to use its own judgment and will apply the fabric in what is determined to be the best manner.

Segis USA assumes no responsibility for the flame retardancy of any COM; customers are solely responsible for verifying that the COM complies with all applicable codes and regulations.

SUBMIT THE FORM ON PAGE 114 WITH ALL "GRADED" AND "COM" PATTERNS.

COM Material – Upholstered items may be ordered using coverings furnished by the customer. Prices in the column under COM refer to the customer's own material (fabric and vinyl). Prices listed under COL refer to the customer's own leather. Yardage requirements shown in the price list are based on non-directional 54" wide material. (Always submit an Upholstery & Leather Approval form on Page 114 when you supply upholstery.)
This conversion chart should be used to determine requirements when the COM is 54" wide and has a repeat.



Fabric "Railroaded" or "Across the Roll" or "Top to Selvage"



Fabric "Right Way" or Up the Roll"

	Pattern Cut	Pattern Cut	Two Way
Repeat	Across Roll	Up Roll	Repeat
1-5"	Add 10%	Add 15%	Add 15%
6-9"	Add 15%	Add 20%	Add 25%
10-13"	Add 20%	Add 25%	Add 30%
14-20"	Add 25%	Add 30%	Add 35%
21-27"	Add 30%	Add 35%	Add 40%
28-34"	Add 35%	Add 40%	Add 45%

If a fabric width is fewer than 54 inches, contact Customer Service as additional yardage may be required.

COM/COL packages must be marked clearly with the following information on BOTH the exterior package and upholstery material. Failure to provide this customer information to Segis USA will delay the order's processing:

- Your Company Name and Purchase Order Number
- Segis USA Acknowledgement Number
- Model Numbers and Quantity of Items to be covered for Each Pattern Enclosed

SHIP COM/COL to: Segis USA, Inc.

3431 W. Andrew Johnson Highway

Morristown, TN 37814

Note: excess COM/COL will not be stored or returned unless clearly indicated on both the P.O. and the actual fabric.

SPECIAL UPCHARGES --

Multiple fabrics and/or colors per item 10% net up-charge. Contact factory for revised yardage requirements which may affect

the product's grade price

Multiple graded fabrics and/or colors per item 10% net up -charge per item. Use higher price grade. Revised yardage requirements

may affect the product's grade price

Custom Metal finish Call for pricing

Information 423-317-0162

ALPHABETICAL SORT

							I
			MOMENTUM D		MOMENTUM		MOMENTUM D
	24/7 Flax	8	Brisk	2	Guru	2	Perk
	Aquarius	4	Build	3	Habit	9	Photon
3	Blazer	10	Cairns	7	Halo, polyurethane	8	Phrase Pierre
	Craggan Flax	9	Camber	9 8	Hearsay Highline	12 4	Ping
	Dolly	3 3	Canter Epu, polyurethane Caravan, crypton	5	Hitch	3	Pip
	Era Gravity	10	Carlo	4	Hobnob, crypton	5	Piper
	Halcyon Aspen	3	Cashmere II, polyurethane	6	Нор	4	Pique
	Halcyon Blossom	5	Central, crypton	2	Hue	12	Places Spaces Faces
	Halcyon Cedar	7	Centric	3	Hyde CV, vinyl	4	Plan
4	Hemp	5	Channel, crypton	4	Improv CV, vinyl	7	Platform
	Kyoto	5	Chime CV, vinyl	2	Infinity C-Zero, crypton	4	Poetic CV, vinyl
	Lucia	10	Chipper	6	Infusion, crypton	3	Point
	Main Line Flax	7	Chromatic	2	Insight	8	Propel
3	Main Line Twist	6	Civil	9	Interim	9	Proximity
2	Manhattan	4	Clang	8	lota	9	Pursue
2	Nexus	10	Climb	5	Jackpot CV, vinyl		
3	Oceanic	4	Collect	5	Jitney	8	Raft
	Port, PVC	7	Colorwheel	3	Jot	3	Rein II, polyurethane
	Quest	6	Cotton CV, vinyl	9	Journal	10	Revolve
	Regent	3	Cover Cloth, crypton	10	Kayak, crypton	7	Ring
1	Rivet	9	Croquet	3	Keynote, crypton	5	Ringer CV, vinyl
	Silk	4	Crosswise, crypton	6	Kindred, polyurethane	3	Rise
	Sumi	7	Cube	4	Kinney	4	Rivet
	Synergy	4	Culture	4	Kit, crypton	10	Roster, crypton
	Synergy 66	3	Current	3	Knack	4	Row, polyurethane
	Touch, 56"w	12	Cutout	3	Lark	6	Rubato
4	Track	5	Cycle, polyurethane	4	Lasanna CV, vinyl	9	Rush Hour
4	Yoredale	3	Dart	5	Lasso CV, vinyl	9	Sail
0	CARRIE	7	Dash	5	Lateral	4	Sanya CV, vinyl
		3	Decode	5	Leafdot CV, vinyl	6	Score, crypton
2	Step Melange	2	Deka	4	Ledge	3	Scrabble
Crada	KVADRAT	4 10	Dexter Epu, polyurethane	7 9	Lella	4 6	Sensory CV, vinyl
	Atlas	6	Docket, crypton Domain, crypton	3	Leno, polyurethane Lens	8	Shuttle, crypton Sidestep, polyurethane
4	Canvas 2	5	Dome CV, vinyl	8	Level	5	Silica, silicone
5	Divina MD	9	Drift	0 11	Lina	10	Site Line
	Divina Melange 3	10	Ebb	3	Linen CV, vinyl	11	Sketching Air
	Maple	9	Edison	3	Lineup	2	Skip
	Remix 3	3	Endurance Epu,	12	Lloyd	2	Slice
5	Steelcut 2	3	Eon Epu, polyurethane	9	Lore	8	Small Talk
	Steelcut Trio 3	2	Epic	-	Ludwig	3	Smart Soft, crypton
3	Olcolodi 1110 0	8	Essay	7	Mandala	3	Solace
Grade	MOMENTUM	10	Etude, crypton	10	Mapping Ideas	3	Solitaire, crypton
2	Ace	3	Evo CV, vinyl	2	Marathon C-Zero, crypton	5	Speakeasy CV, vinyl
6	Acoustic, polyurethane	10	Explore	10	Marcel	3	Sport, crypton
6	Acrobat, crypton	2	Expo	2	Mello	4	Spunk CV, vinyl
	Agora II, polyurethane	3	Faux Felt, crypton	7	Mezzanine	8	Starboard
	Almanac, crypton	4	Faux MO, crypton	5	Mikro	10	Story
	Amenity II	2	Feltro	2	Millennium C-Zero,	4	Stroll
	Amuse	5	Fidget CV, vinyl	3	Mixer Epu, polyurethane	5	Strum
	Anthology CV, vinyl	3	Float	5	Mixology CV, vinyl	4	Strut
	Archer, polyurethane	4	Flock, crypton	3	Mogul Epu, polyurethane	9	Subdivide
	Ascend, crypton	9	Flux	3	Nifty, polyurethane	6	Sunny
10	Audubon	3	Focal	11	Nimble	3	Swim
7	Bandwidth II	10	Fold	3	Note CV, vinyl	4	Synergy, crypton
	Bangle	5	Follow CV, vinyl	4	Nubble	3	Syntax
10	Banter	4	Foray, polyurethane	4	Oath, crypton	3	Tack
	Beeline Epu, polyurethane	8	Foundation	2	Odyssey C-Zero, crypton	9	Tactic
4	Beep	3	Free	2	Origin	8	Tag, crypton
	Beta	5	Frida CV, vinyl	3	Otto	2	Tanner, polyurethane
	Bobby	2	Fuse	6	Overpass, crypton	18	Tech Weave
4	Boheme	11	Geo	10	Panorama	8	Tesla
3	Boom II	6	Glide	9	Pantheon	6	Tilt
	Borders	3	Graph	6	Parable	2	Toggle
8	Boxcar	2	Grid	5	Parachute	5	Tradewinds CV, vinyl
			Crooks Env. polyumothopo	2	Parenthesis	2	Tradition C-Zero, crypton
4 6	Bravo II, polyurethane Brink	4 2	Groove Epu, polyurethane Guild	8	Pax	7	Trefoil, crypton

SORT BY GRADE

Grade	MOMENTUM		Grade	CAMIRA	Grade	MOMENTUM
3	Tribeca CV, vinyl		1	Era	2	Millennium C-Zero,
	Trilogy, crypton		1	Rivet	2	Odyssey C-Zero, crypton
3	Twill Epu, polyurethane		· ·	THVOL	2	Origin
7	Uplift		2	Gravity	2	Parenthesis
3	Vanguard CV, vinyl		2	Lucia	2	Perk
4	Velocity, polyurethane		2		2	Skip
	* * *			Main Line Flax		
3	Via		2	Manhattan	2	Slice
2	Vox		2	Nexus	2	Tanner, polyurethane
-	Wander		2	Port, PVC	2	Toggle
	Waver, crypton		2	Quest	2	Tradition C-Zero, crypton
6	Weaving Palettes		2	Rivet	2	Vox
6	Whim		2	Sumi	2	Widget
6	Whisp, polyurethane					
3	Whit Epu, polyurethane		3	Aquarius	3	Agora II, polyurethane
	Widget		3	Blazer	3	Beeline Epu, polyurethane
5	Yarnplay CV, vinyl		3	Halcyon Cedar	3	Beta
8	Zipped, polyurethane		3	Kyoto	3	Boom II
Ü	Zipped, porydretriane		3	Main Line Twist	3	Canter Epu, polyurethane
Crada	CDD ADLING					
	SPRADLING Milenes Stitch mus		3	Oceanic	3	Caravan, crypton
	Milanos Stitch, pvc		3	Synergy	3	Cashmere II, polyurethan
	Modena Eco, pvc		3	Touch, 56"w	3	Cover Cloth, crypton
	Silvertex Neo, pvc				3	Current
1	Whisper Neo, pvc		4	24/7 Flax	3	Dart
			4	Halcyon Aspen	3	Decode
			4	Halcyon Blossom	3	Endurance Epu,
			4	Hemp	3	Eon Epu, polyurethane
			4	Regent	3	Evo CV, vinyl
			4	Silk	3	Faux Felt, crypton
			4	Synergy 66	3	Float
			4	Track	3	Focal
			4	Yoredale	3	Free
			_		3	Graph
			5	Craggan Flax	3	Habit
					3	Hyde CV, vinyl
			6	Dolly	3	Jot
					3	Keynote, crypton
			Grade	GABRIEL .	3	Knack
			2	Step Melange	3	Lark
			_	otop wounge	3	Lens
			Crada	KVADRAT	3	Linen CV, vinyl
			Grade			•
				All patterns graded	3	Lineup
				Canvas 2		Mixer Epu, polyurethane
			4	Remix 3	3	Mogul Epu, polyurethane
					3	Nifty, polyurethane
			5	Atlas	3	Note CV, vinyl
			5	Divina MD	3	Otto
			5	Divina Melange 3	3	Pip
			5	Maple	3	Point
			5	Steelcut 2	3	Rein II, polyurethane
			5	Steelcut Trio 3	3	Rise
			Ü	OLCCIOUL ITIU 3		
			0	MOMENTURA	3	Scrabble
				MOMENTUM	3	Smart Soft, crypton
			2	Ace	3	Solace
			2	Bangle	3	Solitaire, crypton
			2	Bobby	3	Sport, crypton
			2	Deka	3	Swim
			2	Epic	3	Syntax
			2	Expo	3	Tack
			2	Feltro	3	Tribeca CV, vinyl
			2	Fuse	3	Twill Epu, polyurethane
			2	Grid	3	Vanguard CV, vinyl
			2	Guild	3	Via
			2	Guru	3	Whit Epu, polyurethane
			2	Hue		
			2	Infinity C-Zero, crypton	4	Amuse
			2	Insight	4	Anthology CV, vinyl
			2	Marathon C-Zero, crypton	4	Beep
		i	2	Mello	4	Boheme

SORT BY GRADE

0 1	MOMENTUM	0	MOMENTURA	0	MONENTINA
			MOMENTUM Llan		MOMENTUM Almanas anuntan
	Bravo II, polyurethane		Hop		Almanac, crypton
	Build		Infusion, crypton	10	Audubon
	Clang		Kindred, polyurethane	10	Banter
4	Collect	6	Overpass, crypton	10	Cairns
4	Crosswise, crypton		Parable	10	Carlo
4	Culture	6	Rubato	10	Chipper
	Dexter Epu, polyurethane	6	Score, crypton	10	Climb
	Faux MO, crypton		Shuttle, crypton	10	Docket, crypton
	Flock, crypton	6	Sunny	10	Ebb
4	Foray, polyurethane	6	Tilt	10	Etude, crypton
4	Groove Epu, polyurethane		Weaving Palettes	10	Explore
	Hobnob, crypton	6	Whim	10	Fold
4	Improv CV, vinyl	6	Whisp, polyurethane	10	Kayak, crypton
	Kinney			10	Mapping Ideas
4	Kit, crypton		Bandwidth II	10	Marcel
4	Lasanna CV, vinyl	7	Centric	10	Panorama
4	Ledge	7	Chromatic	10	Revolve
4	Nubble	7	Colorwheel	10	Roster, crypton
4	Oath, crypton	7	Cube	10	Site Line
4	Ping	7	Dash	10	Story
	Pique		Halo, polyurethane		
	Plan	7	Lella	Grade	<u>SPRADLING</u>
4	Poetic CV, vinyl	7	Mandala	1	Milanos Stitch, pvc
	Rivet		Mezzanine	1	Modena Eco, pvc
	Row, polyurethane		Platform	1	Whisper Neo, pvc
	Sanya CV, vinyl		Ring		[· ' ']
4	Sensory CV, vinyl	7	Trefoil, crypton	2	Silvertex Neo, pvc
	Spunk CV, vinyl		Uplift	_	, F. C.
	Stroll		-		
4	Strut	8	Amenity II		
	Synergy, crypton		Archer, polyurethane		
4	Velocity, polyurethane		Boxcar		
	Central, crypton		Brisk		
5	Channel, crypton	8	Essay		
	Chime CV, vinyl		Foundation		
	Cycle, polyurethane		Highline		
	Dome CV, vinyl	8	lota		
	Fidget CV, vinyl		Level		
			Pax		
	Follow CV, vinyl				
	Frida CV, vinyl	8	Phrase		
5	Hitch		Propel		
	Jackpot CV, vinyl		Raft		
5	Jitney		Sidestep, polyurethane		
5	Lasso CV, vinyl	8	Small Talk		
5	Lateral	8	Starboard		
	Leafdot CV, vinyl	8	Tag, crypton		
	Mikro	8	Tesla		
	Mixology CV, vinyl		Wander		
	Parachute	8	Zipped, polyurethane		
	Piper		<u></u>		
	Ringer CV, vinyl	9	Camber		
	Silica, silicone	9	Croquet		
	Speakeasy CV, vinyl		Drift		
5	Strum	9	Edison		
	Tradewinds CV, vinyl		Flux		
	Trilogy, crypton		Hearsay		
	Waver, crypton	9	Interim		
5	Yarnplay CV, vinyl	9	Journal		
ļ		9	Leno, polyurethane		
6	Acoustic, polyurethane		Lore		
	Acrobat, crypton	9	Pantheon		
	Ascend, crypton	9	Photon		
	Borders	9	Proximity		
	Dutale		Pursue		
	Brink				
6	Civil		Rush Hour		
6 6			Rush Hour Sail		
6 6 6	Civil	9			

BLAZER Camira

Composizione: 100% Lana vergine. Tinture prive di metalli pesanti. Ecologia: Rinnovabile e compostabile Abrasione (Martindale): 50.000 Solidità alla luce: 5 (ISO 105 – 802.1999). Resistenza allo sfregamento Umido: 4 secoci (ISO 105 – x12-2002). Resistenza al fuoco: BS EN 1021 – 1-2006 (Sigaretta), BS EN 1021 – 1-2006 (Cerino), BS 7176-2007 Low Hazard, UNI 9175 Classe 1 IM (FR PU 35 Kg/m3)

Composition: 100% Virgin Wool. Non metallic dyestuffs. Environment: Renewable & Compostable Abrasion resistance: 50.000 Martindale Light fastness: 5 (ISO 105 – B02.1999) Fastness tu Rubbling Wel: 4 Dry (ISO 105 – x12-2002) Fire retardant: BS EN 1021 – 1-2006 (cigarette), BS EN 1021 – 2.2006 (match), BS 7176-2007 Low Hazard, UNI 9175 Class 1IM (FR PU 35 Kg/m3)

Composition: 100% Laine vierge. Teintures non métalliques Ecologique: Renouvelable et biodégradable Abrasion (Martindale): 50.000 Solidité à la lumière: 5 (ISO 105 – B02.199) Resistance au frottement: Humide: 4, Sec: 4: (ISO 105 – x12-2002) Classement au feu: BS EN 1021 – 1-2006 (Cigarette BS EN 1021 – 2.2006

Humide: 4, Sec: 4:(ISO 105 – xt2-2002) Classement au feu: BS EN 1021 – 1-2006 (Cigarette), BS EN 1021 – 2:2006 (Allumette), BS 7176-2007 Low Hazard, UNI 9175 Classe 1IM (FR PU 35 Kg/ m3)

Material:

Now Schurwolle.
Farbstoffe ohne Schwermetall.
Unweltfreundlich: erneuerbare
und kompostierbar
Scheuerfestigkeit:
50,000 Martindale
Lichtechtheit:
5 (ISO 105 - B02.1999)
Relibechtheit: Nass: 4, Trocken: 4
(ISO 105 - X 12-2002)
Flammschutz: EN 1021 1:2006 (Zigarettentest),
EN 1021 - 2:2006
(Streichholztest), BS
7176:2007 Low Hazard, UNI
9175 Klasse 1IM (FR PU 35
Kg/m3)



LEGER Cheeding



GIGA Ranked



BLAZER Camira



Best of Camira

www.camirafabrics.com



Photographic fabric scans are not color accurate. Always request actual fabric samples before ordering.



Best of Camira - Blazer, Era, Main Line Flax and Rivet

Era

Technical information



Blazer

Main Line Flax

Rivet

Composition

100% Pure New Wool

Certified to Indoor Advantage™ Gold Rapidly renewable and compostable Non metallic dyestuffs

Width

Abrasion Resistance*

75,000 double rubs 10 year guarantee

Flammability

California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 1 or A (Un-adhered) NFPA 701 when FR treated

Cleaning

Clean with a water-based cleaning agent or solvent: Depending on the stain, use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Blazer meets the ACT voluntary Performan Guidelines and is classified for Heavy Duty Upholstery.

*Camira recognizes that the number of Wyzenbeek double rubs does not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available).

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to after tochrical specifications without notice. The Unregistered Design Rights and the Copyright in all fabrics Limited.

Composition 100% Polyester

Environment

Certified to OEKO-TEX* Standard 100 Certified to Indoor Advantage™ Gold Non metallic dyestuffs

Width

Abrasion Resistance*

100,000 double rubs 10 year guarantee

Flammability

California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 1 or A (Un-adhered) UL 723

Cleaning

Clean with a water-based cleaning agent or solvent: Depending on the stain, use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Era meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery. Era is a UL Recognized Component.

*Camira recognizes that the number of Wyzenbeek double rubs does not reflect the actual wea performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available).

Multiple factors affect fabric durability and appearance retention, including end-user application and correct maintenance. Results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are described by the school Fabrics Limited.

Composition

75% Pure New Wool, 25% Flax

Environment

Certified to the EU Ecolabel Certified to Indoor Advantage™ Gold Rapidly renewable and compostable Made from wool and bast fiber

Width

Abrasion Resistance* 100,000 double rubs

10 year guarantee

Flammability

California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 Class 1 or A (Adhered) ASTM E84 Class 2 or B (Un-adhered)

Cleaning

Clean with a water-based cleaning agent or solvent: Depending on the stain, use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Main Line Flax meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery.

*Camira recognizes that the number of Wyzenbeek double rubs does not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available).

Multiple factors affect fabric durability and appearance retention, including end-user application and correct maintenance. Results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric

Batch to batch variations in shade may occur Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabrics Limited.

Composition

100% REPREVE® Recycled Polyester

Certified to the EU Ecolabel Certified to Indoor Advantage™ Gold Made from 100% post-consumer recycled polyester

Width

Abrasion Resistance* 50,000 double rubs

10 year guarantee

Flammability

California Technical Bulletin 117 - 2013 NFPA 260 + UFAC Class 1 BS 7176 Low Hazard ASTM E84 - Class 2 or B (Adhered) ASTM E84 - Class 1 or A (Un-adhered) UL 723

Cleaning

W/S

Clean with a water-based cleaning agent or solvent: Depending on the stain, use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Rivet meets the ACT voluntary Performance Guidelines and is classified for Heavy Duty Upholstery. Rivet is a UL Recognized Compor

*Camira recognizes that the number of Wyzenbeek double rubs does not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available).

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to after technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the ex

REPREVE® is a registered trademark of Unifi, Inc. in the US and other regions.



Segis USA 3431 West Andrew Johnson Highway. Morristown. TN 37814

camira

For additional information or sample requests visit: www.camirafabrics.com Samples can also be requested by email at: memos@camirafabrics.com

MAIN LINE FLAX

Camira

Composizione: 75% Lana vergine, 25% Lino Resistenza all'abrasione: >50.000 Resistenza all'abrasione: >50.000
Martindale
Solidità alla luce artificiale: 5
Resistenza allo sfregamento
Umido 3 / Secco 4 (ISO 105 - X12)
Resistenza al fuoco:
EN 1021 - 1 (sigarette)
EN 1021 - 2 (cerino)
NFPA 260 + UFAC Class 1
BS 7176 Low Hazzard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
NF D 60-013
ONORM B 3825 & A 3800-1
UNI 9175 Classe 1 IM
BS 5867-2 Type B Curtains &
Drapes

Composition:

Composition:
75% Virgin Wool, 25% Flax
Abrasion: >50.000 Martindale
Colour fasteness to artificial light: 5
Fasteness to rubbing: Wet 3 / Dry 4
(ISO 105 - X12) (ISO 105 - X12) Fire proof nom: EN 1021 - 1 (cigarette) EN 1021 - 2 (match) NFPA 260 + UFAC Class 1 BS 7176 Low Hazard BS 5852 (gnitlon Source 5 BS 7176 Medium Hazard NF D 60-013 ONORM B 3825 & A 3800-1 UNI 9175 Classe 1 IM BS 5867-2 Type B Curtains & Drapes Drapes


Composition:

Composition:
75% Laine Vierge, 25% Lin
Abrasion: >50.000 Martindale
Solidité a la lumiere artificieile: 5
Resistence au frottement:
Mouillé 3, Sec 4 (ISO 105 - X12)
Classement au feu:
EN 1021 - 1 (cigarette)
EN 1021 - 2 (allumette)
NFPA 260 + UFAC Class 1
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
NF D 60-013
ONORM B 3825 & A 3800-1
UNI 9175 Classe 1 IM
BS 5867-2 Type B Curtains &
Drapes

Material:
75% Schurwolle, 25% Flachs
Scheuerfestigkeit: ungefähr
>50.000 Martindale
Lichtechtheit: 5
Reibechtheit: 5
Reibechtheit: 1, (2igarettentest)
Flammschutz:
EN 1021 - 1 (2igarettentest)
EN 1021 - 2 (Streichholztest)
NFPA 260 + UFAC Class 1
BS 7176 Low Hazard
BS 5852 Ignition Source 5
S7176 Medium Hazard
NF D 60-013
ÖNORM B 3825 & A 3800-1
UN 19175 Classe 1 IM UNI 9175 Classe 1 IM BS 5867-2 Type B Curtains & Drapes

















MLF06

MLF11

MLF16



MLF07



























MLF26




















MLF41

Manutenzione:

Manutenzione:
Aspirare regolarmente. Pulire con un panno umido usando acqua e sapone o usare uno shampoo specifico per tappezzeria. Per una pulizia più profonda, utilizzare il vapore o un lavaggio a secco professionale.

Avvertenza: Possibili variazioni Avvertenza: Possibili variaziori ci colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Maintenance: Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo. For deeper cleaning use steam or professionally dry clean. Full details can be found in our cleaning and disinfection guide.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature co-lour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Entretien: Aspirer régulièrement. Essuyez avec un chiffon humide avec du savon et de l'eau ou utilisez un shampooing exclusif pour les tissus d'ameublement. Pour un nettoyage en profondeur, utilisez la vapeur ou un nettoyage à sec professionnel.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Reinigung: Regelmässig absaugen. Mit einem feuchten Tuch mit Wasser und Seife abwischen oder mit einem geeigneten Polstershampoo behandeln. Für eine Grundreinigung bitte Dampf oder professionelle Trockenreinigung verwenden.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind druc-ktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernis-sen geändert werden.

RIVET

Camira

Composizione:

100% Repreve® Poliestere riciclato Resistenza all'abrasione: >50.000 Martindale Solidità alla luce artificiale: 6 Resistenza allo sfregamento Umido/Secco 4 ISO 105-X12 Resistenza al fuoco: EN 1021 - 1/2 BS 7176 Low Hazard UNI 9175 Classe 1 IM Ecologia: EU Ecolabel

Manutenzione

Aspirare regolarmente con aspirapolvere. Strofinare leggermente con un panno umido.

Polyester Abrasion: >50.000 Martindale Colour fasteness to artificial light: 6 Fasteness to rubbing: Dry/Wet 4 ISO 105-X12 Fire proof norm: EN 1021 - 1/2 BS 7176 Low Hazard UNI 9175 Classe 1 IM Ecologia: EU Ecolabel

a damp cloth.

Composition:

100% Repreve® Polyester Recyclé Abrasion: >50.000 Martindale Soliditè a la lumiere artificielle: 6 Resistence au frottement Humide/Sec 4 ISO 105-X12 Classement au feu: EN 1021 - 1/2 BS 7176 Low Hazard UNI 9175 Classe 1 IM Ecologia: EU Ecolabel

Aspirer régulierement. Essuyer avec un chiffon humide.

Material:

100% Repreve® Recycelte Polyester Scheuerfestigkeit: >50.000 Martindale Lichtezhtheit: 6 Reibechtheit: Nass / Trocken 4 ISO 105-X12 Flammschutz: EN 1021 - 1/2 BS 7176 Low Hazard UNI 9175 Classe 1 IM Ecologia: EU Ecolabel

Reinigung: Regelmässig absaugen, dazu mit einem feuchten Tuch abwischen.



EGL 03 EGL 01











Maintenance:

Vacuum regularly. Wipe clean with



EGL 08



















Entretien:































STEP MELANGE Gabriel

Composizione: 100% Trevira Resistenza all'abrasione: 100.000 Martindale Solidità alla luce: 5-7 Resistenza allo sfregamento: 4-5 (umido) – 4-5 (asciutto) Resistenza al fuoco EN1021 182 BS5852 0&1 BS5852 Crib 5 DIN 4102-B1 60004 60011 60021 60090 60092 CAL 117E FAR/JAR 25.853 (a) (i) (ii) Ônorm B3825 B1+Q1 NFP92-503-M1 CA TB 117-2013 BS7176 Medium hazard AM18 NF D 60-013 IMO MSC 307 (88) Annex 1 part 8 MED certificate IMO UNI 9175 Class 1 EMME 61102 61103 61104 61149 61150 Composition: 100% Trevira Abrasion: 100.000 Martindale Color fasteness: 5-7 Fasteness to rubbing: 4-5 (wet) – 4-5 (dry) Fire retardant EN1021 1&2 BS5852 0&1 BS5852 Crib 5 DIN 4102-B1 CAL 117E FAR/JAR 25.853 (a) (i) (ii) Ônom B3825 B1+Q1 61151 61152 62057 62073 63075 NFP92-503-M1 CA TB 117-2013 BS7176 Medium hazard AM18 NF D 60-013 IMO MSC 307 (88) Annex 1 part 8 MED certificate IMO UNI 9175 Class 1 EMME 63082 64013 64159 64177 64178 Ecolabel 64179 64181 64182 65011 65018

65090

65091

65092


65047

65023

STEP MELANGE Gabriel

Composition: 100% Trevira Abrasion: 100.000 Martindale Solidité a la lumière: 5-7 Resistance au frottement: 4-5 (Humide) – 4-5 (Sec) Classement au feu 60004 EN1021 182 BS5852 0&1 BS5852 0&1 BS5852 Crib 5 DIN 4102-B1 CAL 117E FAR/JAR 25.853 (a) (i) (ii) Önorm B3825 B1+Q1 NFP92-503-M1 CA TB 117-2013 BS7176 Medium hazard AM18 NF D 60-013 IMO MSC 307 (88) Annex 1 part 8 MED certificate IMO UNI 9175 Class 1 EMME

Material: 100% Trevira Scheuerfestigkeit: 100.000 Martindale Lichtechtheit: 5-7 Pillneigung: 4-5 (nass) – 4-5 (trocken) Flammschutz EN1021 182 BS5852 0&1 BS5852 0&1 BS5852 0rib 5 DIN 4102-B1 CAL 117E FAR/JAR 25.853 (a) (i) (ii) Önorm B3825 B1+Q1 NFP92-503-M1 CA TB 117-2013 BS7176 Medium hazard AM18 NF D 60-013 IMO MSC 307 (88) Annex 1 part 8 MED certi cate IMO UNI 9175 Class 1 EMME



Manutenzione:

Aspirare regolarmente con aspirapolvere.

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda. Maintenance: Vacuum regularly.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Entretien: Aspirer régulièrement.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Reinigung: Regelmässig absaugen,

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordemissen geändert werden.

ATLAS

Kvadrat

Composizione

90% Lana vergine pettinata, 10% Nylon. Tinto in fiocco. Abrasione: >100.000 Martindale EN ISO 12947. Resistenza alla luce: (ISO) 6-7. Resistenza allo sfregamento: 4-5 secco, 4-5 umido. Pilling (EN ISO) 4-5. Resistenza al fuoco: BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Call. Bull. 117-2013, EN 1021-11/2, ÖNRM BI/O 2013, EN 1021-11/2, Ö

Composition:

90% New wool worsted, 10% Nylon. Material dyed. Abrasion: >100.000 Martindale EN ISO 12947. Lightfastness: (ISO) 6-7. Fastness to rubbing: 4-5 dry, 4-5 wet. Palling (EN ISO) 4-5. Flame resistance: BS 5852 crib 5 with treatment, BS 5852 printion source 3, BS 5852 printion source 3, BS 5852 printing Tode 2010 Part 8, NF D 60 013, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM B1/01, AS/NZS 3837 class 2.

Composition:

90% Laine vierge peigné, 10%
Nylon. Teinture en bourre.
Résistance à l'abrasion: >100.000
Martindale
EN ISO 12947.
Résistance au frottement: 4-5 sec,
4-5 mouillé.
Boulochage (EN ISO) 4-5.
Normes au feu: BS 5852 crib 5
with treatment, BS 5852 crib 5
with treatment, BS 5852 part 1, IMO FTP
Code 2010 Part 8, NF D 60 013,
SN 198 898 5.3 with treatment,
UNI 9175 1IM, US Cal. Bull. 1172013, EN 1021-1/2, ÖNORM B1/
Q1, AS/NZS 3837 class 2.

Material:

90% Schurwolle Kammgarn, 10% Nylon. Materialgefärbt. Scheuerfestigkeit. >100.000 Martindale EN ISO 12947. Lichtechheit: (ISO) 6-7. Reibechtheit: trocken 4-5, nass 4-5. Pilling (EN ISO) 4-5. Flammschutz: BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF 0 60 013, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM BI/O1, AS/ NZS 3837 class 2.





Manutenzione: Regolarmente con aspirapolvere. Strofinare leggermente con panno umido. Lavaggio a secco professionale.

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Entretien: Aspirer régulièrement. Nettoyage a sec professionnel autrement essuyer avec une chiffon humide Reinigung: Regelmässig absaugen, Professionelle Chemische Reinigung, oder mit einem feuchten Tuch Vorsichtig abwischen.

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernissen geändert werden.

CANVAS 2

Kvadrat

Composizione: 90% Lana vergine pettinata, 10% Nylon. Tinto in fiocco. Abrasione: >100.000 Martindale EN ISO 12947. Resistenza alla luce: (ISO) 5-6. Resistenza allo sfregamento: 4-5 secco, 4-5 umido. Pilling (EN ISO) 4.
Resistenza al fuoco: AS/NZS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM B1/Q1.

Composition:

90% New wool worsted, 10% Nylon. Material dyed. Abrasion: >100.000 Martindale EN ISO 12947. Lightfastness: (ISO) 5-6 Fastness to rubbing: 4-5 dry, 4-5 wet. Pilling (EN ISO) 4. Flame resistance: AS/NZS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM B1/Q1.

Composition:

90% Laine vierge peigné, 10% Nylon. Teinture en bourre. Résistance à l'abrasion: >100.000 Martindale EN ISO 12947. Résistance à la lumière: (ISO) 5-6. Résistance au frottement: 4-5 sec, 4-5 mouillé. Boulochage (EN ISO) 4. Normes au feu: AS/NZS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM B1/Q1.

Material:

90% Schurwolle Kammgarn, 10% Nylon. Materialgefärbt. Scheuerfestigkeit: >100.000 Martindale EN ISO 12947. Lichtechheit: (ISO) 5-6. Reibechtheit: trocken 4-5, nass 4-5. Pilling (EN ISO) 4. Flammschutz: AS/NZS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, ÖNORM B1/Q1.





Manutenzione: Regolarmente con aspirapolvere. Strofinare leggermente con panno umido. Lavaggio a secco professionale.

Maintenance: Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Entretien: Aspirer régulièrement. Nettoyage a sec professionnel autrement essuyer avec une chiffon humide Reinigung: Regelmässig absaugen, Professionelle Chemische Reinigung, oder mit einem feuchten Tuch Vorsichtig abwischen.

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modiffés suivant les exigences de la production.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernissen geändert werden.

REMIX 3

Kvadrat

Composizione

Composizione: 90% Lana vergine pettinata, 10% Nylon. Tinto In flocco. Abrasione: >100.000 Martindale EN ISO 12947. Resistenza alla luce: (ISO) 5-7. Resistenza allo sfregamento: 4-5 secco. 4 umido. Pilling (EN ISO) 4. Resistenza al fuoco: AS/NZS Hessiteriza ai Tudoco: AS/MLS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 7 with treatment, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, EN 1021-1/2, AS/NZS 3837 class 2, ÖNORM B1/Q1, ASTM E84 Class A Unadhered, ASTM E84 Class A Adhered, GB 50222 B1 with treatment (Chinese)

Composition:

90% New wool worsted, 10% Nylon, Material dyed, Abrasion: >100.000 Martindale EN ISO 12947. Lightfastness: (ISO) 5-7. Fastness to rubbing: 4-5 dry, 4 wet. Pattness to rubbing: 4-5 dry, 4 wet Pilling (EN ISO) 4. Flame resistance: AS/NZS 1530.3, BS 5852 crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 7 with treatment, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with NFPA 260, SN 198 898 5.3 WIII treatment, UNI 9175 11M, US Cal. Bull. 117-2013, EN 1021-1/2, AS/ NZS 3837 class 2, ÖNORM B1/Q1, ASTM E84 Class A Unadhered, ASTM E84 Class A Adhered, GB 50222 B1 with treatment (Chinese)

Composition:

90% Laine vierge peigné, 10% Nylon. Teinture en bourre. Résistance à l'abrasion: >100.000 Martindale EN ISO 12947. EN ISO 12947. Résistance à la lumière: (ISO) 5-7. Résistance au frottement: 4-5 sec. 4 mouillé. Boulochage (EN ISO) 4. Normes au feu: AS/NZS 1530.3, BS 5852 crib 5 with treatment. BS 5852 ignition source 3, BS 5852 part 1, IMO FTP Code 2010 Part 7 with treatment, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with reatment, UNI 9175 1IM, US Cal.
Bull. 117-2013, EN 1021-1/2, AS/
NZS 3837 class 2, ÖNORM B1/Q1,
ASTM E84 Class A Unadhered,
ASTM E84 Class A Adhered, GB 50222 B1 with treatment (Chinese)

90% Schurwolle Kammgarn, 10% Nylon. Materialgefärbt. Scheuerfestigkeit: >100.000 Martindale EN ISO 12947. Lichtechheit: (ISO) 5-7. Lichtechheit. (ISO) 5-7.
Reibechheit: trocken 4-5, nass 4.
Pilling (EN ISO) 4.
Flammschutz: AS/NZS 1530.3,
BS 5852 crib 5 with treatment,
BS 5852 part 1, IMO FTP Code 2010
Part 7 with treatment, IMO FTP
Code 2010 Part 8, NF D 60 013,
NFD 266 CN 109 808 25 with Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 11M, US Cal. Bull. 117-2013, EN 1021-1/2, AS/ NZS 3837 class 2, ÖNORM B1/Q1, ASTM E84 Class A Unadhered, ASTM E84 Class A Adhered, GB 50222 B1 with treatment (Chinese)



Manutenzione:

Manutenzione:
Aspirare regolarmente. Pulire con un panno umido usando acqua e sapone o usare uno shampoo specifico per tappezzeria. Per una pulizia più profonda, utilizzare il vapore o un lavaggio a secco professionale. professionale.

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per narino vaiore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Maintenance:

Maintenance:
Vacuum regularly. Wipe with a damp cloth using soap and water or use proprietary upholstery shampoo. For deeper cleaning use steam or professionally dry clean. Full details can be found in our cleaning and disinfection guide.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Entretien: Aspirer régulièrement. Essuyez avec un chiffon humide avec du savon et de l'eau ou utilisez un shampooing exclusif pour les tissus d'ameublement. Pour un nettoyage en profondeur, utilisez la vapeur ou un nettoyage à sec professionnel.

a sec professionnel.

Notice: Les couleurs reprises dans ces pages sont données uniquement à litre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Reinigung: Regelmässig absaugen. Mit einem feuchten Tuch mit Wasser und Seife abwischen oder mit einem geeigneten Polstershampoo behandeln. Für eine Grundreinigung bitte Dampf oder professionelle Trockenreinigung verwenden. verwenden.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind druc-ktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernis-sen geändert werden.



STEELCUT TRIO 3 Kvadrat

Composizione: 90% Lana, 10% nylon Abrasione (Martindale): circa 100.000, EN ISO 12947 Solidità alla luce: Note 5-7, ISO 105-B02 Resistenza allo sfregamento: Note 3-4, EN ISO 12945 Resistenza al fuoco: EN 1021-1/2, BS 5852, ignition source 2-3 DIN 4102 B2, Önorm B1/Q1 NF D 60 013, Classe 11M US Cal.Tech.Bull.117, Sec.E IMO A.652(16)

Composition: 90% New wool, worsted 10% nylon Abrasion: 100.000 Martindale Lightfastness: 5-7 (ISO) - 105-B02
Firetest: AS/NZS 3837, class 2 BS 5852, lg. s. 2, BS 5852, part 1 DIN 4102 B2, ONORM B1/Q1
EN 1021-1/2, IMO A.652 (16) NF D 60 013, UNI 9175, 1 IM US Cal.Tech. Bull. 117


Composition: 90% Laine vierge peigné, 10% Nylon Abrasion: 100.000 Martindale EN ISO 12947 Solidité à la lumière: Note 5-7, ISO 105-B02 Résistance au frottement: Note 3-4, EN ISO 12945 Classement au feu: EN 1021-1/2, BS 5852, ignition source 2-3 DIN 4102 B2, Önorm B1/Q1 NF D 60 013, Classe 1IM US Cal. Tech.Bull.117, Sec.E IMO A.652(16)

Material: 90% Wolle, 10% Nylon Scheuerfestigkeit: 100.000 Martindale, EN ISO 12947 Lichtechtheit: Note 5-7, ISO 105-B02 Reibechtheit: Note 3-4, EN ISO 12945 Flammschutz: EN 1021-1/2, BS 5852, ignition source 2-3, DIN 4102 B2 Önorm B1/Q, NF D 60 013 Klasse 1 IM, US Cal. Tech.Bull. 117, Sec. E, IMO A.652 (16)









Manutenzione:

Aspirare regolarmente con aspirapolvere. Lavaggio a secco professionale.

Avvertenza: Possibili variazioni di colore tra una partita e l'altra sono tecnicamente inevitabili. I colori riprodotti in queste pagine hanno valore indicativo. Per quanto accurate, le riproduzioni fotografiche dei cataloghi e dei campionari sono suscettibili a variazione secondo necessità dell'azienda.

Maintenance: Vacuum regularly. Professionally dry clean.

Warning: The finishing colours shown in these pages have to be considered approximate. Although printed with care, the literature colour reproductions are subject to usual reservations and all colours may be changed at any time as per production necessities.

Entretien: Aspirer régulièrement. Nettoyage à sec professionnel.

Notice: Les couleurs reprises dans ces pages sont données uniquement à titre indicatif. Aussi fidèles que puissent être les reproductions de couleurs sur catalogue et des échantillons ceux-ci sont sujets aux réserves habituelles et peuvent être modifiés suivant les exigences de la production.

Reinigung: Regelmässig absaugen, Professionelle Chemische Reinigung.

Wichtig: Alle Farbfotos der Kataloge und Musterkarten sind mit Vorbehalt anzusehen. Farbabweichungen sind drucktechnisch bedingt. Die Farben können herstellerseitig jederzeit aufgrund von Markterfordernissen geändert werden.

SILICA Momentum memosamples.com

100% Silicone Polyester Backing 365,000 Double Rubs (Wyzenbeek) GREENGARD Gold Certified



SILICA Momentum



Momentum

Polyurethanes Greenguard Certified; PVC free



TANNER - PVC Free



Pattern - width	Fiber content & backing	Abrasion	Lightfastness	Approx. repeat	Cleaning code
Cashmere II - 54"	100% Polyurethane / pvc free polyester backing	500,000 double rubs	Class 5 200 hours	-	W bleach cleanable (4:1)
Nifty - 54"	100% Polyurethane / pvc free polyester backing	500,000 double rubs	Class 4.5 200 hours		W bleach cleanable (4:1)
Rein II - 54"	100% Polyurethane / pvc free polyester backing	110,000 double rubs	Class 4.5 200 hours		W bleach cleanable (4:1)
Row - 54"	100% Polyurethane / pvc free polyester backing	500,000 double rubs	Class 4.5 200 hours		W bleach cleanable (4:1)
Tanner - 54"	100% Polyurethane / pvc free polyester backing	1,000,000 double rubs	Class 4.5 200 hours	-	W bleach cleanable (4:1)

 * ACT * Registered Certification Marks
These fabrics when used with proper components are compatible with California Technical Bulletin 133



GREENGUARD Certified. CA Section 01350 compliant Eligible for CHPS Low-Emitting Material Credits

©2019



08993371



memosamples.com | 800.366.6839

CRYPTONS Momentum

memosamples.com



CRYPTONS Momentum





Pattern - Width	Fiber Content & Backing	Finish	Abrasion (D.R.)	Lightfastness	Approx. Repeats	Cleaning Code
Cover Cloth - 59"	56% Post Consumer Recycled Polyester: 44% Polyester	Crypton Green"	200,000	Class 4 40 Hrs.		W Bleach Cleanable (10:1)
Faux Felt - 56"	62% Post Consumer Recycled Polyester: 38% Polyester	Crypton Green"	75,000	Class 4.5 40 Hrs.		WS Bleach Cleanable (10:1)
Faux Mo - 55"	58% Post Consumer Recycled Polyester; 42% Polyester	Crypton Green*	200,000	Class 4 40 Hrs.	Directional Pattern	WS Bleach Cleanable (10:1)
Keynote - 54"	100% Post Consumer Recycled Polyester	Crypton Green"	100,000	Class 4 40 Hrs.		W Bleach Cleanable (10:1)
Oath - 55"	50% Post Consumer Recycled Polyester: 50% Polyester	Crypton Green"	204,000	Class 5 40 Hrs.		W Bleach Cleanable (10:1)
Synergy - 53"	71% Post Consumer Recycled Polyester: 29% Polyester	Crypton Green"	165,000	Class 4 40 Hrs.		W Bleach Cleanable (10:1)

^{*} ACT® Registered Certification Marks

These fabrics when used with proper components are compatible with California Technical Bulletin 133.

Crypton Green Color Card fabrics are made with the highest performing most sustainable yarns and the highest performing fabric finish. 10 year warranty.







GREENGUARD Gold Certified. CA Section 01350 compliant. Eligible for CHPS Low-Emitting Material Credits.

©2018



08999618





TECHNICAL INFORMATION

Width - Pattern	Fiber Content	Finish	Abrasion (D.R.)	Light- fastness	CI. Code
56" MILLENNIUM	85% Post Consumer Recycled Polyester, 15% Polyester	Soil & Stain Resistant	200,000	40 Hrs. Class 4	ws
54" SILICA	100% Silicone		365,000	200 Hrs. Class 4.5	WS Bleach Cleanable (4:1)
55" SOLACE	49% Polyester, 41% Post Industrial Recycled Polyester, 10% Post Consumer Recycled Polyester	Soil & Stain Resistant	100,000	40 Hrs. Class 4	WS
66" TRADITION	72% Post Consumer Recycled Polyester, 28% Polyester	Soil & Stain Resistant	200,000	40 Hrs. Class 4	WS
55° WEAVING PALETTES	54% Cotton, 30% Solution Dyed Nylon, 16% Post Consumer Recycled Polyester	InCase™ Fabric Protection	100,000	40 Hrs. Class 4.5	W

*ACT® Registered Certification Marks

Cleaning Code Definitions-

W: Water-based foam or cleaner.

WS: Water-based cleaning agents or foam.

To view additional colorways of these patterns, please visit momtex.com.



GREENGUARD Gold Certified. CA Section 01350 compliant. Eligible for CHPS Low-Emitting Material Credits.

For memo samples contact:



800-366-6839 memosamples.com



Segis - USA 3431 West Andrew Johnson Highway Morristown, TN 37814 877 313 0162 segis-usa@segis-usa.com www.segis-usa.com

SPRADLING





MILANO STITCH™ eco√ense°

Contract Collection



MILANO STITCH™ | eco/ense

Vinyl

Backing

Hi-Loft"

PERMA**BLOK**®

Characteristics Bleach Cleanable (1:9)**

Cleanable

Sulfide Stain Resistant Water Resistant

AB 2998 Compliant Formaldehyde Free

No Biocides No Flame Retardants

No Heavy Metals No Phthalates

Prop 65 Compliant

Anti-static Cold Crack - 10°F

Sulfide Stain Resistant

Superior Abrasion CFFA-12 / ASTM D-4157

UV Stability

Xenotest: AATCC TM 16-3 / NTC 1479 / CFFA-2a - Blue Wool





Flame Retardancy* California T.B. 117 - 2013

NFPA 260 - Cover Fabric - Class I UFAC Fabric - Class I

"This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this o any other material under actual fire conditions.

Specifics

Weight: 26 oz. Width: 54 in. Roll Size: 30 yd.

Applications

☐ Automotive | RV

☑ Education ☑ Healthcare

☑ Office

Hospitality ☑ Hotel | Motel | Casino

 Restaurant Public Spaces

Marine ☐ Interior

Residential

☑ Interior

surface deterioration. Spradling International, Inc.® continually evaluates cleaners disinfectants, and a list of those tested can be found on our website. Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

PERMABLOK CLEANING GUIDE

We recommend cleaning at least once a week to extend the lifespan of the upholstery, which will prevent dirt and

contamination buildup and permanent staining. In the event of

a spill, wipe off any excess right away with a dry white cloth or

Clean the whole surface in a circular motion using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water).
Check the Approved Cleaners guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess

fabric, but careful not to spread to remaining surface.

soap. Repeat as needed and then let dry.

If there is any buildup that cannot be removed with scapy water, a mixture of I part isopropyl alcohol to 9 parts water can be used as a last resort. (Remember 1997)

basis can affect the properties of the product).

 $\label{Note: Note: The cleaning products recommended were used in a laboratory setting Spradling Group of the cleaning products of those cleaning products.$

Certain dothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Please check compatibility when using this product in combination with painted or varnished surfaces.

In addition to cleaning, healthcare facilities maintain disinfecting regimens to reduce the spread

of infections. There is a wide variety of available biocides that include bleaches, peroxides and quaternary ammonium products, among others. They should always be used at the recommended dilution, never in concentrated form. To prolong the life of coated fabrics, the disinfectants should

be rinsed off after each use. It should be noted that misuse of disinfectants is the major source of

Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colors need more care, more often.

 $\label{eq:permablic} \begin{tabular}{ll} PERMABLOK $^{\parallel}$ is a registered trademark of Spradling Holdings, Inc. \\ MLANO STITCH $^{\parallel}$ is a trademarks of Spradling Holdings, Inc. \\ \end{tabular}$

@2021 Soradine International. Inc.®



HIGHER PURPOSE Behind every Spradling® product there is a bigger purpose. Our design goes beyond enhancing spaces and meeting the most demanding needs. We are motivated by a commitment to the future, by having a positive impact on the environment, and by enhancing the lives of the people and communities around us.







SPRADLING INTERNATIONAL, INC.® USA LOCATIONS 200 CAHABA VALLEY PARKWAY P.O. BOX 1668 | PELHAM, AL 35124

PHONE 800-333-0955 205-985-2354 | 205-985-9176 EMAIL orders@sprading.group

SPRADLING WWW.SPRADLING.GROUP

Peham, Alabama Fullerton, California Grand Rapids, Michiga Westampton, New Jersi Maryville, Tennessee

INTERNATIONAL LOCATIONS

Europe (Spain | UK | German) Mexico



14001

CARBON

NEUTRAL/



CERTIFIED





MODENA™ | ecovense°

Contract Collection



MODENA™ | eco/ense

Content

Vinyl

Backing

Hi-I off?

Finishes

PERMA**blok**

Characteristics Denim Cleanable

Bleach Cleanable (1:9) No Phthalates

No Fire Retardants No Biocides

Prop 65 Compliant AB 2998 Compliant Formaldehyde Free

No Heavy Metals Water Resistant Sulfide Stain Resistant

Anti-static

Superior Abrasion

UV Stability Xenotest: AATCC TM 16-3 / NTC 1479 / CFFA-2 al

Cold Crack - 10°F

△★0*4

ACT performance guidelines. *Certification Marks owned by ACT*



Flame Retardancy*

California T.B. 117 - 2013 NFPA 260 - Cover Fabric- Class I

UFAC - Class I

Specifics

Weight: 26 oz. Width: 54 in. Roll Size: 30 yd.

Applications

☐ Automotive | RV ☑ Education

☑ Healthcare

Hospitality ☑ Hotel | Motel | Casino ☑ Restaurant ☑ Public Spaces

Marine ☐ Interior

☐ Exterior Residential ☑ Interior ☐ Exterior

PERMABLOK PLUS+ CLEANING GUIDE



We recommend cleaning at least once a week to extend the lifespan of the upholstery, preventing dirt and contamination from building up and stains from becoming permanent. If there is a spill, wipe off any excess right away with a dry white cloth or fabric, but don't spread it all over the surface.



Clean the whole surface in circular motions using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water). Check the Approved Cleaners guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess soap. Repeat as needed and then let dry.



If there is any build-up that can't be removed with soapy water, use as a last recorn the following use as a last resort the following mixture: I part isopropyl alcohol to 9 parts water. (Remember, using alcohol on a regular basis can affect the properties of the product).



Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colors need more care, more often.

Note: The cleaning products recommended were used in a laboratory testing. Spradling Group® has no relationship with the manufacturers of those cleaning products.

In addition to clearing, healthcare facilities maintain disinfecting regimens to reduce the spread of infections. There is a wide variety of available biocides that include bleaches, peroxides, and quaternary ammonium products, among others. They should always be used at the recommended dilution, never in concentrated form. To prolong the life of coated fabric, the disinfectants should be rinsed off after each use. It should be noted that misuse of disinfectants is the major source of surface deterioration. Spradling International, Inc.® continually evaluates cleaners/disinfectants, and a list of those tested can be found on our

PERMABLOK® PLUS+ is a registered trademark of Spradling Holdings, Inc.®

1/2021



HIGHER PURPOSE Behind every Spradling® product there is a bigger purpose. Our design goes beyond enhancing spaces and meeting the most demanding needs. We are motivated by a commitment to the future, by having a positive impact on the environment, and by enhancing the lives of the people and communities around us.







SPRADLING INTERNATIONAL, INC. USA LOCATIONS 200 CAHABA VALLEY PARKWAY P.O. BOX 1668 | PELHAM, AL 35124 PHONE 800-333-0955 FAX 205-985-2354 | 205-985-9176

WWW.SPRADLING.GROUP

Peham, Alabama Fullerton, California Grand Rapids, Michita



SO

14001







SILVERTEX TH NEO

Content

Vinyl

Finishes

Backing

Hi-Loft^{2TM} 100% Polyester

PERMA**BLOK®**

Characteristics

Antibacterial

Antistatic

Mildew Resistant

Stain Resistant No Heavy Metals

Formaldehyde Free

No Flame Retardants

Performance

Superior Abrasion CHA I-1/ASTM D-4IS7

UV Stability Xerotest AATCC TM (6-3) NTC (479) CRA-2 sl Cold Crack -10°F

Crocking Resistance

△★0**

This fabric meets or exceeds these ACT performance guidelines.

Flame Retardancy*

California T.B. 117 - 2013

NFPA 260 - Class I UFAC - Class I

Specifics

Weight: 30 oz.

Width: 54 in. Roll Size: 30 yd.

Applications

□ Automotive | RV

☑ Education

☑ Healthcare

☑ Office

Hospitality ☑ Hotel | Motel | Casino ☐ Restaurant
☐ Theaters | Convention Centers

Marine ☑ Interior

Residential ☑ Interior

Common stains: eye shadow, mascara, grease, black felt tip pen, orayon, chocolate, suntan lotion, and hairbody old*

Remove excess spill with a damp doth. Use a 1:1 mix of Ivory® liquid soap and water. Rub gently with a soft clean cloth, rinse with clean water and dry.

Common stains: red lipstick

Use a straight application of concentrated cleaners such as Formula 409° or Fantastik' spray cleaner. Rub gently with a soft clean cloth, rinse with clean water and dry

Common stains: blood, wrine, figure, and oil-based paint.

Use a 1:1 mix of ammonia and water, or a 1:10 mix of bleach and water. Rub gently with a soft clean cloth, rirse with clean water and dry.

All other tough stains
Use a cotton doth saturate Use a cotton cloth saturated in a 1:1 mix of isogropyl alcohol and water. Rub gently in a circular motion 10 times. Pat dry and check the results. If the stain persists, use straight alcohol and rub the stain again using the circular motion. Rinse thoroughly with clean water and pat dry.

*Must be cleaned after each instance of exposure to hair and body oils.

The information published in this care guide refers to the performance of PERMACON products in specific texts conducted under laboratory conditions. Results may vary under actual conditions.

This information is not a quarantee and does not relieve the user from the responsibility of the proper and self-use of the product and of doesing agents. The use of carban agents use to hamful to the surface appearance and filequin of virey. Sprading, its agents, and using a source no responsibility reading from the use of lush channing agents to the single.

Certain defining and accessive yless doubt as those used on denin jumpi may migrate to lighter colors. The phenomerose is increased by handley and samperature and a innerentials. These disci-compatibility when using this product in correlation with painted or remainded surfaces.

PERMALOK" is a registered trademark of Sprading Holdings, Inc.

lyony' is a registered trademark of The Procter and Garable Compan

Formula 405° is a registered trademark of The Clorox Company. Tortactik' is a registered trademark of S.C. Johnson & Son, Inc.

Spealing International is not sponsored by ufficient with, or endorselfly such tractement owners. Additionally, are use for Spealing International of any third-party tradement does not comittate any another transport of a such third party.



SILVERTEX TM NEO

Contract Collection

NO FLAME RETARDANTS



SPRADLING USA PHONE 800101-05S FAX 205-96-1264 | 205-96-97%

SPRADLING SPRADLINGVINYL.COM

10/2019





WARNING This product can expose you to chemicals including disconnyl pitchakte (DINP), which is known to the state of California to cause cancer For more information, yo to www.PSSNAming.co.gov

WHI-2175 TERRACOTTA WHI-2126 BORDEAUX WHI-2136 CERULEAN WHI-2137 NAVY **NEW** COASTAL WHI-2184 SLATE NEW WHI-2161 MALLARD WHI-2163 INDIGO WHI-2124 SALSA WHI-2165 MOLTEN WHI-2174 PAVESTONE WHI-2138 ELEPHANT WHI-2180 EMERALD WHI-2162 PARADISE NEW WHI-2177 ISLET NEW WHI-2176 BREEZE NEW WHI-2170 POWDER WHI-2171 PEARL WHI-2117 BONE WHI-2172 SAND WHI-2173 FARRO WHI-2155 STORM WHI-2179 HERBAL WHI-2178 SILVER LEAF WHI-2134 PATINA WHI-2160 SASSAFRAS NEW NEW **NEW NEW** NEW NEW WHI-2152 MAHOGANY WHI-2118 CAMEL WHI-2157 FOG WHI-2185 FOSSIL WHI-2141 CASHEW WHI-2150 FAWN WHI-2120 ANTELOPE WHI-2121 CAPPUCCINO WHI-2186 WOLF GREY WHI-2154 PEWTER NEW NEW

WHI-2123 LUGGAGE

WHI-2142

COGNAC

WHI-2183 SADDLE WHI-2125 CINNAMON

WHI-2182

AUBURN

NEW

WHI-2143 ESPRESSO WHI-2139

CHARCOAL

WHI-2140

BLACK

WHI-2153 TRUFFLE



Whisper TM NEO Plus

Contract Collection



Content

Vinyl

Backing

Hi-Loft²

Finishes

PERMA**blok**

Characteristics

Bleach Cleanable (1:9)* Cleanable

Denim Dye Cleanable Water Resistant

Environmental

AB 2998 Compliant Formaldehyde Free No Biocides

No Flame Retardants

No Heavy Metals Prop 65 Compliant

Performance

Anti-Static

CFFA-Heathcare 201B Cold Crack -20°F

Stain Resistant CFFA-142

Sulfide Stain Resistant

Superior Abrasion CFFA-Ia / ASTM D-4157

UV Stability Xenocest: AATCC TM 16-3 / NTC 1479 CFFA-2a - Blue Wool

Flame Retardancy*

California T.B. 117 - 2013

NFPA 260 - Cover Fabric - Class I UFAC Fabric - Class I

*This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Specifics

Weight: 27 oz. Width: 54 in.

Roll Size: 30 yd.

Applications

☐ Automotive | RV

☑ Education

☑ Healthcare ☑ Office

Hospitality ☑ Hotel | Motel | Casino

☑ Restaurant Marine

☑ Interior Residential

☑ Interior

Axu**

This fabric meets or exceeds these ACT performance guidelines. *Certification Marks owned by ACT

CFFA CHARLESHALL

PERMABLOK PLUS+ CLEANING GUIDE



We recommend cleaning at least once a week to extend the lifespan of the upholstery, which will prevent dirt and contamination buildup and permanent staining. In the event of a spill, wipe off any excess right away with a dry white cloth or fabric, but be careful not to spread onto the remaining surface.



Clean the whole surface in a circular motion using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water). Check the Approved Cleaners guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess soap. Repeat as needed and then let dry.



If there is any buildup that cannot be removed with scapy water, a mixture of I need incommend alabelies of a mixture of I part isopropyl alcohol to 9 parts water can be used as a last resort. (Remember, using alcohol on a regular basis can affect the properties of the product.)



Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colors need more care, more often.

Note: The cleaning products recommended were used in a laboratory testing. Spradling Group® has no relationship with the manufacturers of those cleaning products

In addition to cleaning, healthcare facilities maintain disinfecting regimens to reduce the spread of infections. There are a wide variety of available bioxides that include bleaches, peroxides, and quaternary ammonium products, among others. They should always be used at the recommended dilution; never in concentrated form. To prolong the life of coated fabrics, the disinfectants should be rinsed off after each use. It should be noted that misuse of disinfectants is the major source of surface deterioration. Spradling International, $\ensuremath{\text{Inc.}^0}$ continually evaluates cleaners/disinfectants, and a list of those tested can be found on our


Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Permablok® Plus+ is a registered trademark of Spradling Holdings, Inc. Whisper™ Neo Plus is a trademark of Spradling Holdings, Inc.

©2023 Spradling International, Inc.®







200 CAHABA VALLEY PARKWAY P.O. BOX 1668 | PELHAM, AL 35124

PHONE 800-333-0955 FAX 205-965-2354 | 205-965-9176 EMAIL orders@sprading.group WWW.SPRADLING.GROUP

Forest City, North Carolin INTERNATIONAL LOCATIONS Europe (Spain | UK | Germany)

Grand Rapids, Michiga

Marwile, Temesses

Ekhart, Indiana



14001











MAMMUT

(Lagerprogramm / stock program)





PALOMA

(Lagerprogramm / stock program)





